


CLIMATE STATISTICS FOR PINE BLUFF, ARKANSAS



Compiled by:
National Weather Service
Little Rock, Arkansas
Climate Services
8400 Remount Road
North Little Rock, AR 72118

Updated: 15 DEC 2010

TABLE OF CONTENTS

DAILY RECORDS

JANUARY	5
FEBRUARY	12
MARCH	18
APRIL	25
MAY	31
JUNE	38
JULY	44
AUGUST	51
SEPTEMBER	58
OCTOBER	64
NOVEMBER	71
DECEMBER	77

ANNUAL RECORDS

TEMPERATURE	84
PRECIPITATION	89
SNOWFALL	90

SEASONAL RECORDS

SPRING TEMPERATURE/PRECIPITATION	92
SUMMER TEMPERATURE/PRECIPITATION	94
FALL TEMPERATURE/PRECIPITATION	96
WINTER TEMPERATURE/PRECIPITATION	98

MONTHLY RECORDS

JANUARY	100
FEBRUARY	103
MARCH	106
APRIL	109
MAY	112
JUNE	115
JULY	118
AUGUST	121
SEPTEMBER	124
OCTOBER	127
NOVEMBER	130
DECEMBER	133

MISCELLANEOUS DATA

HIGHEST WIND GUSTS AND DATES	136
AVERAGE MONTHLY HIGH TEMPERATURES	137
AVERAGE MONTHLY TEMPERATURES	141
AVERAGE MONTHLY LOW TEMPERATURES	145
MONTHLY RAINFALL	149
MONTHLY SNOWFALL	153
SEASONAL TEMPERATURE DATA	157
SEASONAL PRECIPITATION DATA	161
MISC DATA (FIRST/LAST FREEZE, ETC.)	165

PINE BLUFF, ARKANSAS CLIMATE RECORDS

PINE BLUFF, JEFFERSON COUNTY, ARKANSAS IS LOCATED IN THE LOWER ARKANSAS RIVER VALLEY. THE TERRAIN IS MOSTLY LEVEL...WITH AN ELEVATION BETWEEN 200 AND 250 FEET ABOVE SEA LEVEL.

DAILY OBSERVATIONS BEGAN IN PINE BLUFF IN MAY OF 1884. THEY WERE GENERALLY TAKEN DURING THE SPRING AND SUMMER, AND ENDING IN EARLY FALL. BEGINNING IN MAY OF 1890, OBSERVATIONS WERE TAKEN ON A MORE ROUTINE BASIS. YEAR-ROUND OBSERVATIONS BEGAN IN FEBRUARY OF 1895.

ON OCTOBER 1ST 1948, A WEATHER OBSERVATORY OPENED AT PINE BLUFF GRIDER FIELD AIRPORT, WITH OBSERVATIONS RECORDED 24 HOURS A DAY, 7 DAYS A WEEK. THIS CONTINUED UNTIL FEBRUARY 28, 1974. OBSERVATIONS WERE THEN SCALED BACK TO AIRPORT OPERATING HOURS, AND NO LONGER REPORTED DAILY DATA. DAILY DATA BEGAN ONCE AGAIN ON MAY 28, 1988 WHEN THE AIRPORT WEATHER OBSERVATORY WAS REESTABLISHED.

ON SEPTEMBER 26, 2000, THE AUTOMATED SURFACE OBSERVING SYSTEM (ASOS) WAS COMMISSIONED, BRINGING AN END TO HUMAN INTERVENTION IN DAILY OBSERVATIONS AT THE AIRPORT.

BELOW IS A LIST OF OBSERVATION STATIONS IN THE PINE BLUFF AREA, THE DATES IN OPERATION, AND HOW THE CLIMATOLOGICAL RECORDS ARE DERIVED:

DATES: FROM	TO	LOCATION	LAT	LON	ELEVATION	REMARKS/ OBSERVER
14 MAY 1884	30 NOV 1894	PINE BLUFF	34 14'	91 55'	215	VARIOUS OBSERVERS
01 JAN 1895	31 DEC 1917	0.8 SW OF POST OFFICE				HUDSON FAMILY
01 JAN 1918	30 JUN 1919	1 SW OF POST OFFICE				W. P. MCGEORGE
01 JUL 1919	30 JUN 1922	1 SW OF POST OFFICE				ROY HAMMOND
01 JUL 1922	01 JUN 1959	1 SW OF POST OFFICE	34 12'	92 00'	220	THERESA SCHEU
01 JUN 1959	PRESENT	WATER PLANT	34 14'	92 01'	215	
01 OCT 1948	26 SEP 2000	GRIDER FIELD	34 10'	91 56'	207	FAA OBSERVING STATION
26 SEP 2000	PRESENT	GRIDER FIELD	34 11'	91 56'	207	ASOS

14 MAY 1884 - 30 SEP 1948 - ALL DATA IS FROM PINE BLUFF WATER PLANT/COOPERATIVE OBSERVER SITE. DATA FOR MARCH 1894 IS TAKEN FROM MADDING, AR COOPERATIVE OBSERVER SITE, 5 MILES ENE OF PINE BLUFF GRIDER FIELD.

01 OCT 1948 - 28 FEB 1974 - ALL DATA IS FROM PINE BLUFF GRIDER FIELD

01 MAR 1974 - 27 MAY 1988 - ALL DATA IS FROM PINE BLUFF WATER PLANT/COOPERATIVE OBSERVER SITE. SOME DATA IS THREADED BETWEEN THE AIRPORT AND WATER PLANT FROM 1986 THROUGH MAY 1988.

28 MAY 1988 - 25 SEP 2000 - ALL DATA IS FROM PINE BLUFF GRIDER FIELD

26 SEP 2000 - PRESENT - TEMPERATURE AND RAINFALL DATA IS FROM PINE BLUFF GRIDER FIELD

26 SEP 2000 - PRESENT - SNOWFALL DATA IS FROM PINE BLUFF WATER PLANT/ COOPERATIVE OBSERVER SITE

JANUARY

JANUARY 1

HIGH	79	-	1952
LOW HIGH	21	-	1977
LOW	4	-	1984
HIGH LOW	65	-	1966
RAINFALL	1.70"	-	1948
SNOWFALL	T	-	1991

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.16"

JANUARY 2

HIGH	76	-	2000
LOW HIGH	24	-	1928
LOW	8	-	1979
HIGH LOW	62	-	2005
RAINFALL	1.98"	-	1897
SNOWFALL	T	-	1977

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.15"

JANUARY 3

HIGH	76	-	2009
LOW HIGH	22	-	1911
LOW	9	-	2001, 1979, 1928
HIGH LOW	66	-	2004, 1950
RAINFALL	5.58"	-	1897
SNOWFALL	2.0"	-	1988

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.15"

JANUARY 4

HIGH	79	-	1997
LOW HIGH	25	-	1959
LOW	8	-	1911
HIGH LOW	62	-	1917
RAINFALL	1.73"	-	1939
SNOWFALL	1.0"	-	1942

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.15"

JANUARY 5

HIGH	78	-	1913
LOW HIGH	28	-	1971, 1959
LOW	12	-	1959, 1924
HIGH LOW	59	-	1998
RAINFALL	2.02"	-	1932
SNOWFALL	5.0"	-	1960

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.15"

JANUARY 6

HIGH	78	-	1927
LOW HIGH	28	-	1988
LOW	9	-	1924
HIGH LOW	55	-	1998
RAINFALL	1.94"	-	1991
SNOWFALL	6.0"	-	1910

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.14"

JANUARY 7

HIGH	82	-	1907
LOW HIGH	23	-	1988, 1968
LOW	3	-	1910
HIGH LOW	64	-	1937
RAINFALL	1.70"	-	1988
SNOWFALL	10.0"	-	1988

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.14"

JANUARY 8

HIGH	77	-	1969
LOW HIGH	19	-	1988
LOW	7	-	1942
HIGH LOW	60	-	1965, 1907
RAINFALL	3.55"	-	1930
SNOWFALL	3.0"	-	1944

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.14"

JANUARY 9

HIGH	81	-	1957
LOW HIGH	22	-	1988
LOW	8	-	1970, 1962
HIGH LOW	60	-	1949
RAINFALL	3.65"	-	1930
SNOWFALL	8.0"	-	1962

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.14"

JANUARY 10

HIGH	80	-	1949
LOW HIGH	13	-	1962
LOW	-2	-	1962
HIGH LOW	62	-	1898
RAINFALL	3.42"	-	1974
SNOWFALL	1.4"	-	1954

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.14"

JANUARY 11

HIGH	83	-	1928
LOW HIGH	14	-	1962
LOW	0	-	1962
HIGH LOW	63	-	2005, 1995
RAINFALL	3.60"	-	1898
SNOWFALL	2.0"	-	1918

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.14"

JANUARY 12

HIGH	78	-	1911
LOW HIGH	22	-	1918
LOW	-6	-	1918
HIGH LOW	67	-	1916
RAINFALL	2.95"	-	1989
SNOWFALL	5.0"	-	1982

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.14"

JANUARY 13

HIGH	78	-	1932
LOW HIGH	24	-	1982
LOW	-6	-	1918
HIGH LOW	57	-	1911, 1907
RAINFALL	2.95"	-	1899
SNOWFALL	3.0"	-	1892

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.13"

JANUARY 14

HIGH	80	-	1907
LOW HIGH	25	-	1982
LOW	4	-	1918
HIGH LOW	63	-	1907
RAINFALL	3.05"	-	1898
SNOWFALL	1.0"	-	1978

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.13"

JANUARY 15

HIGH	80	-	1928
LOW HIGH	26	-	1905
LOW	10	-	1892
HIGH LOW	61	-	1947
RAINFALL	2.61"	-	1954
SNOWFALL	3.0"	-	1917

NORMALS - HIGH: 49 - LOW: 31 - RAINFALL: 0.13"

JANUARY 16

HIGH	81	-	1943
LOW HIGH	30	-	1972, 1917
LOW	12	-	1905
HIGH LOW	62	-	1943
RAINFALL	1.76"	-	1949
SNOWFALL	5.0"	-	1946

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 17

HIGH	77	-	1952
LOW HIGH	25	-	1977
LOW	5	-	1982
HIGH LOW	64	-	1952
RAINFALL	2.30"	-	1897
SNOWFALL	6.2"	-	1948

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 18

HIGH	76	-	1907
LOW HIGH	21	-	1948, 1930
LOW	-2	-	1930
HIGH LOW	63	-	1907
RAINFALL	2.32"	-	1995
SNOWFALL	9.0"	-	1893

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 19

HIGH	80	-	1914
LOW HIGH	25	-	1940
LOW	1	-	1940
HIGH LOW	64	-	1907
RAINFALL	3.01"	-	1898
SNOWFALL	2.5"	-	1936

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 20

HIGH	76	-	1954
LOW HIGH	23	-	1984
LOW	2	-	1985 - LOW FROM AIRPORT SITE
HIGH LOW	60	-	1959
RAINFALL	3.78"	-	1935
SNOWFALL	2.0"	-	1985

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 21

HIGH	78	-	1911
LOW HIGH	15	-	1985
LOW	5	-	1985
HIGH LOW	62	-	1911
RAINFALL	2.04"	-	1937
SNOWFALL	2.0"	-	1954

NORMALS - HIGH: 50 - LOW: 31 - RAINFALL: 0.13"

JANUARY 22

HIGH	79	-	1921
LOW HIGH	25	-	1930
LOW	3	-	1918
HIGH LOW	56	-	1965, 1932
RAINFALL	5.65"	-	1906
SNOWFALL	4.0"	-	1995

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.13"

JANUARY 23

HIGH	82	-	1943
LOW HIGH	27	-	2003
LOW	2	-	1918
HIGH LOW	64	-	1967
RAINFALL	1.34"	-	1932
SNOWFALL	3.5"	-	1940

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.13"

JANUARY 24

HIGH	81	-	1972
LOW HIGH	21	-	1948
LOW	6	-	1963
HIGH LOW	65	-	1950
RAINFALL	3.44"	-	2004
SNOWFALL	4.0"	-	1966

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

JANUARY 25

HIGH	82	-	1950, 1909
LOW HIGH	25	-	1940, 1897
LOW	10	-	1905
HIGH LOW	67	-	1950
RAINFALL	1.62"	-	1976
SNOWFALL	3.5"	-	1948

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

JANUARY 26

HIGH	78	-	1952
LOW HIGH	22	-	1897
LOW	9	-	1905
HIGH LOW	62	-	1952
RAINFALL	3.89"	-	1952
SNOWFALL	1.3"	-	1978

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

JANUARY 27

HIGH	80	-	1975
LOW HIGH	24	-	1963
LOW	7	-	1940
HIGH LOW	58	-	1944
RAINFALL	2.85"	-	1994
SNOWFALL	11.0"	-	2000

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

JANUARY 28

HIGH	79	-	1975
LOW HIGH	27	-	1948
LOW	11	-	1963
HIGH LOW	63	-	1970
RAINFALL	2.01"	-	1990
SNOWFALL	12.0"	-	1966

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.13"

JANUARY 29

HIGH	79	-	1950
LOW HIGH	19	-	1966
LOW	6	-	1966
HIGH LOW	66	-	1975
RAINFALL	3.62"	-	1939
SNOWFALL	1.0"	-	1899

NORMALS - HIGH: 52 - LOW: 32 - RAINFALL: 0.13"

JANUARY 30

HIGH	81	-	2002
LOW HIGH	20	-	1951
LOW	-2	-	1966
HIGH LOW	64	-	1916
RAINFALL	3.40"	-	1923
SNOWFALL	4.0"	-	1949

NORMALS - HIGH: 52 - LOW: 32 - RAINFALL: 0.13"

JANUARY 31

HIGH 80 - 2002, 1911

LOW HIGH 20 - 1951

LOW 8 - 1949

HIGH LOW 58 - 1968

RAINFALL 3.11" - 1957

SNOWFALL 3.0" - 1951

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.13"

FEBRUARY

FEBRUARY 1

HIGH	81	-	1989,	1911
LOW HIGH	22	-	1951	
LOW	8	-	1949	
HIGH LOW	61	-	1923	
RAINFALL	2.27"	-	1969	
SNOWFALL	2.5"	-	1978	

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.13"

FEBRUARY 2

HIGH	82	-	1995	
LOW HIGH	18	-	1985	
LOW	-1	-	1951	
HIGH LOW	62	-	1986	
RAINFALL	2.67"	-	1956	
SNOWFALL	2.0"	-	1996	

NORMALS - HIGH: 53 - LOW: 33 - RAINFALL: 0.13"

FEBRUARY 3

HIGH	81	-	1927	
LOW HIGH	21	-	1905	
LOW	10	-	1951,	1905
HIGH LOW	64	-	1932	
RAINFALL	2.53"	-	1990	
SNOWFALL	T	-	1989	

NORMALS - HIGH: 53 - LOW: 33 - RAINFALL: 0.13"

FEBRUARY 4

HIGH	77	-	1927	
LOW HIGH	22	-	1996,	1989
LOW	9	-	1996	
HIGH LOW	66	-	2008	
RAINFALL	3.13"	-	1955	
SNOWFALL	3.0"	-	1923	

NORMALS - HIGH: 53 - LOW: 33 - RAINFALL: 0.13"

FEBRUARY 5

HIGH	76	-	1943	
LOW HIGH	22	-	1989	
LOW	13	-	1996	
HIGH LOW	61	-	1927	
RAINFALL	2.20"	-	1909	
SNOWFALL	1.0"	-	1906	

NORMALS - HIGH: 54 - LOW: 33 - RAINFALL: 0.14"

FEBRUARY 6

HIGH	78	-	1963
LOW HIGH	23	-	1989
LOW	16	-	1917
HIGH LOW	60	-	1938
RAINFALL	1.52"	-	1946
SNOWFALL	T	-	1956

NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.14"

FEBRUARY 7

HIGH	76	-	1926
LOW HIGH	29	-	1982, 1905
LOW	13	-	1914
HIGH LOW	60	-	1931
RAINFALL	1.62"	-	1973
SNOWFALL	5.5"	-	1979

NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.14"

FEBRUARY 8

HIGH	80	-	1918
LOW HIGH	24	-	1933
LOW	8	-	1933
HIGH LOW	63	-	1994
RAINFALL	1.74"	-	1956
SNOWFALL	1.0"	-	1971

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.14"

FEBRUARY 9

HIGH	83	-	1957
LOW HIGH	29	-	1933
LOW	8	-	1933
HIGH LOW	63	-	1999
RAINFALL	3.42"	-	1966
SNOWFALL	1.0"	-	1994

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.14"

FEBRUARY 10

HIGH	84	-	1932
LOW HIGH	20	-	1899
LOW	11	-	1979
HIGH LOW	64	-	1999
RAINFALL	1.46"	-	1953
SNOWFALL	4.5"	-	1980

NORMALS - HIGH: 55 - LOW: 34 - RAINFALL: 0.14"

FEBRUARY 11

HIGH	88	-	1918
LOW HIGH	24	-	1899
LOW	10	-	1981
HIGH LOW	59	-	1922
RAINFALL	2.70"	-	1965
SNOWFALL	1.5"	-	1933

NORMALS - HIGH: 55 - LOW: 35 - RAINFALL: 0.14"

FEBRUARY 12

HIGH	82	-	1962
LOW HIGH	19	-	1899
LOW	-5	-	1899
HIGH LOW	55	-	1951, 1938
RAINFALL	2.22"	-	1948
SNOWFALL	T	-	1952

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.14"

FEBRUARY 13

HIGH	90	-	1918
LOW HIGH	30	-	1899
LOW	-2	-	1899
HIGH LOW	61	-	1949
RAINFALL	1.57"	-	1914
SNOWFALL	1.0"	-	1997

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.14"

FEBRUARY 14

HIGH	86	-	1918
LOW HIGH	35	-	1968, 1958
LOW	2	-	1905
HIGH LOW	63	-	1949
RAINFALL	2.66"	-	1989
SNOWFALL	1.0"	-	1958

NORMALS - HIGH: 56 - LOW: 35 - RAINFALL: 0.14"

FEBRUARY 15

HIGH	80	-	1945, 1927, 1921
LOW HIGH	29	-	1905
LOW	7	-	1905
HIGH LOW	64	-	1954, 1921
RAINFALL	5.32"	-	1939
SNOWFALL	1.0"	-	1899

NORMALS - HIGH: 57 - LOW: 35 - RAINFALL: 0.14"

FEBRUARY 16

HIGH	84	-	1927
LOW HIGH	26	-	1958
LOW	16	-	1905
HIGH LOW	62	-	1976
RAINFALL	2.71"	-	2001
SNOWFALL	1.0"	-	1903

NORMALS - HIGH: 57 - LOW: 36 - RAINFALL: 0.14"

FEBRUARY 17

HIGH	80	-	1927, 1916, 1897
LOW HIGH	27	-	1958, 1900
LOW	2	-	1903
HIGH LOW	63	-	1986
RAINFALL	1.74"	-	1956
SNOWFALL	2.0"	-	1960

NORMALS - HIGH: 57 - LOW: 36 - RAINFALL: 0.15"

FEBRUARY 18

HIGH	79	-	1986, 1917
LOW HIGH	28	-	1979
LOW	6	-	1911
HIGH LOW	60	-	1911
RAINFALL	3.54"	-	1938
SNOWFALL	4.0"	-	1910

NORMALS - HIGH: 57 - LOW: 36 - RAINFALL: 0.15"

FEBRUARY 19

HIGH	80	-	1986, 1917
LOW HIGH	25	-	2006
LOW	10	-	1910
HIGH LOW	59	-	1986
RAINFALL	1.57"	-	1996
SNOWFALL	2.0"	-	1905

NORMALS - HIGH: 58 - LOW: 37 - RAINFALL: 0.15"

FEBRUARY 20

HIGH	83	-	1986
LOW HIGH	31	-	2006
LOW	18	-	1978
HIGH LOW	57	-	1937
RAINFALL	2.10"	-	1961
SNOWFALL	2.2"	-	1921

NORMALS - HIGH: 58 - LOW: 37 - RAINFALL: 0.15"

FEBRUARY 21

HIGH	81	-	2005,	1917
LOW HIGH	33	-	1955	
LOW	17	-	1968	
HIGH LOW	59	-	1922	
RAINFALL	1.49"	-	2003	
SNOWFALL	2.0"	-	1929	

NORMALS - HIGH: 58 - LOW: 37 - RAINFALL: 0.15"

FEBRUARY 22

HIGH	82	-	1980	
LOW HIGH	29	-	1968	
LOW	16	-	1963	
HIGH LOW	60	-	1930	
RAINFALL	2.02"	-	1994	
SNOWFALL	1.6"	-	1901	

NORMALS - HIGH: 59 - LOW: 37 - RAINFALL: 0.15"

FEBRUARY 23

HIGH	84	-	1930	
LOW HIGH	32	-	1989	
LOW	19	-	1989, 1978, 1901	
HIGH LOW	60	-	1927	
RAINFALL	3.68"	-	1962	
SNOWFALL	4.2"	-	1966	

NORMALS - HIGH: 59 - LOW: 38 - RAINFALL: 0.15"

FEBRUARY 24

HIGH	82	-	1982	
LOW HIGH	33	-	1914	
LOW	18	-	1910	
HIGH LOW	66	-	1930	
RAINFALL	2.59"	-	1957	
SNOWFALL	7.2"	-	1960	

NORMALS - HIGH: 59 - LOW: 38 - RAINFALL: 0.15"

FEBRUARY 25

HIGH	81	-	1936	
LOW HIGH	30	-	2003	
LOW	14	-	1965	
HIGH LOW	64	-	1944	
RAINFALL	2.05"	-	1992	
SNOWFALL	1.0"	-	1979	

NORMALS - HIGH: 59 - LOW: 38 - RAINFALL: 0.15"

FEBRUARY 26

HIGH	85	-	1917
LOW HIGH	31	-	2003
LOW	20	-	1891
HIGH LOW	62	-	1996
RAINFALL	1.70"	-	1923
SNOWFALL	3.0"	-	1942

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.15"

FEBRUARY 27

HIGH	83	-	1932
LOW HIGH	31	-	1934
LOW	19	-	2002, 1934
HIGH LOW	62	-	1895
RAINFALL	3.35"	-	1910
SNOWFALL	T	-	1964

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.15"

FEBRUARY 28

HIGH	91	-	1918
LOW HIGH	36	-	1962, 1916
LOW	21	-	2002
HIGH LOW	63	-	1955
RAINFALL	2.33"	-	1900
SNOWFALL	3.0"	-	1916

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.15"

FEBRUARY 29

HIGH	85	-	1932
LOW HIGH	35	-	1916
LOW	23	-	1968, 1920
HIGH LOW	61	-	1904
RAINFALL	1.27"	-	2004
SNOWFALL	"	-	

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.15"

MARCH

MARCH 1

HIGH	82	-	2006
LOW HIGH	33	-	1960
LOW	21	-	1980
HIGH LOW	61	-	1976
RAINFALL	1.95"	-	1997
SNOWFALL	2.0"	-	1960

NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.15"

MARCH 2

HIGH	85	-	1904
LOW HIGH	28	-	1980
LOW	16	-	1980
HIGH LOW	64	-	1976, 1932
RAINFALL	2.08"	-	1934
SNOWFALL	T	-	1995

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.15"

MARCH 3

HIGH	91	-	1918
LOW HIGH	34	-	1943
LOW	13	-	1943
HIGH LOW	65	-	1976
RAINFALL	1.84"	-	1970
SNOWFALL	7.0"	-	1965

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.16"

MARCH 4

HIGH	93	-	1918
LOW HIGH	32	-	1960
LOW	19	-	2002
HIGH LOW	66	-	1976, 1974, 1961
RAINFALL	2.00"	-	1977
SNOWFALL	2.0"	-	1917

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.16"

MARCH 5

HIGH	96	-	1918
LOW HIGH	31	-	1960
LOW	20	-	1960
HIGH LOW	64	-	1961
RAINFALL	2.30"	-	1919
SNOWFALL	T	-	1992

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

MARCH 6

HIGH	88	-	1905
LOW HIGH	32	-	1989
LOW	19	-	1920
HIGH LOW	64	-	1956
RAINFALL	1.62"	-	1894
SNOWFALL	T	-	1989, 1982

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

MARCH 7

HIGH	87	-	1911
LOW HIGH	35	-	1920
LOW	17	-	1943
HIGH LOW	67	-	1911
RAINFALL	2.34"	-	1990
SNOWFALL	6.0"	-	2008

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

MARCH 8

HIGH	85	-	1974
LOW HIGH	33	-	1932
LOW	19	-	2008, 1996
HIGH LOW	64	-	1974
RAINFALL	3.17"	-	1976
SNOWFALL	1.0"	-	1932

NORMALS - HIGH: 62 - LOW: 42 - RAINFALL: 0.16"

MARCH 9

HIGH	90	-	1911
LOW HIGH	34	-	1932
LOW	11	-	1932
HIGH LOW	67	-	1897
RAINFALL	2.78"	-	1992
SNOWFALL	T	-	1994

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

MARCH 10

HIGH	85	-	1974
LOW HIGH	39	-	1932
LOW	21	-	1932
HIGH LOW	65	-	1990
RAINFALL	2.26"	-	1903
SNOWFALL	T	-	1943

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

MARCH 11

HIGH	88	-	1911
LOW HIGH	38	-	1932
LOW	24	-	1948
HIGH LOW	65	-	1990, 1967
RAINFALL	2.90"	-	1897
SNOWFALL	0.8"	-	1932

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

MARCH 12

HIGH	87	-	2006, 1967
LOW HIGH	28	-	1948
LOW	21	-	1948
HIGH LOW	67	-	1990
RAINFALL	4.57"	-	1950
SNOWFALL	2.5"	-	1896

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.16"

MARCH 13

HIGH	93	-	1918
LOW HIGH	38	-	1951
LOW	20	-	1932
HIGH LOW	67	-	1917
RAINFALL	3.02"	-	1943
SNOWFALL	2.0"	-	1960

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.16"

MARCH 14

HIGH	87	-	1933
LOW HIGH	39	-	1960
LOW	22	-	1993, 1948
HIGH LOW	67	-	1933
RAINFALL	3.25"	-	1894
SNOWFALL	8.0"	-	1960

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.16"

MARCH 15

HIGH	86	-	1908
LOW HIGH	40	-	1900, 1893
LOW	26	-	1895
HIGH LOW	67	-	1938
RAINFALL	1.82"	-	1897
SNOWFALL	T	-	1937

NORMALS - HIGH: 64 - LOW: 44 - RAINFALL: 0.16"

MARCH 16

HIGH	87	-	1942, 1908
LOW HIGH	32	-	1892
LOW	23	-	1900
HIGH LOW	72	-	1942
RAINFALL	1.40"	-	1946
SNOWFALL	"	-	

NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.16"

MARCH 17

HIGH	88	-	1908
LOW HIGH	30	-	1892
LOW	14	-	1892
HIGH LOW	66	-	1982
RAINFALL	3.95"	-	1919
SNOWFALL	14.0"	-	1892

NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.16"

MARCH 18

HIGH	89	-	1908
LOW HIGH	36	-	1892
LOW	12	-	1892
HIGH LOW	66	-	1927
RAINFALL	5.75"	-	1894
SNOWFALL	T	-	1951

NORMALS - HIGH: 65 - LOW: 44 - RAINFALL: 0.17"

MARCH 19

HIGH	87	-	1907
LOW HIGH	32	-	1965
LOW	12	-	1892
HIGH LOW	68	-	1898, 1897
RAINFALL	3.06"	-	1922
SNOWFALL	T	-	1965

NORMALS - HIGH: 66 - LOW: 45 - RAINFALL: 0.17"

MARCH 20

HIGH	88	-	1907
LOW HIGH	40	-	1965
LOW	18	-	1965
HIGH LOW	73	-	1897
RAINFALL	3.18"	-	1968
SNOWFALL	"	-	

NORMALS - HIGH: 66 - LOW: 45 - RAINFALL: 0.17"

MARCH 21

HIGH	88	-	1907
LOW HIGH	41	-	1915
LOW	25	-	1965
HIGH LOW	75	-	1897
RAINFALL	3.32"	-	1985
SNOWFALL	T	-	2010, 1970

NORMALS - HIGH: 66 - LOW: 45 - RAINFALL: 0.17"

MARCH 22

HIGH	88	-	1907
LOW HIGH	41	-	2002
LOW	24	-	1915
HIGH LOW	69	-	1904, 1897
RAINFALL	3.86"	-	1948
SNOWFALL	T	-	1968

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.17"

MARCH 23

HIGH	94	-	1929
LOW HIGH	45	-	2006, 1912
LOW	25	-	1915
HIGH LOW	67	-	1935
RAINFALL	1.94"	-	1969
SNOWFALL	T	-	1968

NORMALS - HIGH: 67 - LOW: 46 - RAINFALL: 0.17"

MARCH 24

HIGH	95	-	1929
LOW HIGH	42	-	1965
LOW	28	-	1974
HIGH LOW	66	-	1935
RAINFALL	2.05"	-	1912
SNOWFALL	"	-	

NORMALS - HIGH: 67 - LOW: 46 - RAINFALL: 0.17"

MARCH 25

HIGH	90	-	1929, 1907
LOW HIGH	36	-	1965
LOW	27	-	1955
HIGH LOW	68	-	1935, 1913
RAINFALL	1.91"	-	1965
SNOWFALL	T	-	1971

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.17"

MARCH 26

HIGH	89	-	1928
LOW HIGH	35	-	1955
LOW	20	-	1955
HIGH LOW	70	-	1991
RAINFALL	5.00"	-	1934
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.17"

MARCH 27

HIGH	88	-	1935, 1918
LOW HIGH	42	-	1955
LOW	20	-	1955
HIGH LOW	69	-	1898
RAINFALL	2.96"	-	1977
SNOWFALL	T	-	1937

NORMALS - HIGH: 68 - LOW: 47 - RAINFALL: 0.17"

MARCH 28

HIGH	92	-	1918
LOW HIGH	45	-	1899
LOW	27	-	1937
HIGH LOW	69	-	1907, 1905
RAINFALL	4.08"	-	1946
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 47 - RAINFALL: 0.17"

MARCH 29

HIGH	87	-	1963, 1936
LOW HIGH	43	-	1937
LOW	25	-	1899
HIGH LOW	69	-	1907
RAINFALL	3.15"	-	1908
SNOWFALL	2.0"	-	1894

NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.17"

MARCH 30

HIGH	89	-	1946
LOW HIGH	40	-	1987
LOW	28	-	1964
HIGH LOW	72	-	1938
RAINFALL	3.02"	-	1961
SNOWFALL	"	-	

NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.17"

MARCH 31

HIGH	93 - 1974
LOW HIGH	49 - 1969, 1954
LOW	30 - 1987
HIGH LOW	74 - 1897
RAINFALL	2.12" - 1933
SNOWFALL	" -

NORMALS - HIGH: 69 - LOW: 47 - RAINFALL: 0.17"

APRIL

APRIL 1

HIGH	92	-	1974
LOW HIGH	44	-	1900
LOW	29	-	1924
HIGH LOW	67	-	1974, 1888
RAINFALL	3.00"	-	1912
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.17"

APRIL 2

HIGH	87	-	1928
LOW HIGH	43	-	1901
LOW	30	-	1924
HIGH LOW	69	-	1956
RAINFALL	2.84"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.17"

APRIL 3

HIGH	94	-	1918
LOW HIGH	49	-	1983
LOW	29	-	1975
HIGH LOW	72	-	1940
RAINFALL	3.79"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 48 - RAINFALL: 0.17"

APRIL 4

HIGH	88	-	1934, 1929, 1927, 1893
LOW HIGH	52	-	1993
LOW	30	-	1903
HIGH LOW	68	-	1888
RAINFALL	3.48"	-	1997
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.17"

APRIL 5

HIGH	89	-	1929
LOW HIGH	45	-	1996
LOW	26	-	1996
HIGH LOW	68	-	1888
RAINFALL	2.35"	-	1997
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.17"

APRIL 6

HIGH	90	-	1960
LOW HIGH	45	-	1971
LOW	28	-	1971
HIGH LOW	69	-	1929
RAINFALL	4.05"	-	1918
SNOWFALL	T	-	1971

NORMALS - HIGH: 71 - LOW: 49 - RAINFALL: 0.17"

APRIL 7

HIGH	90	-	1893
LOW HIGH	49	-	1982
LOW	32	-	1898
HIGH LOW	70	-	1893
RAINFALL	3.30"	-	1921
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.17"

APRIL 8

HIGH	91	-	1948
LOW HIGH	49	-	1917
LOW	31	-	2007
HIGH LOW	71	-	1948
RAINFALL	2.80"	-	1921
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.17"

APRIL 9

HIGH	91	-	1903
LOW HIGH	47	-	2003
LOW	31	-	1909
HIGH LOW	70	-	1999
RAINFALL	3.13"	-	2008
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.17"

APRIL 10

HIGH	93	-	1943
LOW HIGH	49	-	1989, 1956
LOW	32	-	1914, 1904
HIGH LOW	68	-	1994, 1893
RAINFALL	3.00"	-	1888
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 50 - RAINFALL: 0.17"

APRIL 11

HIGH	90	-	1906
LOW HIGH	49	-	1988
LOW	32	-	1989
HIGH LOW	68	-	1994
RAINFALL	3.48"	-	1900
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.17"

APRIL 12

HIGH	88	-	1972, 1941, 1919
LOW HIGH	48	-	1900
LOW	32	-	1900
HIGH LOW	72	-	1948
RAINFALL	2.91"	-	1991
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.17"

APRIL 13

HIGH	90	-	1972
LOW HIGH	52	-	1957
LOW	31	-	1940
HIGH LOW	70	-	1972
RAINFALL	3.10"	-	1896
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 50 - RAINFALL: 0.17"

APRIL 14

HIGH	90	-	1936
LOW HIGH	45	-	1980
LOW	34	-	1980, 1959
HIGH LOW	69	-	1922
RAINFALL	3.40"	-	1911
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.17"

APRIL 15

HIGH	94	-	1924
LOW HIGH	46	-	1933
LOW	33	-	1980
HIGH LOW	67	-	1972, 1945
RAINFALL	4.20"	-	1927
SNOWFALL	T	-	1928

NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.17"

APRIL 16

HIGH	92	-	1924
LOW HIGH	51	-	1904
LOW	32	-	1928
HIGH LOW	69	-	1967
RAINFALL	1.83"	-	1982
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 51 - RAINFALL: 0.17"

APRIL 17

HIGH	92	-	2006
LOW HIGH	53	-	1907
LOW	34	-	1951
HIGH LOW	68	-	2006
RAINFALL	1.45"	-	1918
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 52 - RAINFALL: 0.18"

APRIL 18

HIGH	93	-	2006
LOW HIGH	52	-	1907
LOW	34	-	1984
HIGH LOW	74	-	1975
RAINFALL	1.82"	-	1901
SNOWFALL	"	-	

NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.18"

APRIL 19

HIGH	94	-	1986
LOW HIGH	48	-	1940
LOW	32	-	1893
HIGH LOW	72	-	1920
RAINFALL	3.90"	-	1918
SNOWFALL	"	-	

NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.18"

APRIL 20

HIGH	94	-	1986
LOW HIGH	44	-	1983
LOW	36	-	1910
HIGH LOW	70	-	1973, 1964
RAINFALL	1.71"	-	1986
SNOWFALL	T	-	1983

NORMALS - HIGH: 75 - LOW: 52 - RAINFALL: 0.18"

APRIL 21

HIGH	93	-	1925
LOW HIGH	55	-	1966
LOW	38	-	1953
HIGH LOW	68	-	1973, 1963
RAINFALL	4.30"	-	1927
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 53 - RAINFALL: 0.17"

APRIL 22

HIGH	92	-	1925
LOW HIGH	58	-	1936, 1907
LOW	35	-	1931
HIGH LOW	69	-	2001
RAINFALL	3.03"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 53 - RAINFALL: 0.17"

APRIL 23

HIGH	96	-	1905
LOW HIGH	56	-	1941, 1911
LOW	38	-	1931
HIGH LOW	70	-	1999, 1970
RAINFALL	4.05"	-	1941
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 53 - RAINFALL: 0.17"

APRIL 24

HIGH	90	-	1965
LOW HIGH	50	-	1910
LOW	41	-	1982, 1951, 1910, 1907
HIGH LOW	69	-	2007
RAINFALL	4.38"	-	1966
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 54 - RAINFALL: 0.17"

APRIL 25

HIGH	89	-	1954, 1925
LOW HIGH	50	-	1910
LOW	30	-	1910
HIGH LOW	70	-	1921
RAINFALL	3.67"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 54 - RAINFALL: 0.17"

APRIL 26

HIGH	92	-	1896
LOW HIGH	57	-	1980
LOW	34	-	1910
HIGH LOW	72	-	1994
RAINFALL	4.69"	-	1942
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 54 - RAINFALL: 0.17"

APRIL 27

HIGH	95	-	1987
LOW HIGH	60	-	1997
LOW	40	-	1919, 1910, 1903
HIGH LOW	74	-	1994
RAINFALL	2.44"	-	1968
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 55 - RAINFALL: 0.17"

APRIL 28

HIGH	92	-	1948
LOW HIGH	56	-	1997
LOW	40	-	1928, 1920
HIGH LOW	73	-	1970
RAINFALL	3.06"	-	1991
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 55 - RAINFALL: 0.17"

APRIL 29

HIGH	92	-	1990, 1915
LOW HIGH	65	-	1958
LOW	41	-	1904
HIGH LOW	72	-	1970
RAINFALL	1.83"	-	1953
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 55 - RAINFALL: 0.17"

APRIL 30

HIGH	94	-	1943
LOW HIGH	55	-	1958
LOW	35	-	1908
HIGH LOW	71	-	1894
RAINFALL	1.82"	-	1947
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 55 - RAINFALL: 0.17"

MAY

MAY 1

HIGH	95	-	1901
LOW HIGH	57	-	1994
LOW	38	-	1909, 1908
HIGH LOW	71	-	2002
RAINFALL	5.15"	-	1958
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 56 - RAINFALL: 0.17"

MAY 2

HIGH	93	-	1946, 1943
LOW HIGH	58	-	1994
LOW	36	-	1909
HIGH LOW	70	-	1983
RAINFALL	3.64"	-	1984
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 56 - RAINFALL: 0.17"

MAY 3

HIGH	92	-	1952, 1943
LOW HIGH	60	-	2002, 1954
LOW	41	-	1918
HIGH LOW	70	-	1959
RAINFALL	2.80"	-	1984
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 56 - RAINFALL: 0.17"

MAY 4

HIGH	94	-	1943
LOW HIGH	56	-	1978, 1907
LOW	41	-	1954
HIGH LOW	71	-	1892
RAINFALL	4.07"	-	1979
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 57 - RAINFALL: 0.17"

MAY 5

HIGH	94	-	1943
LOW HIGH	60	-	1935
LOW	42	-	1976, 1900
HIGH LOW	68	-	1996, 1894
RAINFALL	6.80"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 57 - RAINFALL: 0.17"

MAY 6

HIGH	94	-	1952
LOW HIGH	60	-	1917
LOW	42	-	1890
HIGH LOW	71	-	2003
RAINFALL	2.82"	-	1967
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 57 - RAINFALL: 0.17"

MAY 7

HIGH	94	-	1896
LOW HIGH	62	-	1917
LOW	42	-	1891
HIGH LOW	74	-	1961
RAINFALL	3.08"	-	1907
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.17"

MAY 8

HIGH	94	-	1896
LOW HIGH	63	-	1885
LOW	42	-	1917
HIGH LOW	74	-	2003
RAINFALL	1.42"	-	1907
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 58 - RAINFALL: 0.17"

MAY 9

HIGH	92	-	1896
LOW HIGH	60	-	2010
LOW	40	-	1917
HIGH LOW	74	-	1933
RAINFALL	2.43"	-	1892
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 58 - RAINFALL: 0.17"

MAY 10

HIGH	93	-	1973, 1899
LOW HIGH	61	-	1924
LOW	41	-	1923
HIGH LOW	76	-	1933
RAINFALL	2.86"	-	2006
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.17"

MAY 11

HIGH	94	-	1928
LOW HIGH	61	-	1945
LOW	41	-	1924
HIGH LOW	72	-	1963, 1956, 1905, 1893
RAINFALL	3.69"	-	1953
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.17"

MAY 12

HIGH	92	-	1998, 1962, 1916, 1886
LOW HIGH	60	-	1954
LOW	41	-	1960
HIGH LOW	73	-	1991
RAINFALL	3.36"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 59 - RAINFALL: 0.17"

MAY 13

HIGH	94	-	1916
LOW HIGH	63	-	1989
LOW	45	-	1997
HIGH LOW	74	-	1995, 1933
RAINFALL	2.41"	-	1968
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.16"

MAY 14

HIGH	94	-	1915
LOW HIGH	57	-	1953
LOW	45	-	1910
HIGH LOW	75	-	1995
RAINFALL	2.02"	-	1884
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.16"

MAY 15

HIGH	94	-	1944
LOW HIGH	63	-	1953
LOW	43	-	1907
HIGH LOW	74	-	1998
RAINFALL	4.13"	-	1983
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 60 - RAINFALL: 0.16"

MAY 16

HIGH	94	-	1925, 1918
LOW HIGH	64	-	1945
LOW	45	-	1907
HIGH LOW	72	-	1943
RAINFALL	2.16"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 61 - RAINFALL: 0.16"

MAY 17

HIGH	96	-	1918
LOW HIGH	59	-	1945
LOW	45	-	1912
HIGH LOW	75	-	1995
RAINFALL	1.60"	-	1910
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.16"

MAY 18

HIGH	92	-	1998, 1964, 1906
LOW HIGH	65	-	2002
LOW	42	-	1895
HIGH LOW	72	-	1943
RAINFALL	3.60"	-	1930
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.16"

MAY 19

HIGH	95	-	1902
LOW HIGH	63	-	1952
LOW	45	-	1904
HIGH LOW	72	-	1897, 1896
RAINFALL	2.29"	-	2000
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 61 - RAINFALL: 0.16"

MAY 20

HIGH	96	-	1902
LOW HIGH	62	-	1981
LOW	44	-	1894
HIGH LOW	74	-	1938
RAINFALL	4.48"	-	1955
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 62 - RAINFALL: 0.16"

MAY 21

HIGH	99	-	1902
LOW HIGH	61	-	1967
LOW	45	-	1954, 1894
HIGH LOW	74	-	1898
RAINFALL	3.73"	-	1947
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 62 - RAINFALL: 0.16"

MAY 22

HIGH	97	-	1902
LOW HIGH	66	-	1892
LOW	46	-	1892
HIGH LOW	75	-	1957
RAINFALL	2.06"	-	1884
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 62 - RAINFALL: 0.16"

MAY 23

HIGH	98	-	1918
LOW HIGH	67	-	1980
LOW	48	-	1963
HIGH LOW	75	-	1896
RAINFALL	2.65"	-	1938
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 63 - RAINFALL: 0.15"

MAY 24

HIGH	98	-	1918
LOW HIGH	70	-	1909, 1899
LOW	47	-	1913
HIGH LOW	74	-	1969
RAINFALL	2.43"	-	1944
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 63 - RAINFALL: 0.15"

MAY 25

HIGH	98	-	1902
LOW HIGH	71	-	1935
LOW	49	-	1979, 1925
HIGH LOW	74	-	1989
RAINFALL	1.88"	-	1982
SNOWFALL	"	-	

NORMALS - HIGH: 84 - LOW: 63 - RAINFALL: 0.15"

MAY 26

HIGH	96	-	1918,	1896
LOW HIGH	68	-	1961	
LOW	48	-	1925	
HIGH LOW	75	-	2000	
RAINFALL	2.45"	-	1974	
SNOWFALL	"	-		

NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.15"

MAY 27

HIGH	97	-	1918	
LOW HIGH	67	-	1907	
LOW	45	-	1901	
HIGH LOW	73	-	1888	
RAINFALL	1.65"	-	1924	
SNOWFALL	"	-		

NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.15"

MAY 28

HIGH	99	-	1926	
LOW HIGH	58	-	1992	
LOW	47	-	1961	
HIGH LOW	74	-	1912	
RAINFALL	2.50"	-	1888	
SNOWFALL	"	-		

NORMALS - HIGH: 84 - LOW: 64 - RAINFALL: 0.15"

MAY 29

HIGH	100	-	1926	
LOW HIGH	63	-	1992	
LOW	45	-	1984	
HIGH LOW	76	-	1927	
RAINFALL	3.05"	-	1899	
SNOWFALL	"	-		

NORMALS - HIGH: 85 - LOW: 64 - RAINFALL: 0.14"

MAY 30

HIGH	98	-	1921	
LOW HIGH	65	-	1889	
LOW	42	-	1984	
HIGH LOW	76	-	1898	
RAINFALL	1.69"	-	1892	
SNOWFALL	"	-		

NORMALS - HIGH: 85 - LOW: 65 - RAINFALL: 0.14"

MAY 31

HIGH	99 - 1886
LOW HIGH	65 - 1964
LOW	40 - 1984
HIGH LOW	73 - 1998, 1951, 1934, 1927, 1884
RAINFALL	3.46" - 1909
SNOWFALL	" -

NORMALS - HIGH: 85 - LOW: 65 - RAINFALL: 0.14"

JUNE

JUNE 1

HIGH	98	-	1921,	1886
LOW HIGH	62	-	1903	
LOW	50	-	1894,	1889
HIGH LOW	77	-	1998	
RAINFALL	2.10"	-	1892	
SNOWFALL	"	-		

NORMALS - HIGH: 85 - LOW: 65 - RAINFALL: 0.14"

JUNE 2

HIGH	102	-	2001	
LOW HIGH	72	-	1967,	1892
LOW	49	-	1984	
HIGH LOW	78	-	1985	
RAINFALL	4.69"	-	1927	
SNOWFALL	"	-		

NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.14"

JUNE 3

HIGH	100	-	1911	
LOW HIGH	71	-	1946	
LOW	49	-	1956	
HIGH LOW	78	-	1985	
RAINFALL	2.40"	-	1917	
SNOWFALL	"	-		

NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.14"

JUNE 4

HIGH	99	-	1925	
LOW HIGH	70	-	2009	
LOW	53	-	1954,	1929, 1919
HIGH LOW	80	-	1985	
RAINFALL	1.47"	-	1928	
SNOWFALL	"	-		

NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.13"

JUNE 5

HIGH	100	-	1977	
LOW HIGH	71	-	1951	
LOW	53	-	1954,	1946
HIGH LOW	79	-	1985	
RAINFALL	2.56"	-	1904	
SNOWFALL	"	-		

NORMALS - HIGH: 86 - LOW: 66 - RAINFALL: 0.13"

JUNE 6

HIGH	99	-	1977, 1925, 1921
LOW HIGH	75	-	1998, 1904
LOW	55	-	1928
HIGH LOW	79	-	1985
RAINFALL	3.03"	-	1981
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.13"

JUNE 7

HIGH	102	-	1977
LOW HIGH	75	-	1916
LOW	54	-	1894
HIGH LOW	82	-	1884
RAINFALL	4.26"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.13"

JUNE 8

HIGH	100	-	1911
LOW HIGH	75	-	1930
LOW	50	-	1894
HIGH LOW	78	-	2007
RAINFALL	1.38"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.13"

JUNE 9

HIGH	100	-	1911
LOW HIGH	68	-	1913
LOW	52	-	1930
HIGH LOW	77	-	1998, 1995, 1953
RAINFALL	1.21"	-	1959
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 67 - RAINFALL: 0.13"

JUNE 10

HIGH	101	-	1914
LOW HIGH	68	-	1913
LOW	52	-	1955, 1930
HIGH LOW	77	-	1998
RAINFALL	1.20"	-	1910
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13"

JUNE 11

HIGH	102	-	1911
LOW HIGH	73	-	1945
LOW	51	-	1955
HIGH LOW	78	-	1998
RAINFALL	2.66"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13"

JUNE 12

HIGH	101	-	1924
LOW HIGH	68	-	1889
LOW	49	-	1903
HIGH LOW	77	-	1998
RAINFALL	3.47"	-	1919
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.13"

JUNE 13

HIGH	101	-	1914
LOW HIGH	74	-	1903
LOW	50	-	1903
HIGH LOW	80	-	1897
RAINFALL	1.60"	-	1909
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 68 - RAINFALL: 0.12"

JUNE 14

HIGH	101	-	1914
LOW HIGH	72	-	1942, 1927
LOW	54	-	1913
HIGH LOW	79	-	1924
RAINFALL	2.66"	-	1929
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.12"

JUNE 15

HIGH	103	-	1925
LOW HIGH	69	-	1955
LOW	54	-	1933
HIGH LOW	76	-	1994, 1993, 1990, 1981, 1924
RAINFALL	2.14"	-	1955
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12"

JUNE 16

HIGH	102	-	1925, 1918
LOW HIGH	66	-	1961
LOW	52	-	1933
HIGH LOW	79	-	1924
RAINFALL	5.15"	-	1895
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12"

JUNE 17

HIGH	103	-	1925
LOW HIGH	70	-	1961
LOW	51	-	1917
HIGH LOW	78	-	1884
RAINFALL	1.13"	-	1914
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12"

JUNE 18

HIGH	106	-	1918
LOW HIGH	74	-	1920
LOW	54	-	1917
HIGH LOW	79	-	1939, 1922
RAINFALL	2.30"	-	1912
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12"

JUNE 19

HIGH	104	-	1918
LOW HIGH	70	-	1920
LOW	57	-	1917
HIGH LOW	78	-	1922
RAINFALL	1.09"	-	1963
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 69 - RAINFALL: 0.12"

JUNE 20

HIGH	107	-	1936, 1918
LOW HIGH	76	-	1993
LOW	57	-	1976
HIGH LOW	80	-	1936
RAINFALL	0.80"	-	1910
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12"

JUNE 21

HIGH	105	-	1925
LOW HIGH	70	-	1902
LOW	57	-	1976
HIGH LOW	80	-	1990, 1936
RAINFALL	1.78"	-	1902
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12"

JUNE 22

HIGH	103	-	1925, 1897
LOW HIGH	70	-	1912
LOW	55	-	1961, 1902
HIGH LOW	78	-	1998, 1944, 1937
RAINFALL	2.36"	-	1947
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12"

JUNE 23

HIGH	103	-	1925
LOW HIGH	68	-	1912
LOW	51	-	1902
HIGH LOW	78	-	1969
RAINFALL	1.55"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12"

JUNE 24

HIGH	102	-	1918
LOW HIGH	79	-	2004, 1915, 1905
LOW	54	-	1902
HIGH LOW	82	-	1884
RAINFALL	2.87"	-	1994
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 70 - RAINFALL: 0.12"

JUNE 25

HIGH	102	-	1918, 1901
LOW HIGH	76	-	1960
LOW	57	-	1974
HIGH LOW	82	-	1922, 1884
RAINFALL	2.16"	-	1958
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 71 - RAINFALL: 0.12"

JUNE 26

HIGH	103	-	1918
LOW HIGH	75	-	1967, 1958
LOW	55	-	1958
HIGH LOW	79	-	1922
RAINFALL	3.55"	-	1903
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.12"

JUNE 27

HIGH	103	-	1954
LOW HIGH	78	-	1912, 1907
LOW	57	-	1968
HIGH LOW	79	-	1994, 1980
RAINFALL	1.40"	-	1926
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.12"

JUNE 28

HIGH	104	-	1954, 1925
LOW HIGH	79	-	1886
LOW	58	-	1958
HIGH LOW	78	-	1980
RAINFALL	2.30"	-	1997
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.13"

JUNE 29

HIGH	106	-	1894
LOW HIGH	78	-	1940
LOW	54	-	1923
HIGH LOW	77	-	1905
RAINFALL	1.76"	-	1939
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.13"

JUNE 30

HIGH	104	-	1894
LOW HIGH	78	-	1940
LOW	54	-	1923
HIGH LOW	78	-	1998, 1969, 1936, 1933, 1931
RAINFALL	0.98"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.13"

JULY

JULY 1

HIGH	104	-	1897,	1894
LOW HIGH	76	-	2004	
LOW	58	-	1950	
HIGH LOW	79	-	1946	
RAINFALL	1.17"	-	1985	
SNOWFALL	"	-		

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.13"

JULY 2

HIGH	105	-	1894	
LOW HIGH	76	-	1940,	1936
LOW	56	-	1924	
HIGH LOW	79	-	1884	
RAINFALL	3.57"	-	1936	
SNOWFALL	"	-		

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.13"

JULY 3

HIGH	105	-	1926	
LOW HIGH	80	-	1940,	1922
LOW	59	-	1918	
HIGH LOW	79	-	1990	
RAINFALL	3.45"	-	1951	
SNOWFALL	"	-		

NORMALS - HIGH: 91 - LOW: 72 - RAINFALL: 0.13"

JULY 4

HIGH	108	-	1926	
LOW HIGH	78	-	1889	
LOW	58	-	1959	
HIGH LOW	79	-	1933	
RAINFALL	1.54"	-	1985	
SNOWFALL	"	-		

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 5

HIGH	102	-	1954,	1901,	1897
LOW HIGH	78	-	1995,	1976	
LOW	57	-	1922		
HIGH LOW	78	-	1995		
RAINFALL	2.74"	-	1995		
SNOWFALL	"	-			

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 6

HIGH	103	-	1964, 1954, 1897
LOW HIGH	74	-	1967
LOW	57	-	1915
HIGH LOW	78	-	1998, 1894
RAINFALL	2.60"	-	1958
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 7

HIGH	103	-	1998, 1897
LOW HIGH	72	-	1940
LOW	56	-	1972
HIGH LOW	79	-	1998
RAINFALL	1.44"	-	1931
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 8

HIGH	105	-	1964
LOW HIGH	78	-	1940
LOW	59	-	1950
HIGH LOW	83	-	1998
RAINFALL	1.35"	-	1927
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 9

HIGH	102	-	1980, 1969, 1966, 1964, 1944
LOW HIGH	76	-	1894
LOW	57	-	1901
HIGH LOW	79	-	1933
RAINFALL	2.82"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 10

HIGH	105	-	1969, 1944
LOW HIGH	72	-	1996
LOW	59	-	1899
HIGH LOW	78	-	2000
RAINFALL	2.12"	-	1888
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 11

HIGH	105	-	1930
LOW HIGH	78	-	1999
LOW	59	-	1899
HIGH LOW	78	-	2001, 1933, 1930
RAINFALL	1.31"	-	1965
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 12

HIGH	108	-	1901
LOW HIGH	75	-	1953
LOW	62	-	1894
HIGH LOW	81	-	1930
RAINFALL	2.11"	-	1941
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 13

HIGH	106	-	1954
LOW HIGH	74	-	1940
LOW	59	-	1897
HIGH LOW	82	-	1930
RAINFALL	1.78"	-	2010
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 14

HIGH	107	-	1980
LOW HIGH	74	-	1990
LOW	58	-	1897
HIGH LOW	79	-	1954
RAINFALL	2.05"	-	1948
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 15

HIGH	107	-	1980, 1901
LOW HIGH	80	-	1989
LOW	56	-	1967
HIGH LOW	79	-	1934
RAINFALL	2.82"	-	1989
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 16

HIGH	105	-	1980
LOW HIGH	77	-	1891
LOW	58	-	1926
HIGH LOW	79	-	1932
RAINFALL	1.25"	-	1924
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.13"

JULY 17

HIGH	107	-	1901
LOW HIGH	82	-	1992, 1923
LOW	60	-	1930
HIGH LOW	80	-	2000
RAINFALL	2.59"	-	1992
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 18

HIGH	108	-	1980
LOW HIGH	80	-	1923
LOW	62	-	2009
HIGH LOW	80	-	2000
RAINFALL	3.54"	-	1954
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 19

HIGH	106	-	1980, 1943
LOW HIGH	80	-	1954
LOW	63	-	2009, 1910, 1891
HIGH LOW	82	-	1884
RAINFALL	2.69"	-	1948
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 20

HIGH	106	-	1901
LOW HIGH	80	-	2009, 1917
LOW	60	-	1891
HIGH LOW	79	-	1943
RAINFALL	2.05"	-	1889
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 21

HIGH	103 - 1943, 1901
LOW HIGH	74 - 1970
LOW	61 - 1971, 1970
HIGH LOW	79 - 1996
RAINFALL	3.40" - 1936
SNOWFALL	" -

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 22

HIGH	109 - 1943
LOW HIGH	75 - 1970
LOW	57 - 1902
HIGH LOW	78 - 1986, 1954, 1930
RAINFALL	4.18" - 1936
SNOWFALL	" -

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 23

HIGH	110 - 1924
LOW HIGH	80 - 1990, 1905
LOW	56 - 1947
HIGH LOW	80 - 1995, 1943
RAINFALL	1.80" - 1971
SNOWFALL	" -

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 24

HIGH	110 - 1924
LOW HIGH	70 - 1887
LOW	58 - 1915
HIGH LOW	79 - 1934
RAINFALL	3.33" - 1971
SNOWFALL	" -

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 25

HIGH	107 - 1943, 1918
LOW HIGH	77 - 1933
LOW	57 - 1911
HIGH LOW	79 - 1997, 1944
RAINFALL	3.40" - 1913
SNOWFALL	" -

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 26

HIGH	109	-	1918
LOW HIGH	74	-	1933
LOW	58	-	1911
HIGH LOW	79	-	1999, 1997, 1925
RAINFALL	2.55"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 27

HIGH	106	-	1918
LOW HIGH	78	-	1933
LOW	59	-	1911
HIGH LOW	80	-	1999
RAINFALL	4.33"	-	1983
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 73 - RAINFALL: 0.13"

JULY 28

HIGH	106	-	1930
LOW HIGH	80	-	1977
LOW	60	-	1911
HIGH LOW	79	-	1998, 1997
RAINFALL	2.15"	-	1891
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.13"

JULY 29

HIGH	109	-	1930
LOW HIGH	80	-	1911
LOW	62	-	1994
HIGH LOW	82	-	1998, 1930
RAINFALL	4.04"	-	1967
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.13"

JULY 30

HIGH	107	-	1986
LOW HIGH	76	-	1981, 1971
LOW	64	-	2005, 1994, 1984, 1981, 1971
HIGH LOW	81	-	1930
RAINFALL	2.61"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.13"

JULY 31

HIGH 106 - 1986, 1896

LOW HIGH 79 - 1902

LOW 59 - 1965

HIGH LOW 81 - 1986

RAINFALL 4.65" - 1902

SNOWFALL " -

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST

AUGUST 1

HIGH	108	-	1896
LOW HIGH	79	-	1936
LOW	60	-	1971
HIGH LOW	78	-	2010, 1986, 1943
RAINFALL	1.80"	-	1909
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST 2

HIGH	107	-	1943, 1918
LOW HIGH	78	-	1966
LOW	61	-	1949, 1918
HIGH LOW	79	-	2010
RAINFALL	2.00"	-	1985
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST 3

HIGH	109	-	1918
LOW HIGH	78	-	1907
LOW	61	-	1920
HIGH LOW	82	-	1918
RAINFALL	2.03"	-	1922
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST 4

HIGH	109	-	1918
LOW HIGH	78	-	1971
LOW	59	-	1974, 1920, 1915
HIGH LOW	81	-	2010, 1930
RAINFALL	1.60"	-	1946
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST 5

HIGH	107	-	1918
LOW HIGH	76	-	1950
LOW	57	-	1912
HIGH LOW	81	-	1943
RAINFALL	2.11"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.12"

AUGUST 6

HIGH	108	-	1926
LOW HIGH	73	-	1993
LOW	57	-	1884
HIGH LOW	79	-	1934
RAINFALL	2.85"	-	1993
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.11"

AUGUST 7

HIGH	108	-	1947
LOW HIGH	74	-	1997
LOW	60	-	1894
HIGH LOW	79	-	1929
RAINFALL	2.52"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.11"

AUGUST 8

HIGH	108	-	1943
LOW HIGH	75	-	1997
LOW	58	-	1989
HIGH LOW	81	-	1934
RAINFALL	2.08"	-	1897
SNOWFALL	"	-	

NORMALS - HIGH: 93 - LOW: 72 - RAINFALL: 0.11"

AUGUST 9

HIGH	107	-	1943
LOW HIGH	76	-	1948
LOW	57	-	1989
HIGH LOW	81	-	1934
RAINFALL	1.45"	-	1912
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.11"

AUGUST 10

HIGH	109	-	1943
LOW HIGH	75	-	2008
LOW	59	-	1953
HIGH LOW	79	-	2006, 1936
RAINFALL	1.66"	-	2008
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 72 - RAINFALL: 0.11"

AUGUST 11

HIGH	109	-	1918
LOW HIGH	76	-	2008
LOW	60	-	1976, 1884
HIGH LOW	78	-	1929
RAINFALL	1.96"	-	1966
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 12

HIGH	106	-	1918
LOW HIGH	75	-	1914
LOW	57	-	2004, 1967
HIGH LOW	79	-	1999
RAINFALL	2.90"	-	1910
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 13

HIGH	104	-	1943, 1896
LOW HIGH	78	-	2004, 1979
LOW	54	-	2004
HIGH LOW	79	-	1943
RAINFALL	2.04"	-	1997
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 14

HIGH	108	-	1943
LOW HIGH	74	-	1961
LOW	52	-	2004
HIGH LOW	79	-	1930
RAINFALL	2.58"	-	1968
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 15

HIGH	112	-	1943
LOW HIGH	80	-	1992, 1911
LOW	57	-	2004
HIGH LOW	81	-	1930
RAINFALL	1.78"	-	1932
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 16

HIGH	111	-	1943
LOW HIGH	73	-	1964
LOW	57	-	2004, 1992, 1963
HIGH LOW	79	-	1943
RAINFALL	3.20"	-	1986
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 17

HIGH	107	-	1909
LOW HIGH	77	-	1958
LOW	56	-	1992
HIGH LOW	79	-	1934
RAINFALL	4.29"	-	1969
SNOWFALL	"	-	

NORMALS - HIGH: 92 - LOW: 71 - RAINFALL: 0.11"

AUGUST 18

HIGH	106	-	2000, 1918
LOW HIGH	75	-	1981
LOW	59	-	1992
HIGH LOW	78	-	2000, 1995, 1934
RAINFALL	1.28"	-	1970
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 71 - RAINFALL: 0.10"

AUGUST 19

HIGH	107	-	1925
LOW HIGH	74	-	2008
LOW	62	-	1976
HIGH LOW	79	-	1934
RAINFALL	3.10"	-	1905
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 20

HIGH	108	-	1925
LOW HIGH	74	-	1956
LOW	60	-	1953, 1940, 1927
HIGH LOW	79	-	1934
RAINFALL	1.65"	-	1915
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 21

HIGH	104	-	1899
LOW HIGH	74	-	1911
LOW	57	-	1956
HIGH LOW	78	-	1995, 1934
RAINFALL	1.03"	-	1894
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 22

HIGH	104	-	1943, 1926
LOW HIGH	77	-	1919
LOW	53	-	1956
HIGH LOW	78	-	1995, 1934
RAINFALL	2.30"	-	1911
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 23

HIGH	104	-	1943
LOW HIGH	74	-	1891
LOW	53	-	1888
HIGH LOW	77	-	1989
RAINFALL	1.35"	-	1961
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 24

HIGH	106	-	1943
LOW HIGH	72	-	1891
LOW	54	-	1891
HIGH LOW	82	-	1985
RAINFALL	1.41"	-	1950
SNOWFALL	"	-	

NORMALS - HIGH: 91 - LOW: 70 - RAINFALL: 0.10"

AUGUST 25

HIGH	105	-	1943
LOW HIGH	78	-	1979
LOW	58	-	1923, 1891
HIGH LOW	77	-	1963, 1922
RAINFALL	2.47"	-	1950
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 69 - RAINFALL: 0.10"

AUGUST 26

HIGH	108	-	1943
LOW HIGH	73	-	1946
LOW	56	-	1891
HIGH LOW	79	-	1943
RAINFALL	1.35"	-	1918
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 69 - RAINFALL: 0.10"

AUGUST 27

HIGH	111	-	1943
LOW HIGH	71	-	1900
LOW	57	-	1927
HIGH LOW	79	-	1943
RAINFALL	1.04"	-	1888
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 69 - RAINFALL: 0.10"

AUGUST 28

HIGH	104	-	2000, 1954, 1924
LOW HIGH	73	-	1927
LOW	54	-	1967, 1906
HIGH LOW	79	-	1943, 1888
RAINFALL	1.70"	-	2005
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 69 - RAINFALL: 0.10"

AUGUST 29

HIGH	105	-	1924
LOW HIGH	78	-	1988, 1917
LOW	52	-	1906
HIGH LOW	80	-	1984
RAINFALL	1.77"	-	1959
SNOWFALL	"	-	

NORMALS - HIGH: 90 - LOW: 69 - RAINFALL: 0.10"

AUGUST 30

HIGH	106	-	2000, 1943
LOW HIGH	71	-	1915
LOW	53	-	1906
HIGH LOW	75	-	2000, 1998, 1995, 1984, 1954
RAINFALL	3.38"	-	1978
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

AUGUST 31

HIGH	106	-	2000, 1951, 1943
LOW HIGH	73	-	1967
LOW	55	-	1946
HIGH LOW	77	-	2000, 1947, 1943, 1937
RAINFALL	2.25"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

SEPTEMBER

SEPTEMBER 1

HIGH	105	-	1947
LOW HIGH	74	-	1928
LOW	53	-	1903
HIGH LOW	76	-	1947
RAINFALL	1.62"	-	1974
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

SEPTEMBER 2

HIGH	106	-	1947, 1925
LOW HIGH	77	-	2008
LOW	52	-	1886
HIGH LOW	77	-	1947
RAINFALL	2.42"	-	1902
SNOWFALL	"	-	

NORMALS - HIGH: 89 - LOW: 68 - RAINFALL: 0.10"

SEPTEMBER 3

HIGH	107	-	1925
LOW HIGH	73	-	1968
LOW	51	-	1952
HIGH LOW	78	-	1936
RAINFALL	3.20"	-	2008
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

SEPTEMBER 4

HIGH	109	-	1925
LOW HIGH	70	-	1967
LOW	52	-	1974
HIGH LOW	79	-	1939
RAINFALL	1.45"	-	1976
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

SEPTEMBER 5

HIGH	110	-	1925
LOW HIGH	74	-	1974
LOW	50	-	1891
HIGH LOW	79	-	1922
RAINFALL	2.95"	-	1923
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

SEPTEMBER 6

HIGH	110	-	1925
LOW HIGH	61	-	1891
LOW	49	-	1891
HIGH LOW	75	-	1947, 1941, 1910, 1898
RAINFALL	2.97"	-	1994
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 67 - RAINFALL: 0.10"

SEPTEMBER 7

HIGH	108	-	1925
LOW HIGH	69	-	1957
LOW	51	-	1988
HIGH LOW	78	-	1939
RAINFALL	1.52"	-	1963
SNOWFALL	"	-	

NORMALS - HIGH: 88 - LOW: 66 - RAINFALL: 0.10"

SEPTEMBER 8

HIGH	109	-	1925
LOW HIGH	70	-	1950
LOW	50	-	1956
HIGH LOW	80	-	1996
RAINFALL	0.84"	-	1999
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.10"

SEPTEMBER 9

HIGH	107	-	1925
LOW HIGH	72	-	1950
LOW	50	-	1956
HIGH LOW	79	-	1884
RAINFALL	2.65"	-	1894
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.10"

SEPTEMBER 10

HIGH	102	-	1909
LOW HIGH	69	-	1948
LOW	47	-	1902
HIGH LOW	77	-	1945
RAINFALL	3.73"	-	1965
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 66 - RAINFALL: 0.10"

SEPTEMBER 11

HIGH	103	-	1927
LOW HIGH	72	-	1940
LOW	48	-	1976, 1902
HIGH LOW	76	-	1986
RAINFALL	2.31"	-	1958
SNOWFALL	"	-	

NORMALS - HIGH: 87 - LOW: 65 - RAINFALL: 0.10"

SEPTEMBER 12

HIGH	102	-	1927
LOW HIGH	70	-	1902, 1894
LOW	47	-	1976, 1940
HIGH LOW	75	-	1936
RAINFALL	3.46"	-	1892
SNOWFALL	"	-	

NORMALS - HIGH: 86 - LOW: 65 - RAINFALL: 0.10"

SEPTEMBER 13

HIGH	102	-	1939
LOW HIGH	65	-	1945
LOW	46	-	1902
HIGH LOW	75	-	1993, 1962, 1921, 1887
RAINFALL	2.24"	-	1898
SNOWFALL	"	-	

NORMALS - HIGH: 86 - LOW: 65 - RAINFALL: 0.10"

SEPTEMBER 14

HIGH	101	-	1939
LOW HIGH	67	-	1913
LOW	42	-	1902
HIGH LOW	76	-	1911
RAINFALL	5.02"	-	1886
SNOWFALL	"	-	

NORMALS - HIGH: 86 - LOW: 64 - RAINFALL: 0.10"

SEPTEMBER 15

HIGH	101	-	1927, 1921, 1895
LOW HIGH	62	-	1993
LOW	40	-	1902
HIGH LOW	75	-	1936, 1911
RAINFALL	2.99"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 85 - LOW: 64 - RAINFALL: 0.10"

SEPTEMBER 16

HIGH	104	-	1896
LOW HIGH	67	-	1946
LOW	41	-	1902
HIGH LOW	76	-	1920
RAINFALL	1.23"	-	1949
SNOWFALL	"	-	

NORMALS - HIGH: 85 - LOW: 64 - RAINFALL: 0.10"

SEPTEMBER 17

HIGH	105	-	1927
LOW HIGH	68	-	1946
LOW	41	-	1902
HIGH LOW	74	-	1939, 1931, 1911
RAINFALL	2.31"	-	1964
SNOWFALL	"	-	

NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.11"

SEPTEMBER 18

HIGH	104	-	1925
LOW HIGH	69	-	1973, 1901
LOW	45	-	1981, 1903
HIGH LOW	76	-	1942
RAINFALL	2.27"	-	1899
SNOWFALL	"	-	

NORMALS - HIGH: 85 - LOW: 63 - RAINFALL: 0.11"

SEPTEMBER 19

HIGH	103	-	1925
LOW HIGH	67	-	1991
LOW	42	-	1901
HIGH LOW	76	-	1988
RAINFALL	2.29"	-	1958
SNOWFALL	"	-	

NORMALS - HIGH: 84 - LOW: 63 - RAINFALL: 0.11"

SEPTEMBER 20

HIGH	102	-	1925
LOW HIGH	68	-	1991, 1966
LOW	43	-	1901
HIGH LOW	75	-	1931
RAINFALL	2.13"	-	1990
SNOWFALL	"	-	

NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.11"

SEPTEMBER 21

HIGH	103	-	1925
LOW HIGH	66	-	1896
LOW	43	-	1983, 1918
HIGH LOW	75	-	1925
RAINFALL	2.50"	-	1909
SNOWFALL	"	-	

NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.11"

SEPTEMBER 22

HIGH	103	-	1925
LOW HIGH	68	-	1995, 1983, 1904
LOW	39	-	1983
HIGH LOW	76	-	1926
RAINFALL	3.51"	-	1919
SNOWFALL	"	-	

NORMALS - HIGH: 84 - LOW: 62 - RAINFALL: 0.11"

SEPTEMBER 23

HIGH	99	-	1921
LOW HIGH	64	-	1989
LOW	39	-	1983
HIGH LOW	77	-	1927
RAINFALL	2.40"	-	1902
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 61 - RAINFALL: 0.11"

SEPTEMBER 24

HIGH	99	-	1921
LOW HIGH	67	-	1994, 1965
LOW	43	-	1918
HIGH LOW	75	-	1926
RAINFALL	3.90"	-	1984
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 61 - RAINFALL: 0.11"

SEPTEMBER 25

HIGH	98	-	1931
LOW HIGH	64	-	1974
LOW	44	-	2001
HIGH LOW	75	-	1931
RAINFALL	2.22"	-	1886
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 60 - RAINFALL: 0.12"

SEPTEMBER 26

HIGH	97	-	1954
LOW HIGH	65	-	1950
LOW	41	-	2001
HIGH LOW	75	-	1933
RAINFALL	2.65"	-	2007
SNOWFALL	"	-	

NORMALS - HIGH: 83 - LOW: 60 - RAINFALL: 0.12"

SEPTEMBER 27

HIGH	102	-	1939
LOW HIGH	64	-	1984
LOW	39	-	1942
HIGH LOW	77	-	1936
RAINFALL	2.11"	-	1896
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 60 - RAINFALL: 0.12"

SEPTEMBER 28

HIGH	101	-	1953
LOW HIGH	60	-	1980, 1964
LOW	42	-	1985, 1909, 1908, 1899
HIGH LOW	60	-	1980
RAINFALL	2.50"	-	1980
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.12"

SEPTEMBER 29

HIGH	100	-	1953, 1928
LOW HIGH	62	-	1980
LOW	38	-	1967
HIGH LOW	75	-	1986
RAINFALL	2.80"	-	1980
SNOWFALL	"	-	

NORMALS - HIGH: 82 - LOW: 59 - RAINFALL: 0.12"

SEPTEMBER 30

HIGH	98	-	1953
LOW HIGH	61	-	1972
LOW	40	-	1949, 1916, 1899
HIGH LOW	75	-	1986
RAINFALL	2.60"	-	1939
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 58 - RAINFALL: 0.12"

OCTOBER

OCTOBER 1

HIGH	96	-	1928
LOW HIGH	62	-	1985, 1958
LOW	39	-	1984, 1920
HIGH LOW	75	-	1893
RAINFALL	6.73"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 58 - RAINFALL: 0.13"

OCTOBER 2

HIGH	98	-	1926
LOW HIGH	62	-	1961
LOW	38	-	2003
HIGH LOW	73	-	1911
RAINFALL	1.72"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 81 - LOW: 57 - RAINFALL: 0.13"

OCTOBER 3

HIGH	98	-	1926
LOW HIGH	63	-	1958
LOW	40	-	1920, 1899
HIGH LOW	76	-	1986
RAINFALL	2.33"	-	1902
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 57 - RAINFALL: 0.13"

OCTOBER 4

HIGH	96	-	1925
LOW HIGH	64	-	2009
LOW	39	-	1987, 1961
HIGH LOW	75	-	1941
RAINFALL	2.13"	-	2009
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 57 - RAINFALL: 0.13"

OCTOBER 5

HIGH	95	-	1954
LOW HIGH	59	-	1932
LOW	38	-	2010
HIGH LOW	75	-	1941
RAINFALL	3.52"	-	1949
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 56 - RAINFALL: 0.13"

OCTOBER 6

HIGH	96	-	1918
LOW HIGH	57	-	1952
LOW	35	-	1932
HIGH LOW	72	-	1941, 1931
RAINFALL	2.45"	-	1998
SNOWFALL	"	-	

NORMALS - HIGH: 80 - LOW: 56 - RAINFALL: 0.13"

OCTOBER 7

HIGH	94	-	1928
LOW HIGH	53	-	2000
LOW	39	-	2001, 1952, 1935
HIGH LOW	74	-	1925
RAINFALL	4.56"	-	2008
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.14"

OCTOBER 8

HIGH	95	-	1963
LOW HIGH	55	-	2000
LOW	36	-	2000
HIGH LOW	76	-	1920
RAINFALL	1.47"	-	1999
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.14"

OCTOBER 9

HIGH	100	-	1928
LOW HIGH	55	-	1976
LOW	33	-	1917
HIGH LOW	74	-	1939
RAINFALL	1.56"	-	1990
SNOWFALL	"	-	

NORMALS - HIGH: 79 - LOW: 55 - RAINFALL: 0.14"

OCTOBER 10

HIGH	98	-	1928
LOW HIGH	54	-	2009
LOW	30	-	2000
HIGH LOW	72	-	1969
RAINFALL	3.54"	-	2001
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 54 - RAINFALL: 0.14"

OCTOBER 11

HIGH	96	-	1963
LOW HIGH	57	-	1994
LOW	33	-	1906
HIGH LOW	73	-	1969
RAINFALL	2.59"	-	2001
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 54 - RAINFALL: 0.14"

OCTOBER 12

HIGH	96	-	1928
LOW HIGH	58	-	2006
LOW	33	-	1906
HIGH LOW	72	-	1969
RAINFALL	2.26"	-	1901
SNOWFALL	"	-	

NORMALS - HIGH: 78 - LOW: 53 - RAINFALL: 0.14"

OCTOBER 13

HIGH	97	-	1928
LOW HIGH	57	-	1986
LOW	33	-	1917
HIGH LOW	70	-	1962
RAINFALL	2.40"	-	2001
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 53 - RAINFALL: 0.14"

OCTOBER 14

HIGH	95	-	1928
LOW HIGH	58	-	1969, 1906
LOW	33	-	1907
HIGH LOW	70	-	1941
RAINFALL	2.36"	-	1919
SNOWFALL	"	-	

NORMALS - HIGH: 77 - LOW: 53 - RAINFALL: 0.15"

OCTOBER 15

HIGH	93	-	1899
LOW HIGH	58	-	1906
LOW	33	-	1907
HIGH LOW	68	-	1928
RAINFALL	1.33"	-	1985
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 52 - RAINFALL: 0.15"

OCTOBER 16

HIGH	93	-	1897
LOW HIGH	60	-	1906
LOW	30	-	1952
HIGH LOW	70	-	1989
RAINFALL	1.60"	-	1906
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 52 - RAINFALL: 0.15"

OCTOBER 17

HIGH	90	-	1953, 1929, 1897
LOW HIGH	55	-	1966
LOW	31	-	1952
HIGH LOW	68	-	1998
RAINFALL	5.31"	-	1928
SNOWFALL	"	-	

NORMALS - HIGH: 76 - LOW: 51 - RAINFALL: 0.15"

OCTOBER 18

HIGH	95	-	1926
LOW HIGH	53	-	1989
LOW	32	-	1948
HIGH LOW	73	-	2004
RAINFALL	2.17"	-	1980
SNOWFALL	"	-	

NORMALS - HIGH: 75 - LOW: 51 - RAINFALL: 0.15"

OCTOBER 19

HIGH	91	-	1934, 1924
LOW HIGH	49	-	1989
LOW	31	-	1948
HIGH LOW	71	-	2004
RAINFALL	2.30"	-	1916
SNOWFALL	"	-	

NORMALS - HIGH: 75 - LOW: 51 - RAINFALL: 0.15"

OCTOBER 20

HIGH	91	-	1927, 1920
LOW HIGH	54	-	1913, 1898
LOW	29	-	1917
HIGH LOW	71	-	1985
RAINFALL	1.65"	-	1949
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 50 - RAINFALL: 0.15"

OCTOBER 21

HIGH	93	-	1927
LOW HIGH	54	-	1911
LOW	29	-	1952
HIGH LOW	69	-	1935
RAINFALL	3.01"	-	1996
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 50 - RAINFALL: 0.15"

OCTOBER 22

HIGH	92	-	1934
LOW HIGH	53	-	1937
LOW	32	-	1976, 1916
HIGH LOW	71	-	1935
RAINFALL	2.47"	-	1957
SNOWFALL	"	-	

NORMALS - HIGH: 74 - LOW: 50 - RAINFALL: 0.15"

OCTOBER 23

HIGH	96	-	1939
LOW HIGH	48	-	1913
LOW	28	-	1952
HIGH LOW	69	-	2001
RAINFALL	2.30"	-	1913
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 49 - RAINFALL: 0.15"

OCTOBER 24

HIGH	95	-	1927
LOW HIGH	53	-	1972
LOW	27	-	1917
HIGH LOW	72	-	1985
RAINFALL	2.30"	-	1887
SNOWFALL	"	-	

NORMALS - HIGH: 73 - LOW: 49 - RAINFALL: 0.15"

OCTOBER 25

HIGH	97	-	1927
LOW HIGH	50	-	1887
LOW	28	-	1917
HIGH LOW	71	-	1939
RAINFALL	3.92"	-	1976
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 49 - RAINFALL: 0.15"

OCTOBER 26

HIGH	97	-	1927
LOW HIGH	51	-	1957
LOW	32	-	2005, 1982
HIGH LOW	73	-	1939
RAINFALL	1.56"	-	1972
SNOWFALL	"	-	

NORMALS - HIGH: 72 - LOW: 48 - RAINFALL: 0.15"

OCTOBER 27

HIGH	97	-	1927
LOW HIGH	49	-	1981
LOW	31	-	1898
HIGH LOW	74	-	1939
RAINFALL	1.85"	-	1918
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.15"

OCTOBER 28

HIGH	95	-	1927
LOW HIGH	53	-	1925
LOW	27	-	1914
HIGH LOW	70	-	1991
RAINFALL	1.98"	-	1935
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 48 - RAINFALL: 0.15"

OCTOBER 29

HIGH	88	-	1937, 1927
LOW HIGH	39	-	1925
LOW	27	-	1914
HIGH LOW	70	-	1984
RAINFALL	5.58"	-	1991
SNOWFALL	"	-	

NORMALS - HIGH: 71 - LOW: 47 - RAINFALL: 0.16"

OCTOBER 30

HIGH	91	-	1937
LOW HIGH	37	-	1925
LOW	25	-	1917
HIGH LOW	70	-	1942
RAINFALL	3.07"	-	1926
SNOWFALL	T	-	1993

NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.16"

OCTOBER 31

HIGH	91	-	1937
LOW HIGH	42	-	1925
LOW	26	-	1917
HIGH LOW	68	-	1935
RAINFALL	3.41"	-	1919
SNOWFALL	"	-	

NORMALS - HIGH: 70 - LOW: 47 - RAINFALL: 0.16"

NOVEMBER

NOVEMBER 1

HIGH	88	-	1938
LOW HIGH	45	-	1951
LOW	26	-	1993
HIGH LOW	68	-	1995
RAINFALL	4.02"	-	1892
SNOWFALL	"	-	

NORMALS - HIGH: 69 - LOW: 46 - RAINFALL: 0.15"

NOVEMBER 2

HIGH	86	-	1936
LOW HIGH	42	-	1966
LOW	25	-	1954, 1951
HIGH LOW	72	-	1936
RAINFALL	1.45"	-	2010
SNOWFALL	T	-	1966

NORMALS - HIGH: 69 - LOW: 46 - RAINFALL: 0.15"

NOVEMBER 3

HIGH	86	-	1935, 1909
LOW HIGH	40	-	1991
LOW	20	-	1951
HIGH LOW	67	-	1994, 1938
RAINFALL	2.01"	-	1936
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 46 - RAINFALL: 0.16"

NOVEMBER 4

HIGH	86	-	1909
LOW HIGH	39	-	1991
LOW	24	-	1899
HIGH LOW	67	-	1994
RAINFALL	2.95"	-	1938
SNOWFALL	"	-	

NORMALS - HIGH: 68 - LOW: 45 - RAINFALL: 0.16"

NOVEMBER 5

HIGH	86	-	1920
LOW HIGH	42	-	1951
LOW	23	-	1899
HIGH LOW	63	-	2005, 1898
RAINFALL	2.45"	-	1925
SNOWFALL	"	-	

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.16"

NOVEMBER 6

HIGH	85	-	1915
LOW HIGH	40	-	1959
LOW	25	-	1976
HIGH LOW	63	-	1924
RAINFALL	3.23"	-	1972
SNOWFALL	"	-	

NORMALS - HIGH: 67 - LOW: 45 - RAINFALL: 0.16"

NOVEMBER 7

HIGH	86	-	1891
LOW HIGH	46	-	1959
LOW	24	-	1959
HIGH LOW	66	-	1989
RAINFALL	2.00"	-	1889
SNOWFALL	T	-	1991

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.16"

NOVEMBER 8

HIGH	87	-	1908
LOW HIGH	36	-	1991
LOW	22	-	1951
HIGH LOW	65	-	1966, 1945
RAINFALL	1.80"	-	1924
SNOWFALL	T	-	1941

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.16"

NOVEMBER 9

HIGH	83	-	1942
LOW HIGH	44	-	1991
LOW	22	-	1991
HIGH LOW	68	-	1890
RAINFALL	3.10"	-	1987
SNOWFALL	"	-	

NORMALS - HIGH: 66 - LOW: 44 - RAINFALL: 0.16"

NOVEMBER 10

HIGH	84	-	1927
LOW HIGH	43	-	1950
LOW	23	-	1953
HIGH LOW	70	-	1935
RAINFALL	2.86"	-	1945
SNOWFALL	"	-	

NORMALS - HIGH: 65 - LOW: 43 - RAINFALL: 0.16"

NOVEMBER 11

HIGH	84	-	1989
LOW HIGH	44	-	1968
LOW	23	-	1950
HIGH LOW	63	-	2003
RAINFALL	1.87"	-	1935
SNOWFALL	"	-	

NORMALS - HIGH: 65 - LOW: 43 - RAINFALL: 0.16"

NOVEMBER 12

HIGH	84	-	1955
LOW HIGH	41	-	1907
LOW	21	-	1950
HIGH LOW	64	-	1931
RAINFALL	2.00"	-	1889
SNOWFALL	"	-	

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.16"

NOVEMBER 13

HIGH	87	-	1955
LOW HIGH	39	-	1920
LOW	19	-	1907
HIGH LOW	60	-	1955
RAINFALL	3.53"	-	1957
SNOWFALL	"	-	

NORMALS - HIGH: 64 - LOW: 43 - RAINFALL: 0.16"

NOVEMBER 14

HIGH	87	-	1955
LOW HIGH	32	-	1986
LOW	19	-	1907
HIGH LOW	68	-	1955
RAINFALL	2.45"	-	1922
SNOWFALL	"	-	

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

NOVEMBER 15

HIGH	84	-	1964
LOW HIGH	37	-	1976
LOW	18	-	1916
HIGH LOW	70	-	1955
RAINFALL	1.44"	-	1947
SNOWFALL	T	-	1997

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

NOVEMBER 16

HIGH	84	-	1941
LOW HIGH	42	-	1920
LOW	19	-	1916
HIGH LOW	67	-	1958
RAINFALL	4.10"	-	1987
SNOWFALL	T	-	1937

NORMALS - HIGH: 63 - LOW: 42 - RAINFALL: 0.16"

NOVEMBER 17

HIGH	82	-	1921, 1908
LOW HIGH	38	-	1937
LOW	20	-	1959
HIGH LOW	65	-	1964
RAINFALL	3.15"	-	1906
SNOWFALL	"	-	

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

NOVEMBER 18

HIGH	87	-	1930
LOW HIGH	39	-	2000, 1891
LOW	19	-	1959
HIGH LOW	66	-	1921, 1896
RAINFALL	3.35"	-	1906
SNOWFALL	T	-	1926

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

NOVEMBER 19

HIGH	85	-	1942
LOW HIGH	39	-	1903
LOW	14	-	1903
HIGH LOW	68	-	1985
RAINFALL	3.12"	-	1988
SNOWFALL	T	-	1991

NORMALS - HIGH: 62 - LOW: 41 - RAINFALL: 0.16"

NOVEMBER 20

HIGH	81	-	1985
LOW HIGH	41	-	1937, 1903
LOW	16	-	1914
HIGH LOW	65	-	1942
RAINFALL	4.75"	-	1907
SNOWFALL	T	-	1891

NORMALS - HIGH: 61 - LOW: 41 - RAINFALL: 0.16"

NOVEMBER 21

HIGH	84	-	1908
LOW HIGH	37	-	1937
LOW	17	-	1914
HIGH LOW	63	-	1913
RAINFALL	2.23"	-	1934
SNOWFALL	"	-	

NORMALS - HIGH: 61 - LOW: 40 - RAINFALL: 0.16"

NOVEMBER 22

HIGH	80	-	1931
LOW HIGH	37	-	1929
LOW	20	-	1964, 1898
HIGH LOW	64	-	1982, 1909
RAINFALL	5.24"	-	1961
SNOWFALL	5.0"	-	1929

NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.17"

NOVEMBER 23

HIGH	82	-	1931
LOW HIGH	39	-	1971
LOW	15	-	1929
HIGH LOW	67	-	1900
RAINFALL	2.64"	-	2004
SNOWFALL	T	-	1971

NORMALS - HIGH: 60 - LOW: 40 - RAINFALL: 0.17"

NOVEMBER 24

HIGH	85	-	1908
LOW HIGH	35	-	1970
LOW	19	-	1970
HIGH LOW	62	-	1921, 1910
RAINFALL	2.32"	-	2000
SNOWFALL	T	-	1950

NORMALS - HIGH: 60 - LOW: 39 - RAINFALL: 0.17"

NOVEMBER 25

HIGH	82	-	1908
LOW HIGH	42	-	1898
LOW	18	-	1950
HIGH LOW	63	-	1919
RAINFALL	1.70"	-	1987
SNOWFALL	"	-	

NORMALS - HIGH: 59 - LOW: 39 - RAINFALL: 0.17"

NOVEMBER 26

HIGH	84	-	1965
LOW HIGH	42	-	1993, 1903
LOW	23	-	1928
HIGH LOW	68	-	1990
RAINFALL	3.58"	-	1988
SNOWFALL	"	-	

NORMALS - HIGH: 59 - LOW: 39 - RAINFALL: 0.17"

NOVEMBER 27

HIGH	84	-	1927
LOW HIGH	38	-	1992
LOW	17	-	1938
HIGH LOW	65	-	1910
RAINFALL	2.80"	-	1973
SNOWFALL	1.0"	-	1980

NORMALS - HIGH: 59 - LOW: 39 - RAINFALL: 0.17"

NOVEMBER 28

HIGH	81	-	1927
LOW HIGH	35	-	1958
LOW	21	-	1912
HIGH LOW	62	-	1997
RAINFALL	2.58"	-	2001
SNOWFALL	T	-	1967

NORMALS - HIGH: 59 - LOW: 38 - RAINFALL: 0.17"

NOVEMBER 29

HIGH	82	-	1927
LOW HIGH	30	-	1976
LOW	14	-	1976
HIGH LOW	65	-	2006, 1927
RAINFALL	3.10"	-	1908
SNOWFALL	"	-	

NORMALS - HIGH: 58 - LOW: 38 - RAINFALL: 0.17"

NOVEMBER 30

HIGH	80	-	1933
LOW HIGH	30	-	1976
LOW	18	-	1911
HIGH LOW	59	-	1933
RAINFALL	1.74"	-	1991
SNOWFALL	T	-	1974

NORMALS - HIGH: 58 - LOW: 38 - RAINFALL: 0.17"

DECEMBER

DECEMBER 1

HIGH	80	-	1922
LOW HIGH	35	-	1903
LOW	21	-	1979
HIGH LOW	63	-	1922
RAINFALL	1.50"	-	1991
SNOWFALL	T	-	1955

NORMALS - HIGH: 58 - LOW: 38 - RAINFALL: 0.17"

DECEMBER 2

HIGH	79	-	1922
LOW HIGH	34	-	1929
LOW	18	-	1960
HIGH LOW	64	-	1982
RAINFALL	2.56"	-	1905
SNOWFALL	T	-	1971

NORMALS - HIGH: 57 - LOW: 37 - RAINFALL: 0.18"

DECEMBER 3

HIGH	80	-	1982
LOW HIGH	36	-	1966
LOW	14	-	1929
HIGH LOW	68	-	1982
RAINFALL	4.38"	-	1993
SNOWFALL	T	-	1945

NORMALS - HIGH: 57 - LOW: 37 - RAINFALL: 0.18"

DECEMBER 4

HIGH	80	-	1933
LOW HIGH	32	-	1985
LOW	20	-	1890
HIGH LOW	64	-	1922
RAINFALL	1.53"	-	1982
SNOWFALL	4.0"	-	1898

NORMALS - HIGH: 57 - LOW: 37 - RAINFALL: 0.18"

DECEMBER 5

HIGH	81	-	1933
LOW HIGH	38	-	1964
LOW	18	-	1899
HIGH LOW	65	-	1998
RAINFALL	2.12"	-	1960
SNOWFALL	T	-	1992

NORMALS - HIGH: 56 - LOW: 37 - RAINFALL: 0.18"

DECEMBER 6

HIGH	79	-	1998, 1951
LOW HIGH	32	-	1950
LOW	14	-	1950
HIGH LOW	65	-	1956
RAINFALL	2.13"	-	1957
SNOWFALL	1.0"	-	1950

NORMALS - HIGH: 56 - LOW: 36 - RAINFALL: 0.18"

DECEMBER 7

HIGH	84	-	1939
LOW HIGH	31	-	1950
LOW	11	-	1950
HIGH LOW	68	-	1966
RAINFALL	1.50"	-	1944
SNOWFALL	"	-	

NORMALS - HIGH: 56 - LOW: 36 - RAINFALL: 0.18"

DECEMBER 8

HIGH	77	-	2007
LOW HIGH	27	-	1917
LOW	16	-	1927
HIGH LOW	63	-	1923
RAINFALL	3.70"	-	1924
SNOWFALL	0.5"	-	1917

NORMALS - HIGH: 56 - LOW: 36 - RAINFALL: 0.18"

DECEMBER 9

HIGH	77	-	2007
LOW HIGH	32	-	2005
LOW	10	-	1917
HIGH LOW	63	-	1943
RAINFALL	2.65"	-	1961
SNOWFALL	1.0"	-	1898

NORMALS - HIGH: 55 - LOW: 36 - RAINFALL: 0.18"

DECEMBER 10

HIGH	78	-	1918
LOW HIGH	27	-	1917
LOW	11	-	1917
HIGH LOW	60	-	1946
RAINFALL	2.08"	-	1963
SNOWFALL	1.5"	-	1932

NORMALS - HIGH: 55 - LOW: 35 - RAINFALL: 0.18"

DECEMBER 11

HIGH 77 - 1996, 1949, 1946

LOW HIGH 19 - 1917

LOW 11 - 1917

HIGH LOW 65 - 1996

RAINFALL 2.33" - 1961

SNOWFALL 0.5" - 1917

NORMALS - HIGH: 55 - LOW: 35 - RAINFALL: 0.18"

DECEMBER 12

HIGH 79 - 1929

LOW HIGH 20 - 1962

LOW 11 - 1962

HIGH LOW 64 - 1929

RAINFALL 4.00" - 1892

SNOWFALL 9.0" - 1958

NORMALS - HIGH: 54 - LOW: 35 - RAINFALL: 0.18"

DECEMBER 13

HIGH 79 - 1948

LOW HIGH 28 - 1958

LOW 11 - 1962, 1958

HIGH LOW 62 - 1984

RAINFALL 2.60" - 1892

SNOWFALL 2.0" - 1914

NORMALS - HIGH: 54 - LOW: 35 - RAINFALL: 0.18"

DECEMBER 14

HIGH 79 - 1908

LOW HIGH 27 - 1914

LOW 8 - 1958

HIGH LOW 67 - 1948

RAINFALL 1.80" - 1984

SNOWFALL 2.0" - 1901

NORMALS - HIGH: 54 - LOW: 35 - RAINFALL: 0.18"

DECEMBER 15

HIGH 82 - 1908

LOW HIGH 25 - 1901

LOW 5 - 1958

HIGH LOW 65 - 1948, 1933

RAINFALL 2.98" - 1906

SNOWFALL T - 2008, 1943

NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.18"

DECEMBER 16

HIGH	83	-	1924
LOW HIGH	18	-	1901
LOW	8	-	1901
HIGH LOW	66	-	1924
RAINFALL	3.25"	-	2001
SNOWFALL	4.1"	-	1932

NORMALS - HIGH: 54 - LOW: 34 - RAINFALL: 0.18"

DECEMBER 17

HIGH	81	-	1924
LOW HIGH	29	-	1989
LOW	12	-	1983
HIGH LOW	61	-	2002, 1984, 1929, 1924
RAINFALL	2.12"	-	1933
SNOWFALL	2.0"	-	1983

NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.18"

DECEMBER 18

HIGH	78	-	1984
LOW HIGH	23	-	1901
LOW	8	-	1932, 1901
HIGH LOW	64	-	1924
RAINFALL	3.17"	-	2002
SNOWFALL	3.0"	-	1909

NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.18"

DECEMBER 19

HIGH	73	-	1980
LOW HIGH	25	-	1909
LOW	11	-	1983
HIGH LOW	57	-	1957
RAINFALL	2.10"	-	1900
SNOWFALL	1.0"	-	1906

NORMALS - HIGH: 53 - LOW: 34 - RAINFALL: 0.18"

DECEMBER 20

HIGH	76	-	1978
LOW HIGH	18	-	1983
LOW	5	-	1901
HIGH LOW	62	-	1978
RAINFALL	1.74"	-	2007
SNOWFALL	0.5"	-	1983

NORMALS - HIGH: 53 - LOW: 33 - RAINFALL: 0.18"

DECEMBER 21

HIGH	76	-	1918
LOW HIGH	24	-	1980
LOW	6	-	1901
HIGH LOW	56	-	1926
RAINFALL	3.70"	-	1926
SNOWFALL	1.0"	-	1912

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 22

HIGH	77	-	1896
LOW HIGH	15	-	1989
LOW	3	-	1989
HIGH LOW	58	-	1923
RAINFALL	3.04"	-	1920
SNOWFALL	12.0"	-	1963

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 23

HIGH	78	-	1931
LOW HIGH	17	-	1989
LOW	2	-	1989
HIGH LOW	60	-	1931
RAINFALL	2.67"	-	2009
SNOWFALL	3.0"	-	1998

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 24

HIGH	81	-	1955
LOW HIGH	26	-	2004
LOW	-2	-	1963
HIGH LOW	61	-	1982
RAINFALL	4.00"	-	2009
SNOWFALL	T	-	2000

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 25

HIGH	77	-	1922
LOW HIGH	15	-	1983
LOW	1	-	1983 - LOW FROM AIRPORT SITE
HIGH LOW	55	-	1982
RAINFALL	4.70"	-	1987
SNOWFALL	0.8"	-	1926

NORMALS - HIGH: 52 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 26

HIGH	77	-	1942
LOW HIGH	14	-	1983
LOW	3	-	1983
HIGH LOW	63	-	1942
RAINFALL	2.60"	-	1987
SNOWFALL	T	-	1990

NORMALS - HIGH: 51 - LOW: 33 - RAINFALL: 0.17"

DECEMBER 27

HIGH	75	-	2005
LOW HIGH	27	-	1983
LOW	12	-	1892
HIGH LOW	61	-	1923
RAINFALL	4.38"	-	1982
SNOWFALL	0.9"	-	2000

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.16"

DECEMBER 28

HIGH	78	-	1928, 1907
LOW HIGH	31	-	1925
LOW	10	-	1925
HIGH LOW	65	-	1946
RAINFALL	3.39"	-	1982
SNOWFALL	T	-	1950

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.16"

DECEMBER 29

HIGH	79	-	1923
LOW HIGH	31	-	1917
LOW	9	-	1983
HIGH LOW	60	-	1990
RAINFALL	1.85"	-	1910
SNOWFALL	0.5"	-	1895

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.16"

DECEMBER 30

HIGH	78	-	1984
LOW HIGH	26	-	1983
LOW	4	-	1983
HIGH LOW	65	-	1984, 1923
RAINFALL	2.05"	-	1906
SNOWFALL	2.5"	-	1899

NORMALS - HIGH: 51 - LOW: 32 - RAINFALL: 0.16"

DECEMBER 31

HIGH	80	-	1951
LOW HIGH	23	-	1983
LOW	3	-	1983
HIGH LOW	62	-	1965, 1951
RAINFALL	1.98"	-	1932
SNOWFALL	1.0"	-	1905

NORMALS - HIGH: 50 - LOW: 32 - RAINFALL: 0.16"

PINE BLUFF, AR

ANNUAL TEMPERATURE RECORDS

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL HIGH TEMPERATURE

1. 1921 - 78.61 °F
2. 1927 - 78.09 °F
3. 1925 - 78.08 °F
4. 1918 - 78.02 °F
5. 1896 - 78.00 °F
6. 1897 - 77.60 °F
7. 1943 - 77.25 °F
8. 1928 - 77.04 °F
9. 1954 - 76.98 °F
10. 1938 - 76.98 °F

NORMAL - 73.1 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL HIGH TEMPERATURE

1. 1979 - 70.74 °F
2. 1968 - 70.97 °F
3. 1958 - 70.97 °F
4. 1983 - 71.27 °F
5. 1905 - 71.38 °F
6. 1989 - 71.58 °F
7. 2009 - 71.78 °F
8. 1969 - 72.03 °F
9. 1966 - 72.04 °F
10. 1912 - 72.05 °F

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL TEMPERATURE

1. 1921 - 67.1 °F
2. 1927 - 66.6 °F
3. 1896 - 66.1 °F
4. 1938 - 66.0 °F
5. 1933 - 66.0 °F
6. 1925 - 66.0 °F
7. 1998 - 65.9 °F
8. 1946 - 65.7 °F
9. 1943 - 65.4 °F
10. 1934 - 65.4 °F

NORMAL - 62.7 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL TEMPERATURE

1. 1979 - 59.8 °F
2. 1983 - 59.9 °F
3. 1903 - 60.5 °F
4. 1917 - 60.6 °F
5. 1912 - 60.7 °F
6. 1958 - 60.8 °F
7. 1905 - 60.9 °F
8. 1968 - 61.3 °F
9. 1960 - 61.5 °F
10. 1978 - 61.5 °F

TOP 10 WARMEST YEARS

BY AVERAGE ANNUAL LOW TEMPERATURE

1. 1998 - 56.58 °F
2. 1921 - 55.47 °F
3. 1933 - 55.35 °F
4. 1990 - 55.18 °F
5. 1927 - 55.13 °F
6. 1938 - 55.05 °F
7. 1991 - 54.94 °F
8. 1946 - 54.88 °F
9. 1986 - 54.83 °F
10. 1939 - 54.49 °F

NORMAL - 52.2 °F

TOP 10 COOLEST YEARS

BY AVERAGE ANNUAL LOW TEMPERATURE

1. 1983 - 48.54 °F
2. 1917 - 48.56 °F
3. 1903 - 48.66 °F
4. 1979 - 48.92 °F
5. 1904 - 49.23 °F
6. 1901 - 49.39 °F
7. 1912 - 49.43 °F
8. 1902 - 49.87 °F
9. 1976 - 49.99 °F
10. 1984 - 50.13 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. AUG 1943 - 103.5 °F
2. JUL 1901 - 101.2 °F
3. AUG 1954 - 100.1 °F
4. JUL 1980 - 99.9 °F
5. AUG 1947 - 99.5 °F
6. JUL 1943 - 99.5 °F
7. AUG 1924 - 99.5 °F
8. JUL 1918 - 99.3 °F
9. AUG 2000 - 99.1 °F
10. JUL 1896 - 98.9 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY HIGH TEMPERATURE

1. JAN 1979 - 38.7 °F
2. JAN 1977 - 40.2 °F
3. DEC 1983 - 40.8 °F
4. DEC 2000 - 41.2 °F
5. JAN 1978 - 41.4 °F
6. JAN 1940 - 41.8 °F
7. FEB 1978 - 42.7 °F
8. FEB 1905 - 42.9 °F
9. JAN 1918 - 43.2 °F
10. JAN 1948 - 44.0 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. AUG 1943 - 89.0 °F
2. AUG 1934 - 87.0 °F
3. AUG 1947 - 86.9 °F
4. JUL 1943 - 86.7 °F
5. AUG 1999 - 86.5 °F
6. JUL 1998 - 86.4 °F
7. JUL 1980 - 86.4 °F
8. JUL 1930 - 86.3 °F
9. JUL 1993 - 86.1 °F
10. AUG 1954 - 86.0 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY TEMPERATURE

1. JAN 1979 - 29.7 °F
2. JAN 1977 - 30.3 °F
3. DEC 1983 - 30.8 °F
4. JAN 1918 - 31.3 °F
5. JAN 1940 - 32.1 °F
6. JAN 1978 - 32.7 °F
7. DEC 2000 - 33.7 °F
8. FEB 1905 - 33.7 °F
9. FEB 1978 - 33.8 °F
10. JAN 1984 - 33.9 °F

TOP 10 WARMEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JUL 1998 - 76.6 °F
2. JUL 1986 - 75.6 °F
3. AUG 1934 - 75.5 °F
4. AUG 1995 - 75.4 °F
5. JUL 1884 - 75.3 °F
6. JUL 1993 - 75.1 °F
7. JUL 1999 - 74.8 °F
8. AUG 1987 - 74.7 °F
9. JUL 1997 - 74.6 °F
10. AUG 1943 - 74.6 °F

TOP 10 COOLEST MONTHS
BY AVERAGE MONTHLY LOW TEMPERATURE

1. JAN 1918 - 19.5 °F
2. JAN 1977 - 20.4 °F
3. JAN 1979 - 20.8 °F
4. DEC 1983 - 20.9 °F
5. JAN 1984 - 22.0 °F
6. JAN 1940 - 22.5 °F
7. JAN 1978 - 24.0 °F
8. FEB 1905 - 24.4 °F
9. FEB 1978 - 25.0 °F
10. JAN 1948 - 25.1 °F

TOP 10 HOTTEST DAYS
BY DAILY HIGH TEMPERATURE

1. 15 AUG 1943 -	112 °F	6. 24 JUL 1924 -	110 °F
2. 27 AUG 1943 -	111 °F	7. 23 JUL 1924 -	110 °F
3. 16 AUG 1943 -	111 °F	8. 10 AUG 1943 -	109 °F
4. 06 SEP 1925 -	110 °F	9. 22 JUL 1943 -	109 °F
5. 05 SEP 1924 -	110 °F	10. 29 JUL 1930 -	109 °F

TOP 10 HOTTEST DAYS
BY AVERAGE DAILY TEMPERATURE

1. 15 AUG 1943 -	96.0 °F	6. 08 AUG 1943 -	94.0 °F
2. 29 JUL 1930 -	95.5 °F	7. 08 AUG 1934 -	94.0 °F
3. 03 AUG 1918 -	95.5 °F	8. 26 AUG 1943 -	93.5 °F
4. 27 AUG 1943 -	95.0 °F	9. 10 AUG 1943 -	93.5 °F
5. 16 AUG 1943 -	95.0 °F	10. 09 AUG 1943 -	93.5 °F

TOP 10 HOTTEST DAYS
BY DAILY LOW TEMPERATURE

1. 08 JUL 1998 -	83 °F	6. 25 JUN 1922 -	82 °F
2. 29 JUL 1998 -	82 °F	7. 03 AUG 1918 -	82 °F
3. 24 AUG 1985 -	82 °F	8. 19 JUL 1884 -	82 °F
4. 29 JUL 1930 -	82 °F	9. 25 JUN 1884 -	82 °F
5. 13 JUL 1930 -	82 °F	10. 24 JUN 1884 -	82 °F

TOP 10 COLDEST DAYS
BY DAILY HIGH TEMPERATURE

1. 10 JAN 1962 -	13 °F	6. 25 DEC 1983 -	15 °F
2. 26 DEC 1983 -	14 °F	7. 23 DEC 1989 -	17 °F
3. 11 JAN 1962 -	14 °F	8. 02 FEB 1985 -	18 °F
4. 22 DEC 1989 -	15 °F	9. 20 DEC 1983 -	18 °F
5. 21 JAN 1985 -	15 °F	10. 11 JAN 1982 -	18 °F

TOP 10 COLDEST DAYS
BY AVERAGE DAILY TEMPERATURE

1. 10 JAN 1962 -	5.5 °F	6. 22 DEC 1989 -	9.0 °F
2. 11 JAN 1962 -	7.0 °F	7. 23 DEC 1989 -	9.5 °F
3. 12 FEB 1899 -	7.0 °F	8. 25 DEC 1983 -	9.5 °F
4. 12 JAN 1918 -	8.0 °F	9. 11 JAN 1982 -	9.5 °F
5. 26 DEC 1983 -	8.5 °F	10. 18 JAN 1930 -	9.5 °F

TOP 10 COLDEST DAYS
BY DAILY LOW TEMPERATURE

1. 13 JAN 1918 -	-6 °F	6. 10 JAN 1962 -	-2 °F
2. 12 JAN 1918 -	-6 °F	7. 18 JAN 1930 -	-2 °F
3. 12 FEB 1899 -	-5 °F	8. 13 FEB 1899 -	-2 °F
4. 30 JAN 1966 -	-2 °F	9. 02 FEB 1951 -	-1 °F
5. 24 DEC 1963 -	-2 °F	10. 12 JAN 1962 -	0 °F

EARLIEST DAY AT OR ABOVE 80°F

BY DAILY HIGH TEMPERATURE

07 JAN 1907 - 82 °F

LATEST DAY AT OR ABOVE 80°F

BY DAILY HIGH TEMPERATURE

31 DEC 1951 - 80 °F

EARLIEST DAY AT OR ABOVE 90°F

BY DAILY HIGH TEMPERATURE

13 FEB 1918 - 90 °F

LATEST DAY AT OR ABOVE 90°F

BY DAILY HIGH TEMPERATURE

31 OCT 1937 - 91 °F

EARLIEST DAY AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

29 MAY 1926 - 100 °F

LATEST DAY AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

09 OCT 1928 - 100 °F

EARLIEST DAY AT OR BELOW 32°F

BY DAILY LOW TEMPERATURE

10 OCT 2000 - 30 °F

LATEST DAY AT OR BELOW 32°F

BY DAILY LOW TEMPERATURE

25 APR 1910 - 30 °F

EARLIEST DAY AT OR BELOW 10°F

BY DAILY LOW TEMPERATURE

14 DEC 1958 - 8 °F

LATEST DAY AT OR BELOW 10°F

BY DAILY LOW TEMPERATURE

18 FEB 1910 - 6 °F

LONGEST PERIODS OF CONSECUTIVE DAYS AT OR ABOVE 100°F

BY DAILY HIGH TEMPERATURE

1. 19 DAYS - 22 JUL 1896 TO 09 AUG 1896
2. 14 DAYS - 07 JUL 1980 TO 20 JUL 1980
3. 14 DAYS - 28 JUL 1947 TO 10 AUG 1947
4. 14 DAYS - 16 JUL 1943 TO 29 JUL 1943
5. 12 DAYS - 29 JUN 1897 TO 10 JUL 1897
6. 11 DAYS - 25 AUG 2000 TO 04 SEP 2000
7. 11 DAYS - 09 JUL 1944 TO 19 JUL 1944
8. 11 DAYS - 28 JUL 1919 TO 07 AUG 1919
9. 11 DAYS - 20 JUL 1918 TO 30 JUL 1918
10. 10 DAYS - 10 AUG 1954 TO 19 AUG 1954

LONGEST PERIODS OF CONSECUTIVE DAYS AT OR BELOW 32°F

BY DAILY HIGH TEMPERATURE

1. 9 DAYS - 16 DEC 1989 TO 24 DEC 1989
2. 8 DAYS - 03 JAN 1942 TO 10 JAN 1942
3. 7 DAYS - 15 DEC 1901 TO 21 DEC 1901
4. 6 DAYS - 06 JAN 1988 TO 11 JAN 1988
5. 6 DAYS - 23 DEC 1983 TO 28 DEC 1983
6. 6 DAYS - 06 JAN 1973 TO 11 JAN 1973
7. 5 DAYS - 29 DEC 2000 TO 02 JAN 2001
8. 5 DAYS - 31 JAN 1996 TO 04 FEB 1996
9. 5 DAYS - 01 FEB 1985 TO 05 FEB 1985
- 10.5 DAYS - 29 JAN 1951 TO 02 FEB 1951

AVERAGE DATE OF FIRST FROST: 31 OCT

AVERAGE FIRST DATE OF FREEZE: 12 NOV

AVERAGE DATE OF LAST FREEZE: 16 MAR

AVERAGE DATE OF LAST FROST: 03 APR

GREATEST DAILY TEMPERATURE RANGE:

20 JAN 1985 - MIN 2°F MAX 63°F - 61 DEGREE CHANGE

SMALLEST DAILY TEMPERATURE RANGE:

21 JAN 1983 - MIN 30°F MAX 30°F - 0 DEGREE CHANGE

12 DEC 1919 - MIN 38°F MAX 38°F - 0 DEGREE CHANGE

01 NOV 1919 - MIN 64°F MAX 64°F - 0 DEGREE CHANGE

28 JAN 1918 - MIN 33°F MAX 33°F - 0 DEGREE CHANGE

29 OCT 1917 - MIN 55°F MAX 55°F - 0 DEGREE CHANGE

19 FEB 1914 - MIN 47°F MAX 47°F - 0 DEGREE CHANGE

06 JAN 1912 - MIN 34°F MAX 34°F - 0 DEGREE CHANGE

26 DEC 1911 - MIN 40°F MAX 40°F - 0 DEGREE CHANGE

23 NOV 1911 - MIN 48°F MAX 48°F - 0 DEGREE CHANGE

28 FEB 1911 - MIN 46°F MAX 46°F - 0 DEGREE CHANGE

03 MAR 1904 - MIN 48°F MAX 48°F - 0 DEGREE CHANGE

16 FEB 1893 - MIN 48°F MAX 48°F - 0 DEGREE CHANGE

ANNUAL PRECIPITATION RECORDS

TOP 10 WETTEST YEARS

BY ANNUAL PRECIPITATION

1. 1905 - 82.89"
2. 2009 - 78.02"
3. 1957 - 75.31"
4. 1945 - 74.35"
5. 1892 - 72.61"
6. 1979 - 72.53"
7. 1984 - 70.02"
8. 1990 - 69.12"
9. 1939 - 66.68"
10. 1982 - 66.17"

NORMAL - 52.48"

TOP 10 DRIEST YEARS

BY ANNUAL PRECIPITATION

1. 1943 - 34.74"
2. 1954 - 34.90"
3. 2003 - 35.37"
4. 1962 - 35.90"
5. 1929 - 37.07"
6. 1901 - 37.21"
7. 1977 - 38.55"
8. 2005 - 38.62"
9. 1917 - 38.69"
10. 1896 - 38.90"

TOP 10 WETTEST MONTHS

BY MONTHLY PRECIPITATION

1. FEB 1939 - 16.69"
2. MAY 1905 - 15.71"
3. JAN 1937 - 15.50"
4. SEP 1913 - 15.44"
5. DEC 1982 - 15.02"
6. APR 1966 - 14.69"
7. JAN 1898 - 14.50"
8. OCT 2009 - 14.34"
9. APR 1911 - 14.32"
10. MAY 1930 - 14.28"

TOP 10 DRIEST MONTHS

BY MONTHLY PRECIPITATION

1. OCT 1924 - 0.00"
2. AUG 1886 - 0.00"
3. JUL 1886 - 0.00"
4. MAY 1885 - 0.00"
5. AUG 1999 - T
6. OCT 1963 - T
7. JUL 1930 - 0.01"
8. NOV 1910 - 0.02"
9. JUL 1893 - 0.03"
10. JUN 1930 - 0.05"

TOP 10 HIGHEST DAILY RAINFALL AMOUNTS AND WETTEST DAYS ON RECORD

BY DAILY PRECIPITATION

1. 05 MAY 1905 - 6.80"
2. 01 OCT 1945 - 6.73"
3. 22 JAN 1906 - 5.65"
4. 29 OCT 1991 - 5.58"
- 03 JAN 1897 - 5.58"
5. 15 FEB 1939 - 5.32"
6. 17 OCT 1928 - 5.31"
7. 22 NOV 1961 - 5.24"
8. 01 MAY 1958 - 5.15"
- 16 JUN 1895 - 5.15"
9. 22 JAN 1938 - 5.09"
10. 14 SEP 1886 - 5.02"

LONGEST PERIOD W/NO MEASURABLE PRECIPITATION

1. 43 DAYS - 01 AUG 1886 TO 12 SEP 1886
2. 38 DAYS - 23 SEP 1924 TO 30 OCT 1924
3. 33 DAYS - 28 SEP 1963 TO 30 OCT 1963
4. 31 DAYS - 04 SEP 1931 TO 04 OCT 1931
5. 31 DAYS - 10 JUL 1930 TO 09 AUG 1930
6. 31 DAYS - 02 SEP 1928 TO 02 OCT 1928
7. 30 DAYS - 22 JUN 1980 TO 21 JUL 1980
8. 30 DAYS - 30 MAY 1952 TO 28 JUN 1952
9. 30 DAYS - 03 AUG 1936 TO 01 SEP 1936
10. 30 DAYS - 22 MAY 1911 TO 20 JUN 1911

LONGEST PERIOD WITH MEASURABLE PRECIPITATION

1. 11 DAYS - 09 SEP 2009 TO 19 SEP 2009
2. 11 DAYS - 24 APR 1958 TO 04 MAY 1958
3. 11 DAYS - 05 JAN 1937 TO 15 JAN 1937
4. 11 DAYS - 17 JUN 1888 TO 27 JUN 1888
5. 10 DAYS - 03 JUN 1986 TO 12 JUN 1986
6. 10 DAYS - 15 APR 1973 TO 24 APR 1973
7. 10 DAYS - 10 MAY 1953 TO 19 MAY 1953
8. 10 DAYS - 11 MAY 1946 TO 20 MAY 1946
9. 10 DAYS - 27 JAN 1923 TO 05 FEB 1923
10. 10 DAYS - 11 JUN 1895 TO 20 JUN 1895

ANNUAL SNOWFALL RECORDS

TOP 10 SNOWIEST YEARS

BY ANNUAL SNOWFALL

1. 1966 - 25.1"
2. 1960 - 18.2"
3. 1892 - 17.0"
4. 2000 - 12.6"
5. 1910 - 12.3"
6. 1963 - 12.2"
7. 1948 - 11.7"
8. 1958 - 11.4"
9. 1893 - 11.0"
10. 1965 - 10.3"

NORMAL - 2.4"

TOP 10 SNOWIEST SEASONS

BY SEASONAL SNOWFALL

- | | |
|-----------------------------|------------------------------|
| 1. WINTER 1965-1966 - 25.1" | 6. WINTER 1947-1948 - 11.7" |
| 2. WINTER 1909-1910 - 16.4" | 7. WINTER 1892-1893 - 11.0" |
| 3. WINTER 1959-1960 - 14.2" | 8. WINTER 1999-2000 - 11.0" |
| 4. SPRING 1892 - 14.0" | 9. WINTER 1945-1946 - 10.5" |
| 5. WINTER 1963-1964 - 12.2" | 10. WINTER 1958-1959 - 10.4" |

TOP 10 SNOWIEST MONTHS

BY MONTHLY SNOWFALL

1. JAN 1966 - 20.5"
2. MAR 1892 - 14.0"
3. DEC 1963 - 12.2"
4. JAN 1988 - 12.0"
5. JAN 1893 - 11.0"
6. JAN 2000 - 11.0"
7. JAN 1948 - 10.9"
8. DEC 1958 - 10.4"
9. FEB 1960 - 9.2"
10. FEB 1979 - 8.3"

TOP 10 SNOWIEST DAYS

BY DAILY SNOWFALL

- | | |
|------------------------|------------------------|
| 1. 17 MAR 1892 - 14.0" | 6. 18 JAN 1893 - 9.0" |
| 2. 22 DEC 1963 - 12.0" | 7. 12 DEC 1958 - 9.0" |
| 3. 28 JAN 1966 - 12.0" | 8. 14 MAR 1924 - 8.0" |
| 4. 27 JAN 2000 - 11.0" | 9. 09 JAN 1962 - 8.0" |
| 5. 07 JAN 1988 - 10.0" | 10. 24 FEB 1960 - 7.2" |

EARLIEST SNOWFALL
30 OCT 1993 - T

LATEST SNOWFALL
20 APR 1983 - T

EARLIEST SNOWFALL GREATER THAN 1.0"
22 NOV 1929 - 5.0"

LATEST SNOWFALL GREATER THAN 1.0"
29 MAR 1894 - 2.0"

EARLIEST SNOWFALL GREATER THAN 10.0"
22 DEC 1963 - 12.0"

LATEST SNOWFALL GREATER THAN 10.0"
17 MAR 1892 - 14.0"

SPRING RECORDS
MARCH, APRIL, MAY

TOP 10 HOTTEST SPRINGS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1918 - 82.03 °F
2. 1925 - 79.37 °F
3. 1896 - 79.27 °F
4. 1974 - 79.17 °F
5. 1929 - 78.17 °F
6. 1977 - 77.87 °F
7. 1921 - 77.77 °F
8. 1963 - 77.53 °F
9. 1987 - 77.30 °F
10. 1927 - 77.17 °F

NORMAL - 73.4 °F

TOP 10 COLDEST SPRINGS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1983 - 69.17 °F
2. 1958 - 69.47 °F
3. 1960 - 70.17 °F
4. 1993 - 70.33 °F
5. 1912 - 70.67 °F
6. 1931 - 70.80 °F
7. 1980 - 71.03 °F
8. 1915 - 71.27 °F
9. 1947 - 71.37 °F
10. 1969 - 71.40 °F

TOP 10 HOTTEST SPRINGS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1896 - 69.1 °F
2. 1974 - 67.8 °F
3. 1918 - 66.9 °F
4. 1929 - 66.6 °F
5. 1927 - 66.5 °F
6. 1963 - 66.4 °F
7. 1938 - 66.4 °F
8. 1921 - 66.3 °F
9. 1991 - 66.3 °F
10. 1925 - 66.2 °F

NORMAL - 62.6 °F

TOP 10 COLDEST SPRINGS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1983 - 58.6 °F
2. 1960 - 59.0 °F
3. 1984 - 59.0 °F
4. 1980 - 59.3 °F
5. 1915 - 59.7 °F
6. 1931 - 59.8 °F
7. 1971 - 60.0 °F
8. 1958 - 60.1 °F
9. 1917 - 60.3 °F
10. 1952 - 60.4 °F

TOP 10 HOTTEST SPRINGS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1896 - 57.93 °F
2. 1991 - 57.30 °F
3. 1974 - 56.33 °F
4. 1938 - 56.30 °F
5. 1927 - 55.77 °F
6. 1946 - 55.40 °F
7. 1967 - 55.27 °F
8. 1963 - 55.23 °F
9. 2004 - 55.00 °F
10. 1929 - 54.93 °F

NORMAL - 51.8 °F

TOP 10 COLDEST SPRINGS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1984 - 46.17 °F
2. 1980 - 47.60 °F
3. 1960 - 47.83 °F
4. 1891 - 47.90 °F
5. 1983 - 47.93 °F
6. 1909 - 48.20 °F
7. 1971 - 48.23 °F
8. 1915 - 48.23 °F
9. 1917 - 48.43 °F
10. 1913 - 48.47 °F

TOP 10 WETTEST SPRINGS

BY SEASONAL PRECIPITATION

1. 1905 - 34.46"
2. 1953 - 28.79"
3. 1979 - 28.18"
4. 1922 - 25.18"
5. 1990 - 24.38"
6. 1927 - 24.16"
7. 1973 - 24.08"
8. 1958 - 23.21"
9. 1968 - 22.71"
10. 1944 - 22.29"

TOP 10 DRIEST SPRINGS

BY SEASONAL PRECIPITATION

1. 1925 - 4.79"
2. 1915 - 6.09"
3. 1937 - 6.34"
4. 1916 - 6.60"
5. 1987 - 7.13"
6. 1898 - 7.54"
7. 1972 - 7.58"
8. 1936 - 7.59"
9. 1988 - 8.19"
10. 1962 - 8.37"

NORMAL - 15.18"

TOP 10 SNOWIEST SPRINGS

BY SEASONAL SNOWFALL

1. 1892 - 14.0"
 2. 1924 - 8.0"
 3. 1965 - 7.3"
 4. 2008 - 6.0"
 5. 1960 - 4.0"
 6. 1896 - 2.5"
 7. 1917 - 2.0"
 8. 1894 - 2.0"
 9. 1932 - 1.8"
 10. 1891 - 1.2"
- NORMAL - 0.4"

SUMMER RECORDS
JUNE, JULY, AUGUST

TOP 10 HOTTEST SUMMERS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1943 - 99.30 °F
2. 1918 - 98.20 °F
3. 1954 - 97.50 °F
4. 1901 - 97.40 °F
5. 1925 - 96.77 °F
6. 1924 - 96.57 °F
7. 1980 - 96.40 °F
8. 1897 - 96.40 °F
9. 1896 - 96.33 °F
10. 1952 - 95.67 °F

NORMAL - 90.8 °F

TOP 10 COOLEST SUMMERS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1940 - 87.00 °F
2. 2004 - 87.07 °F
3. 1967 - 87.40 °F
4. 1992 - 88.00 °F
5. 1989 - 88.27 °F
6. 1931 - 88.40 °F
7. 1979 - 88.63 °F
8. 1950 - 88.67 °F
9. 2009 - 89.03 °F
10. 1889 - 89.03 °F

TOP 10 HOTTEST SUMMERS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1943 - 86.6 °F
2. 1934 - 84.7 °F
3. 2010 - 84.4 °F
4. 1998 - 84.2 °F
5. 1954 - 84.2 °F
6. 1925 - 84.1 °F
7. 1944 - 83.9 °F
8. 1980 - 83.8 °F
9. 1918 - 83.7 °F
10. 1924 - 83.7 °F

NORMAL - 80.7 °F

TOP 10 COOLEST SUMMERS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1903 - 77.6 °F
2. 1976 - 77.8 °F
3. 2004 - 78.0 °F
4. 1967 - 78.0 °F
5. 1950 - 78.1 °F
6. 1961 - 78.2 °F
7. 1940 - 78.5 °F
8. 1912 - 78.6 °F
9. 1992 - 78.7 °F
10. 1915 - 78.7 °F

TOP 10 HOTTEST SUMMERS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1998 - 74.40 °F
2. 2010 - 74.13 °F
3. 1943 - 73.93 °F
4. 1934 - 73.80 °F
5. 1993 - 73.23 °F
6. 1987 - 72.73 °F
7. 1937 - 72.50 °F
8. 1995 - 72.40 °F
9. 1936 - 72.30 °F
10. 1932 - 72.30 °F

NORMAL - 70.5 °F

TOP 10 COOLEST SUMMERS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1903 - 65.40 °F
2. 1976 - 66.27 °F
3. 1904 - 67.00 °F
4. 1894 - 67.37 °F
5. 1961 - 67.40 °F
6. 1950 - 67.63 °F
7. 1906 - 67.73 °F
8. 1959 - 67.97 °F
9. 1912 - 68.03 °F
10. 1955 - 68.07 °F

TOP 10 WETTEST SUMMERS

BY SEASONAL PRECIPITATION

1. 1989 - 20.33"
2. 1974 - 19.63"
3. 1910 - 18.93"
4. 1905 - 17.91"
5. 1992 - 17.89"
6. 1928 - 17.38"
7. 1903 - 17.35"
8. 1928 - 17.38"
9. 1903 - 17.35"
10. 1927 - 17.00"

TOP 10 DRIEST SUMMERS

BY SEASONAL PRECIPITATION

1. 1930 - 0.66"
2. 1980 - 1.74"
3. 1943 - 1.91"
4. 1952 - 3.50"
5. 1953 - 3.75"
6. 2007 - 3.78"
7. 1934 - 4.17"
8. 1901 - 4.27"
9. 1946 - 4.28"
10. 1954 - 4.97"

NORMAL - 11.12"

FALL RECORDS
SEPTEMBER, OCTOBER, NOVEMBER

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1927 - 84.30 °F
2. 1897 - 82.53 °F
3. 1909 - 82.13 °F
4. 1938 - 81.13 °F
5. 1931 - 81.00 °F
6. 1928 - 80.67 °F
7. 1922 - 80.67 °F
8. 1921 - 80.33 °F
9. 1934 - 79.93 °F
10. 1899 - 79.70 °F

NORMAL - 74.7 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1976 - 70.30 °F
2. 1957 - 71.23 °F
3. 1996 - 72.00 °F
4. 1972 - 72.07 °F
5. 1993 - 72.13 °F
6. 1889 - 72.20 °F
7. 2009 - 72.40 °F
8. 1968 - 72.43 °F
9. 2008 - 72.53 °F
10. 1967 - 72.53 °F

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1927 - 70.5 °F
2. 1931 - 69.9 °F
3. 1921 - 67.9 °F
4. 1934 - 67.9 °F
5. 1933 - 67.9 °F
6. 1941 - 67.6 °F
7. 1998 - 67.5 °F
8. 1938 - 67.5 °F
9. 1909 - 67.4 °F
10. 1939 - 67.4 °F

NORMAL - 63.6 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL TEMPERATURE

1. 1976 - 58.0 °F
2. 1952 - 59.2 °F
3. 1917 - 60.7 °F
4. 1903 - 61.2 °F
5. 1993 - 61.3 °F
6. 1951 - 61.4 °F
7. 1957 - 61.4 °F
8. 1967 - 61.6 °F
9. 1979 - 61.6 °F
10. 1889 - 61.6 °F

TOP 10 HOTTEST FALLS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1931 - 58.87 °F
2. 1973 - 57.50 °F
3. 1998 - 57.47 °F
4. 1986 - 56.90 °F
5. 2004 - 56.83 °F
6. 1927 - 56.77 °F
7. 1941 - 56.40 °F
8. 1933 - 56.23 °F
9. 1934 - 55.83 °F
10. 1985 - 55.77 °F

NORMAL - 52.5 °F

TOP 10 COLDEST FALLS
 BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1952 - 45.30 °F
2. 1976 - 45.63 °F
3. 1917 - 46.43 °F
4. 1901 - 47.27 °F
5. 1903 - 47.83 °F
6. 1953 - 47.93 °F
7. 1907 - 48.37 °F
8. 1983 - 48.47 °F
9. 1979 - 48.80 °F
10. 1908 - 48.90 °F

TOP 10 WETTEST FALLS

BY SEASONAL PRECIPITATION

1. 1984 - 26.25"
2. 1945 - 24.60"
3. 2009 - 23.97"
4. 1913 - 23.91"
5. 1919 - 21.23"
6. 1957 - 20.07"
7. 1996 - 19.40"
8. 1906 - 18.66"
9. 2004 - 18.11"
10. 1898 - 17.94"

TOP 10 DRIEST FALLS

BY SEASONAL PRECIPITATION

1. 1995 - 3.81"
2. 1903 - 3.84"
3. 1953 - 3.87"
4. 1922 - 4.51"
5. 1971 - 4.63"
6. 1999 - 4.76"
7. 1912 - 4.95"
8. 1917 - 5.30"
9. 1929 - 5.52"
10. 1963 - 5.57"

NORMAL - 12.56"

TOP 10 SNOWIEST FALLS

BY SEASONAL SNOWFALL

1. 1929 - 5.0"
2. 1980 - 1.0"
3. 1997 - T
4. 1993 - T
5. 1992 - T
6. 1991 - T
7. 1974 - T
8. 1971 - T
9. 1967 - T
10. 1966 - T

NORMAL - T

WINTER RECORDS
DECEMBER, JANUARY, FEBRUARY

TOP 10 WARMEST WINTERS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1931-1932 - 62.27 °F
2. 1975-1976 - 60.97 °F
3. 1908-1909 - 60.33 °F
4. 1906-1907 - 60.23 °F
5. 1922-1923 - 59.83 °F
6. 1926-1927 - 59.37 °F
7. 1949-1950 - 59.30 °F
8. 1942-1943 - 59.23 °F
9. 1918-1919 - 59.23 °F
10. 1910-1911 - 58.93 °F

NORMAL - 53.4 °F

TOP 10 COLDEST WINTERS
 BY AVERAGE SEASONAL HIGH TEMPERATURE

1. 1977-1978 - 45.87 °F
2. 1904-1905 - 46.87 °F
3. 1978-1979 - 47.27 °F
4. 1901-1902 - 47.93 °F
5. 2000-2001 - 48.53 °F
6. 1983-1984 - 49.17 °F
7. 1947-1948 - 50.20 °F
8. 1967-1968 - 50.23 °F
9. 1902-1903 - 50.40 °F
10. 2002-2003 - 50.47 °F

TOP 10 WARMEST WINTERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1931-1932 - 51.9 °F
2. 1910-1911 - 49.6 °F
3. 1926-1927 - 49.4 °F
4. 1975-1976 - 49.4 °F
5. 1949-1950 - 49.3 °F
6. 1920-1921 - 49.2 °F
7. 1906-1907 - 49.0 °F
8. 1951-1952 - 49.0 °F
9. 1922-1923 - 49.0 °F
10. 1933-1934 - 48.4 °F

NORMAL - 43.6 °F

TOP 10 COLDEST WINTERS

BY AVERAGE SEASONAL TEMPERATURE

1. 1977-1978 - 36.3 °F
2. 1983-1984 - 36.9 °F
3. 1904-1905 - 37.1 °F
4. 1978-1979 - 37.2 °F
5. 1901-1902 - 37.6 °F
6. 1917-1918 - 38.8 °F
7. 1976-1977 - 39.5 °F
8. 2000-2001 - 40.3 °F
9. 1902-1903 - 40.3 °F
10. 1981-1982 - 40.3 °F

TOP 10 WARMEST WINTERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1931-1932 - 42.00 °F
2. 1910-1911 - 40.47 °F
3. 1920-1921 - 39.53 °F
4. 1951-1952 - 39.43 °F
5. 1926-1927 - 39.37 °F
6. 1949-1950 - 39.33 °F
7. 1991-1992 - 39.23 °F
8. 1998-1999 - 39.13 °F
9. 1997-1998 - 39.13 °F
10. 1937-1938 - 38.90 °F

NORMAL - 33.8 °F

TOP 10 COLDEST WINTERS

BY AVERAGE SEASONAL LOW TEMPERATURE

1. 1983-1984 - 24.73 °F
2. 1917-1918 - 26.63 °F
3. 1977-1978 - 26.80 °F
4. 1978-1979 - 27.13 °F
5. 1901-1902 - 27.13 °F
6. 1904-1905 - 27.20 °F
7. 1976-1977 - 27.53 °F
8. 1962-1963 - 29.63 °F
9. 1903-1904 - 29.77 °F
10. 1981-1982 - 29.90 °F

TOP 10 WETTEST WINTERS
BY SEASONAL PRECIPITATION

1. 1938-1939 - 30.21"
2. 1931-1932 - 29.73"
3. 1897-1898 - 23.80"
4. 1936-1937 - 23.76"
5. 1956-1957 - 23.24"
6. 1978-1979 - 22.32"
7. 1929-1930 - 22.03"
8. 1915-1916 - 21.03"
9. 1945-1946 - 20.90"
10. 1982-1983 - 20.83"

TOP 10 DRIEST WINTERS
BY SEASONAL PRECIPITATION

1. 1935-1936 - 4.17"
2. 1980-1981 - 5.91"
3. 1962-1963 - 6.14"
4. 1925-1926 - 6.94"
5. 1913-1914 - 7.23"
6. 1966-1967 - 7.34"
7. 1946-1947 - 7.44"
8. 1890-1891 - 7.70"
9. 1927-1928 - 7.79"
10. 1999-2000 - 7.91"

NORMAL - 13.62"

TOP 10 SNOWIEST WINTERS

BY SEASONAL SNOWFALL

1. 1965-1966 - 25.1"
2. 1909-1910 - 16.4"
3. 1959-1960 - 14.2"
4. 1963-1964 - 12.2"
5. 1947-1948 - 11.7"
6. 1999-2000 - 11.0"
7. 1892-1893 - 11.0"
8. 1945-1946 - 10.5"
9. 1958-1959 - 10.4"
10. 1977-1978 - 10.1"

NORMAL - 2.4"

JANUARY RECORDS

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1907 - 63.7 °F
2. 1933 - 63.4 °F
3. 1923 - 63.3 °F
4. 2006 - 61.5 °F
5. 1911 - 60.8 °F
6. 1914 - 60.7 °F
7. 1950 - 60.0 °F
8. 1932 - 59.9 °F
9. 1939 - 59.0 °F
10. 1901 - 58.9 °F

NORMAL - 50.1 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1979 - 38.7 °F
2. 1977 - 40.2 °F
3. 1978 - 41.4 °F
4. 1940 - 41.8 °F
5. 1918 - 43.2 °F
6. 1948 - 44.0 °F
7. 1905 - 44.0 °F
8. 1966 - 44.6 °F
9. 1988 - 44.8 °F
10. 1985 - 44.9 °F

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY TEMPERATURE

1. 1933 - 52.7 °F
2. 1907 - 52.5 °F
3. 1911 - 51.6 °F
4. 1923 - 51.5 °F
5. 1950 - 51.4 °F
6. 2006 - 50.2 °F
7. 1952 - 49.5 °F
8. 1932 - 49.5 °F
9. 1898 - 48.9 °F
10. 1921 - 48.8 °F

NORMAL - 40.8 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY TEMPERATURE

1. 1979 - 29.7 °F
2. 1977 - 30.3 °F
3. 1918 - 31.3 °F
4. 1940 - 32.1 °F
5. 1978 - 32.7 °F
6. 1984 - 33.9 °F
7. 1948 - 34.5 °F
8. 1905 - 34.8 °F
9. 1985 - 35.0 °F
10. 1988 - 36.1 °F

TOP 10 WARMEST JAN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1950 - 42.9 °F
2. 1911 - 42.4 °F
3. 1933 - 42.0 °F
4. 1907 - 41.4 °F
5. 1990 - 40.6 °F
6. 1952 - 40.5 °F
7. 1998 - 40.0 °F
8. 1898 - 39.7 °F
9. 1923 - 39.6 °F
10. 1921 - 39.3 °F

NORMAL - 31.5 °F

TOP 10 COLDEST JAN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1918 - 19.5 °F
2. 1977 - 20.4 °F
3. 1979 - 20.8 °F
4. 1984 - 22.0 °F
5. 1940 - 22.5 °F
6. 1978 - 24.0 °F
7. 1948 - 25.1 °F
8. 1905 - 25.1 °F
9. 1985 - 25.2 °F
10. 1963 - 25.9 °F

TOP 10 HOTTEST DAYS IN JAN
BY DAILY HIGH TEMPERATURE

1. 11 JAN 1928 - 83 °F
2. 25 JAN 1950 - 82 °F
3. 23 JAN 1943 - 82 °F
4. 25 JAN 1909 - 82 °F
5. 07 JAN 1907 - 82 °F
6. 30 JAN 2002 - 81 °F
7. 24 JAN 1972 - 81 °F
8. 09 JAN 1957 - 81 °F
9. 16 JAN 1943 - 81 °F
10. 31 JAN 2002 - 80 °F

NORMAL - 50.1 °F

TOP 10 COLDEST DAYS IN JAN
BY DAILY HIGH TEMPERATURE

1. 10 JAN 1962 - 13 °F
2. 11 JAN 1962 - 14 °F
3. 21 JAN 1985 - 15 °F
4. 11 JAN 1982 - 18 °F
5. 08 JAN 1988 - 19 °F
6. 29 JAN 1966 - 19 °F
7. 31 JAN 1951 - 20 °F
8. 30 JAN 1951 - 20 °F
9. 01 JAN 1977 - 21 °F
10. 24 JAN 1948 - 21 °F

TOP 10 HOTTEST DAYS IN JAN
BY DAILY AVERAGE TEMPERATURE

1. 25 JAN 1950 - 74.5 °F
2. 24 JAN 1950 - 72.5 °F
3. 30 JAN 2002 - 72.0 °F
4. 29 JAN 1975 - 72.0 °F
5. 29 JAN 2002 - 71.5 °F
6. 16 JAN 1943 - 71.5 °F
7. 14 JAN 1907 - 71.5 °F
8. 11 JAN 1995 - 70.5 °F
9. 17 JAN 1952 - 70.5 °F
10. 03 JAN 2004 - 70.0 °F

NORMAL - 40.8 °F

TOP 10 COLDEST DAYS IN JAN
BY DAILY AVERAGE TEMPERATURE

1. 10 JAN 1962 - 5.5 °F
2. 11 JAN 1962 - 7.0 °F
3. 12 JAN 1918 - 8.0 °F
4. 11 JAN 1982 - 9.5 °F
5. 18 JAN 1930 - 9.5 °F
6. 21 JAN 1985 - 10.0 °F
7. 30 JAN 1966 - 10.0 °F
8. 29 JAN 1966 - 12.5 °F
9. 18 JAN 1948 - 12.5 °F
10. 19 JAN 1940 - 13.0 °F

TOP 10 HOTTEST DAYS IN JAN
BY DAILY LOW TEMPERATURE

1. 25 JAN 1950 - 67 °F
2. 12 JAN 1916 - 67 °F
3. 03 JAN 2004 - 66 °F
4. 29 JAN 1975 - 66 °F
5. 03 JAN 1950 - 66 °F
6. 29 JAN 2002 - 65 °F
7. 01 JAN 1966 - 65 °F
8. 24 JAN 1950 - 65 °F
9. 12 JAN 2005 - 64 °F
10. 23 JAN 1967 - 64 °F

NORMAL - 31.5 °F

TOP 10 COLDEST DAYS IN JAN
BY DAILY LOW TEMPERATURE

1. 13 JAN 1918 - -6 °F
2. 12 JAN 1918 - -6 °F
3. 30 JAN 1966 - -2 °F
4. 10 JAN 1966 - -2 °F
5. 18 JAN 1930 - -2 °F
6. 12 JAN 1962 - 0 °F
7. 11 JAN 1962 - 0 °F
8. 12 JAN 1982 - 1 °F
9. 11 JAN 1982 - 1 °F
10. 19 JAN 1940 - 1 °F

TOP 10 WETTEST JAN

BY MONTHLY PRECIPITATION

1. 1937 - 15.50"
2. 1898 - 14.50"
3. 1897 - 13.83"
4. 1916 - 12.10"
5. 1930 - 12.09"
6. 1932 - 11.64"
7. 1957 - 11.59"
8. 1951 - 10.47"
9. 1946 - 10.15"
10. 1935 - 10.04"

TOP 10 DRIEST JAN

BY MONTHLY PRECIPITATION

1. 2003 - 0.19"
2. 1986 - 0.30"
3. 1928 - 0.55"
4. 1911 - 0.56"
5. 1970 - 0.75"
6. 1981 - 0.96"
7. 2000 - 1.01"
8. 1963 - 1.09"
9. 1893 - 1.10"
10. 1983 - 1.13"

NORMAL - 4.21"

TOP 10 WETTEST DAYS IN JAN

- | | |
|------------------------|-------------------------|
| 1. 22 JAN 1906 - 5.65" | 6. 20 JAN 1935 - 3.78" |
| 2. 03 JAN 1897 - 5.58" | 7. 09 JAN 1930 - 3.65" |
| 3. 22 JAN 1938 - 5.09" | 8. 29 JAN 1916 - 3.62" |
| 4. 26 JAN 1952 - 3.98" | 9. 11 JAN 1898 - 3.60" |
| 5. 22 JAN 1937 - 3.84" | 10. 08 JAN 1930 - 3.55" |

TOP 10 SNOWIEST JAN

BY MONTHLY SNOWFALL

- | | |
|-----------------|-----------------|
| 1. 1966 - 20.5" | 6. 1962 - 8.0" |
| 2. 1988 - 12.0" | 7. 1918 - 7.0" |
| 3. 1893 - 11.0" | 8. 1978 - 6.1" |
| 4. 2000 - 11.0" | 9. 1960 - 5.0" |
| 5. 1948 - 10.9" | 10. 1946 - 5.0" |
- NORMAL - 1.3"

TOP 10 SNOWIEST DAYS IN JAN

- | | |
|------------------------|------------------------|
| 1. 28 JAN 1966 - 12.0" | 6. 17 JAN 1948 - 6.2" |
| 2. 27 JAN 2000 - 11.0" | 7. 06 JAN 1910 - 6.0" |
| 3. 07 JAN 1988 - 10.0" | 8. 05 JAN 1960 - 5.0" |
| 4. 18 JAN 1893 - 9.0" | 9. 16 JAN 1946 - 5.0" |
| 5. 09 JAN 1962 - 8.0" | 10. 22 JAN 1995 - 4.0" |

FEBRUARY RECORDS

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1976 - 69.6 °F
2. 1930 - 66.5 °F
3. 1954 - 65.5 °F
4. 1927 - 65.4 °F
5. 1943 - 65.0 °F
6. 1918 - 65.0 °F
7. 1925 - 64.9 °F
8. 1926 - 63.6 °F
9. 1892 - 63.5 °F
10. 1921 - 63.4 °F

NORMAL - 56.4 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1978 - 42.7 °F
2. 1905 - 42.9 °F
3. 1902 - 44.2 °F
4. 1979 - 46.8 °F
5. 1899 - 47.1 °F
6. 1989 - 47.6 °F
7. 1958 - 47.9 °F
8. 1985 - 48.7 °F
9. 2003 - 49.1 °F
10. 1968 - 49.2 °F

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY TEMPERATURE

1. 1976 - 57.4 °F
2. 1930 - 55.4 °F
3. 1927 - 55.3 °F
4. 1932 - 54.3 °F
5. 1911 - 53.5 °F
6. 1892 - 53.3 °F
7. 1938 - 53.2 °F
8. 1925 - 52.9 °F
9. 1990 - 52.7 °F
10. 1999 - 52.5 °F

NORMAL - 46.0 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY TEMPERATURE

1. 1905 - 33.7 °F
2. 1978 - 33.8 °F
3. 1902 - 35.5 °F
4. 1899 - 37.0 °F
5. 1979 - 37.7 °F
6. 1958 - 39.3 °F
7. 1980 - 39.5 °F
8. 1968 - 39.5 °F
9. 1985 - 39.9 °F
10. 1936 - 40.2 °F

TOP 10 WARMEST FEB

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1976 - 45.2 °F
2. 1927 - 45.2 °F
3. 1911 - 44.3 °F
4. 1930 - 44.2 °F
5. 1938 - 43.6 °F
6. 1957 - 43.4 °F
7. 1932 - 43.4 °F
8. 1990 - 43.2 °F
9. 1944 - 43.0 °F
10. 1986 - 42.8 °F

NORMAL - 35.6 °F

TOP 10 COLDEST FEB

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1905 - 24.4 °F
2. 1978 - 25.0 °F
3. 1902 - 26.8 °F
4. 1899 - 26.9 °F
5. 1980 - 28.2 °F
6. 1979 - 28.6 °F
7. 1914 - 29.2 °F
8. 1963 - 29.3 °F
9. 1947 - 29.4 °F
10. 1968 - 29.8 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY HIGH TEMPERATURE

1. 28 FEB 1918 - 91 °F
2. 13 FEB 1918 - 90 °F
3. 11 FEB 1918 - 88 °F
4. 14 FEB 1918 - 86 °F
5. 29 FEB 1932 - 85 °F
6. 26 FEB 1917 - 85 °F
7. 26 FEB 1986 - 84 °F
8. 26 FEB 1977 - 84 °F
9. 13 FEB 1962 - 84 °F
10. 10 FEB 1932 - 84 °F

NORMAL - 56.4 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY HIGH TEMPERATURE

1. 02 FEB 1985 - 18 °F
2. 19 FEB 1899 - 19 °F
3. 10 FEB 1899 - 20 °F
4. 03 FEB 1905 - 21 °F
5. 04 FEB 1996 - 22 °F
6. 03 FEB 1996 - 22 °F
7. 05 FEB 1989 - 22 °F
8. 04 FEB 1989 - 22 °F
9. 01 FEB 1951 - 22 °F
10. 06 FEB 1989 - 23 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY AVERAGE TEMPERATURE

1. 09 FEB 1957 - 72.5 °F
2. 24 FEB 1930 - 72.5 °F
3. 25 FEB 1936 - 72.0 °F
4. 15 FEB 1921 - 72.0 °F
5. 15 FEB 1954 - 71.5 °F
6. 14 FEB 1949 - 71.5 °F
7. 23 FEB 1930 - 71.5 °F
8. 17 FEB 1986 - 71.0 °F
9. 13 FEB 1962 - 71.0 °F
10. 04 FEB 2008 - 70.5 °F

NORMAL - 46.0 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY AVERAGE TEMPERATURE

1. 12 FEB 1899 - 7.0 °F
2. 02 FEB 1951 - 13.5 °F
3. 13 FEB 1899 - 14.0 °F
4. 04 FEB 1996 - 15.5 °F
5. 02 FEB 1985 - 15.5 °F
6. 01 FEB 1951 - 15.5 °F
7. 03 FEB 1905 - 15.5 °F
8. 08 FEB 1933 - 16.0 °F
9. 17 FEB 1903 - 17.0 °F
10. 10 FEB 1899 - 17.0 °F

TOP 10 HOTTEST DAYS IN FEB

BY DAILY LOW TEMPERATURE

1. 04 FEB 2008 - 66 °F
2. 24 FEB 1930 - 66 °F
3. 10 FEB 1999 - 64 °F
4. 15 FEB 1954 - 64 °F
5. 25 FEB 1944 - 64 °F
6. 03 FEB 1932 - 64 °F
7. 15 FEB 1921 - 64 °F
8. 25 FEB 2000 - 63 °F
9. 24 FEB 2000 - 63 °F
10. 09 FEB 1999 - 63 °F

NORMAL - 35.6 °F

TOP 10 COLDEST DAYS IN FEB

BY DAILY LOW TEMPERATURE

1. 12 FEB 1899 - -5 °F
2. 13 FEB 1899 - -2 °F
3. 02 FEB 1951 - -1 °F
4. 14 FEB 1905 - 2 °F
5. 17 FEB 1903 - 2 °F
6. 13 FEB 1905 - 4 °F
7. 18 FEB 1910 - 6 °F
8. 15 FEB 1905 - 7 °F
9. 01 FEB 1949 - 8 °F
10. 09 FEB 1933 - 8 °F

TOP 10 WETTEST FEB

BY MONTHLY PRECIPITATION

1. 1939 - 16.69"
2. 1956 - 10.13"
3. 1903 - 9.44"
4. 1989 - 9.11"
5. 1990 - 8.81"
6. 1909 - 8.15"
7. 1987 - 8.09"
8. 2003 - 7.56"
9. 1957 - 7.47"
10. 1948 - 7.36"

NORMAL - 4.00"

TOP 10 DRIEST FEB

BY MONTHLY PRECIPITATION

1. 1999 - 0.64"
2. 1972 - 0.74"
3. 1926 - 0.96"
4. 1943 - 1.13"
5. 1947 - 1.24"
6. 1917 - 1.40"
7. 1936 - 1.60"
8. 1927 - 1.73"
9. 1906 - 1.73"
10. 1968 - 1.74"

TOP 10 WETTEST DAYS IN FEB

- | | |
|------------------------|-------------------------|
| 1. 15 FEB 1939 - 5.32" | 6. 04 FEB 1955 - 3.13" |
| 2. 23 FEB 1962 - 3.68" | 7. 16 FEB 2001 - 2.71" |
| 3. 18 FEB 1939 - 3.54" | 8. 11 FEB 1965 - 2.70" |
| 4. 09 FEB 1966 - 3.42" | 9. 04 FEB 1930 - 2.70" |
| 5. 27 FEB 1910 - 3.35" | 10. 02 FEB 1956 - 2.67" |

TOP 10 SNOWIEST FEB

BY MONTHLY SNOWFALL

- | | |
|----------------|-----------------|
| 1. 1960 - 9.2" | 6. 1966 - 4.6" |
| 2. 1979 - 8.3" | 7. 1980 - 4.5" |
| 3. 1910 - 6.3" | 8. 1978 - 4.0" |
| 4. 1994 - 5.0" | 9. 1996 - 3.0" |
| 5. 1905 - 5.0" | 10. 1965 - 3.0" |

NORMAL - 0.4"

TOP 10 SNOWIEST DAYS IN FEB

- | | |
|-----------------------|------------------------|
| 1. 24 FEB 1960 - 7.2" | 6. 24 FEB 1965 - 3.0" |
| 2. 07 FEB 1979 - 5.5" | 7. 10 FEB 1946 - 3.0" |
| 3. 10 FEB 1980 - 4.5" | 8. 26 FEB 1942 - 3.0" |
| 4. 23 FEB 1966 - 4.2" | 9. 04 FEB 1923 - 3.0" |
| 5. 18 FEB 1910 - 4.0" | 10. 28 FEB 1916 - 3.0" |

MARCH RECORDS

TOP 10 WARMEST MAR

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1918 - 80.9 °F
2. 1910 - 75.7 °F
3. 1907 - 75.1 °F
4. 1974 - 74.8 °F
5. 1938 - 74.4 °F
6. 1921 - 74.1 °F
7. 1935 - 73.8 °F
8. 2007 - 73.5 °F
9. 1945 - 73.1 °F
10. 1929 - 72.9 °F

NORMAL - 64.8 °F

TOP 10 COLDEST MAR

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1960 - 51.5 °F
2. 1915 - 53.6 °F
3. 1958 - 55.1 °F
4. 1965 - 55.2 °F
5. 1969 - 56.6 °F
6. 1912 - 57.1 °F
7. 1906 - 57.7 °F
8. 1970 - 58.0 °F
9. 1947 - 58.1 °F
10. 2001 - 58.8 °F

TOP 10 WARMEST MAR

BY AVERAGE MONTHLY TEMPERATURE

1. 1907 - 63.6 °F
2. 1938 - 63.3 °F
3. 1974 - 63.2 °F
4. 1921 - 63.2 °F
5. 1918 - 62.8 °F
6. 1935 - 62.7 °F
7. 2007 - 61.8 °F
8. 1945 - 61.7 °F
9. 1910 - 60.9 °F
10. 1897 - 60.8 °F

NORMAL - 54.3 °F

TOP 10 COLDEST MAR

BY AVERAGE MONTHLY TEMPERATURE

1. 1960 - 42.3 °F
2. 1915 - 43.6 °F
3. 1965 - 46.3 °F
4. 1969 - 47.2 °F
5. 1958 - 47.3 °F
6. 1906 - 47.6 °F
7. 1947 - 47.7 °F
8. 1912 - 47.7 °F
9. 1980 - 47.8 °F
10. 1891 - 48.8 °F

TOP 10 WARMEST MAR

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1921 - 52.4 °F
2. 1938 - 52.3 °F
3. 1907 - 52.0 °F
4. 1897 - 51.7 °F
5. 1974 - 51.5 °F
6. 1935 - 51.5 °F
7. 1945 - 50.4 °F
8. 2007 - 50.0 °F
9. 1973 - 49.9 °F
10. 1946 - 49.9 °F

NORMAL - 43.7 °F

TOP 10 COLDEST MAR

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1960 - 33.2 °F
2. 1915 - 33.7 °F
3. 1891 - 35.7 °F
4. 1980 - 36.0 °F
5. 1947 - 37.3 °F
6. 1965 - 37.4 °F
7. 1906 - 37.4 °F
8. 1969 - 37.8 °F
9. 1913 - 37.9 °F
10. 1984 - 38.0 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY HIGH TEMPERATURE

1. 05 MAR 1918 - 96 °F
2. 24 MAR 1929 - 95 °F
3. 23 MAR 1929 - 94 °F
4. 31 MAR 1974 - 93 °F
5. 13 MAR 1918 - 93 °F
6. 04 MAR 1918 - 93 °F
7. 28 MAR 1918 - 92 °F
8. 03 MAR 1918 - 91 °F
9. 23 MAR 1910 - 91 °F
10. 25 MAR 1929 - 90 °F

NORMAL - 64.8 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY HIGH TEMPERATURE

1. 02 MAR 1980 - 28 °F
2. 12 MAR 1948 - 28 °F
3. 17 MAR 1892 - 30 °F
4. 05 MAR 1960 - 31 °F
5. 06 MAR 1989 - 32 °F
6. 19 MAR 1965 - 32 °F
7. 04 MAR 1960 - 32 °F
8. 16 MAR 1892 - 32 °F
9. 02 MAR 1960 - 33 °F
10. 01 MAR 1960 - 33 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY AVERAGE TEMPERATURE

1. 21 MAR 1897 - 80.0 °F
2. 16 MAR 1942 - 79.5 °F
3. 20 MAR 1897 - 79.0 °F
4. 25 MAR 1929 - 78.5 °F
5. 28 MAR 1907 - 78.5 °F
6. 31 MAR 1897 - 78.5 °F
7. 26 MAR 1991 - 78.0 °F
8. 20 MAR 1948 - 77.5 °F
9. 25 MAR 1935 - 77.5 °F
10. 13 MAR 1918 - 77.5 °F

NORMAL - 54.1 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY AVERAGE TEMPERATURE

1. 02 MAR 1980 - 22.0 °F
2. 17 MAR 1892 - 22.0 °F
3. 09 MAR 1932 - 22.5 °F
4. 03 MAR 1943 - 22.5 °F
5. 18 MAR 1892 - 24.0 °F
6. 12 MAR 1948 - 24.5 °F
7. 03 MAR 1980 - 25.5 °F
8. 05 MAR 1960 - 25.5 °F
9. 08 MAR 1996 - 26.5 °F
10. 19 MAR 1965 - 26.5 °F

TOP 10 HOTTEST DAYS IN MAR

BY DAILY LOW TEMPERATURE

1. 21 MAR 1897 - 75 °F
2. 31 MAR 1897 - 74 °F
3. 20 MAR 1897 - 73 °F
4. 16 MAR 1942 - 72 °F
5. 30 MAR 1938 - 72 °F
6. 26 MAR 1991 - 70 °F
7. 20 MAR 1948 - 69 °F
8. 29 MAR 1907 - 69 °F
9. 28 MAR 1907 - 69 °F
10. 28 MAR 1905 - 69 °F

NORMAL - 43.7 °F

TOP 10 COLDEST DAYS IN MAR

BY DAILY LOW TEMPERATURE

1. 09 MAR 1932 - 11 °F
2. 19 MAR 1892 - 12 °F
3. 18 MAR 1892 - 12 °F
4. 03 MAR 1943 - 13 °F
5. 17 MAR 1892 - 14 °F
6. 03 MAR 1980 - 16 °F
7. 02 MAR 1980 - 16 °F
8. 07 MAR 1943 - 17 °F
9. 20 MAR 1965 - 18 °F
10. 08 MAR 2008 - 19 °F

TOP 10 WETTEST MAR
BY MONTHLY PRECIPITATION

1. 1894 - 18.20"
2. 1922 - 13.53"
3. 2002 - 12.08"
4. 1897 - 11.33"
5. 1961 - 10.69"
6. 1912 - 10.61"
7. 1919 - 10.40"
8. 1980 - 10.30"
9. 1934 - 10.29"
10. 1975 - 10.23"

TOP 10 DRIEST MAR
BY MONTHLY PRECIPITATION

1. 1966 - 0.39"
2. 1918 - 0.49"
3. 1910 - 0.74"
4. 1925 - 0.91"
5. 1954 - 1.44"
6. 2003 - 1.76"
7. 1982 - 1.82"
8. 1916 - 1.82"
9. 1967 - 2.00"
10. 1937 - 2.17"

NORMAL - 5.08"

TOP 10 WETTEST DAYS IN MAR

1. 18 MAR 1894 - 5.75"	6. 22 MAR 1948 - 3.86"
2. 26 MAR 1934 - 5.00"	7. 12 MAR 1975 - 3.69"
3. 12 MAR 1950 - 4.57"	8. 21 MAR 1985 - 3.32"
4. 28 MAR 1946 - 4.08"	9. 14 MAR 1894 - 3.25"
5. 17 MAR 1919 - 3.95"	10. 20 MAR 1968 - 3.18"

TOP 10 SNOWIEST MAR
BY MONTHLY SNOWFALL

1. 1892 - 14.0"	6. 1896 - 2.5"
2. 1924 - 8.0"	7. 1917 - 2.0"
3. 1965 - 7.3"	8. 1894 - 2.0"
4. 2008 - 6.0"	9. 1932 - 1.8"
5. 1960 - 4.0"	10. 1891 - 1.2"

NORMAL - 0.4"

TOP 10 SNOWIEST DAYS IN MAR

1. 17 MAR 1892 - 14.0"	6. 13 MAR 1960 - 2.0"
2. 14 MAR 1924 - 8.0"	7. 01 MAR 1960 - 2.0"
3. 03 MAR 1965 - 7.0"	8. 04 MAR 1917 - 2.0"
4. 07 MAR 2008 - 6.0"	9. 29 MAR 1894 - 2.0"
5. 12 MAR 1896 - 2.5"	10. 03 MAR 1971 - 1.0"

APRIL RECORDS

TOP 10 WARMEST APR

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1896 - 83.5 °F
2. 1894 - 82.4 °F
3. 1948 - 81.7 °F
4. 1965 - 80.7 °F
5. 1981 - 80.4 °F
6. 1925 - 80.3 °F
7. 1930 - 79.9 °F
8. 1946 - 79.7 °F
9. 2006 - 79.5 °F
10. 1927 - 79.5 °F

NORMAL - 73.9 °F

TOP 10 COLDEST APR

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1983 - 65.9 °F
2. 1907 - 66.5 °F
3. 1993 - 69.0 °F
4. 1997 - 69.2 °F
5. 1904 - 69.4 °F
6. 1982 - 69.8 °F
7. 1973 - 69.9 °F
8. 1952 - 70.2 °F
9. 2007 - 70.7 °F
10. 1953 - 70.9 °F

TOP 10 WARMEST APR

BY AVERAGE MONTHLY TEMPERATURE

1. 1896 - 75.7 °F
2. 1894 - 71.6 °F
3. 1948 - 69.2 °F
4. 1927 - 69.0 °F
5. 1925 - 68.8 °F
6. 1981 - 68.7 °F
7. 1965 - 68.7 °F
8. 2006 - 68.4 °F
9. 1967 - 68.1 °F
10. 1946 - 68.0 °F

NORMAL - 62.6 °F

TOP 10 COLDEST APR

BY AVERAGE MONTHLY TEMPERATURE

1. 1983 - 55.6 °F
2. 1907 - 56.0 °F
3. 1904 - 57.9 °F
4. 1984 - 58.7 °F
5. 1982 - 58.8 °F
6. 1901 - 58.8 °F
7. 1997 - 59.4 °F
8. 1993 - 59.4 °F
9. 1953 - 59.4 °F
10. 1952 - 59.4 °F

TOP 10 WARMEST APR

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1896 - 64.7 °F
2. 1894 - 60.7 °F
3. 1927 - 58.4 °F
4. 1967 - 58.3 °F
5. 1991 - 58.0 °F
6. 2001 - 57.6 °F
7. 2006 - 57.3 °F
8. 1999 - 57.3 °F
9. 1925 - 57.2 °F
10. 1981 - 56.9 °F

NORMAL - 51.3 °F

TOP 10 COLDEST APR

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1984 - 45.2 °F
2. 1983 - 45.3 °F
3. 1907 - 45.5 °F
4. 1904 - 46.3 °F
5. 1901 - 46.6 °F
6. 1980 - 47.6 °F
7. 1982 - 47.7 °F
8. 1953 - 47.9 °F
9. 1910 - 48.2 °F
10. 1926 - 48.2 °F

TOP 10 HOTTEST DAYS IN APR
BY DAILY HIGH TEMPERATURE

1. 23 APR 1905 - 96 °F
2. 27 APR 1987 - 95 °F
3. 19 APR 1987 - 94 °F
4. 20 APR 1987 - 94 °F
5. 30 APR 1943 - 94 °F
6. 15 APR 1924 - 94 °F
7. 03 APR 1918 - 94 °F
8. 18 APR 2006 - 93 °F
9. 10 APR 1943 - 93 °F
10. 21 APR 1925 - 93 °F

NORMAL - 73.9 °F

TOP 10 COLDEST DAYS IN APR
BY DAILY HIGH TEMPERATURE

1. 02 APR 1901 - 43 °F
2. 20 APR 1983 - 44 °F
3. 01 APR 1900 - 44 °F
4. 05 APR 1996 - 45 °F
5. 14 APR 1980 - 45 °F
6. 06 APR 1971 - 45 °F
7. 15 APR 1933 - 46 °F
8. 09 APR 2003 - 47 °F
9. 02 APR 1915 - 47 °F
10. 19 APR 1940 - 48 °F

TOP 10 HOTTEST DAYS IN APR
BY DAILY AVERAGE TEMPERATURE

1. 27 APR 1994 - 81.5 °F
2. 18 APR 1975 - 81.5 °F
3. 26 APR 1994 - 81.0 °F
4. 04 APR 1948 - 81.0 °F
5. 03 APR 1940 - 80.5 °F
6. 18 APR 2006 - 80.0 °F
7. 17 APR 2006 - 80.0 °F
8. 13 APR 1972 - 80.0 °F
9. 30 APR 1943 - 80.0 °F
10. 21 APR 1925 - 80.0 °F

NORMAL - 62.6 °F

TOP 10 COLDEST DAYS IN APR
BY DAILY AVERAGE TEMPERATURE

1. 05 APR 1996 - 35.5 °F
2. 06 APR 1971 - 36.5 °F
3. 01 APR 1900 - 39.0 °F
4. 14 APR 1980 - 39.5 °F
5. 25 APR 1910 - 40.0 °F
6. 12 APR 1900 - 40.0 °F
7. 08 APR 2007 - 41.0 °F
8. 15 APR 1980 - 41.0 °F
9. 02 APR 1901 - 41.0 °F
10. 09 APR 2003 - 41.5 °F

TOP 10 HOTTEST DAYS IN APR
BY DAILY LOW TEMPERATURE

1. 27 APR 1994 - 74 °F
2. 18 APR 1975 - 74 °F
3. 28 APR 1970 - 73 °F
4. 26 APR 1994 - 72 °F
5. 27 APR 1985 - 72 °F
6. 29 APR 1970 - 72 °F
7. 12 APR 1948 - 72 °F
8. 03 APR 1940 - 72 °F
9. 19 APR 1920 - 72 °F
10. 28 APR 1994 - 71 °F

NORMAL - 51.3 °F

TOP 10 COLDEST DAYS IN APR
BY DAILY LOW TEMPERATURE

1. 05 APR 1996 - 26 °F
2. 06 APR 1971 - 28 °F
3. 03 APR 1975 - 29 °F
4. 01 APR 1924 - 29 °F
5. 01 APR 1926 - 30 °F
6. 02 APR 1924 - 30 °F
7. 01 APR 1923 - 30 °F
8. 05 APR 1920 - 30 °F
9. 25 APR 1910 - 30 °F
10. 04 APR 1903 - 30 °F

TOP 10 WETTEST APR
BY MONTHLY PRECIPITATION

1. 1966 - 14.69"
2. 1911 - 14.32"
3. 1991 - 13.24"
4. 1997 - 13.20"
5. 1942 - 12.75"
6. 1905 - 12.53"
7. 1918 - 12.15"
8. 1979 - 12.02"
9. 1957 - 11.56"
10. 1921 - 11.33"

TOP 10 DRIEST APR
BY MONTHLY PRECIPITATION

1. 1930 - 0.54"
2. 1987 - 0.60"
3. 1925 - 0.62"
4. 1915 - 0.67"
5. 2002 - 0.70"
6. 1931 - 0.74"
7. 1960 - 0.92"
8. 1895 - 1.26"
9. 1965 - 1.48"
10. 1919 - 1.50"

NORMAL - 5.14"

TOP 10 WETTEST DAYS IN APR

1. 26 APR 1942 - 4.69"	6. 06 APR 1918 - 4.05"
2. 24 APR 1966 - 4.38"	7. 06 APR 1928 - 3.90"
3. 21 APR 1927 - 4.30"	8. 19 APR 1918 - 3.90"
4. 15 APR 1927 - 4.20"	9. 15 APR 1910 - 3.90"
5. 23 APR 1941 - 4.05"	10. 03 APR 1905 - 3.79"

TOP 10 SNOWIEST APR
BY MONTHLY SNOWFALL

1. 1983 - T	6. -
2. 1971 - T	7. -
3. 1928 - T	8. -
4. -	9. -
5. -	10. -

NORMAL - 0.0"

TOP 10 SNOWIEST DAYS IN APR

1. 20 APR 1983 - T	6. -	"
2. 06 APR 1971 - T	7. -	"
3. 15 APR 1928 - T	8. -	"
4. - "	9. -	"
5. - "	10. -	"

MAY RECORDS

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1918 - 89.8 °F
2. 1896 - 89.1 °F
3. 1962 - 89.0 °F
4. 1898 - 87.4 °F
5. 1886 - 87.3 °F
6. 1987 - 87.1 °F
7. 1902 - 87.1 °F
8. 1998 - 86.8 °F
9. 1977 - 86.5 °F
10. 1928 - 85.9 °F

NORMAL - 81.4 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1976 - 75.8 °F
2. 1907 - 76.1 °F
3. 1954 - 77.0 °F
4. 1917 - 77.0 °F
5. 1931 - 77.1 °F
6. 1990 - 78.1 °F
7. 1935 - 78.3 °F
8. 2009 - 78.4 °F
9. 1946 - 78.5 °F
10. 1910 - 78.5 °F

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY TEMPERATURE

1. 1896 - 78.1 °F
2. 1998 - 76.7 °F
3. 1962 - 76.6 °F
4. 1987 - 76.4 °F
5. 1996 - 76.0 °F
6. 1918 - 75.8 °F
7. 1898 - 75.4 °F
8. 1902 - 75.3 °F
9. 1991 - 75.0 °F
10. 1886 - 74.9 °F

NORMAL - 71.0 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY TEMPERATURE

1. 1885 - 64.2 °F
2. 1976 - 65.0 °F
3. 1907 - 65.2 °F
4. 1917 - 65.5 °F
5. 1954 - 66.5 °F
6. 1931 - 67.2 °F
7. 1909 - 67.3 °F
8. 1981 - 67.4 °F
9. 1910 - 67.8 °F
10. 1983 - 68.0 °F

TOP 10 WARMEST MAY

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1991 - 67.1 °F
2. 1896 - 67.1 °F
3. 1996 - 66.8 °F
4. 1998 - 66.6 °F
5. 1987 - 65.7 °F
6. 1899 - 65.1 °F
7. 1933 - 64.7 °F
8. 1965 - 64.6 °F
9. 2000 - 64.5 °F
10. 1943 - 64.4 °F

NORMAL - 60.5 °F

TOP 10 COLDEST MAY

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1917 - 53.9 °F
2. 1885 - 53.9 °F
3. 1976 - 54.3 °F
4. 1907 - 54.3 °F
5. 1984 - 55.3 °F
6. 1909 - 55.5 °F
7. 1904 - 55.6 °F
8. 1924 - 55.8 °F
9. 1981 - 55.9 °F
10. 1954 - 56.0 °F

TOP 10 HOTTEST DAYS IN MAY
BY DAILY HIGH TEMPERATURE

1.	29	MAY	1926	-	100	°F
2.	29	MAY	1926	-	99	°F
3.	21	MAY	1902	-	99	°F
4.	31	MAY	1886	-	99	°F
5.	31	MAY	1998	-	99	°F
6.	31	MAY	1921	-	98	°F
7.	30	MAY	1921	-	98	°F
8.	24	MAY	1918	-	98	°F
9.	23	MAY	1918	-	98	°F
10.	25	MAY	1902	-	98	°F

NORMAL - 81.4 °F

TOP 10 COLDEST DAYS IN MAY
BY DAILY HIGH TEMPERATURE

1.	04	MAY	1978	-	56	°F
2.	04	MAY	1907	-	56	°F
3.	01	MAY	1994	-	57	°F
4.	14	MAY	1953	-	57	°F
5.	02	MAY	1994	-	58	°F
6.	28	MAY	1992	-	58	°F
7.	01	MAY	1907	-	58	°F
8.	17	MAY	1945	-	59	°F
9.	14	MAY	1912	-	59	°F
10.	03	MAY	2002	-	60	°F

TOP 10 HOTTEST DAYS IN MAY
BY DAILY AVERAGE TEMPERATURE

1.	31	MAY	1998	-	85.5	°F
2.	31	MAY	1934	-	85.0	°F
3.	29	MAY	1926	-	85.0	°F
4.	22	MAY	1902	-	85.0	°F
5.	31	MAY	1951	-	84.5	°F
6.	29	MAY	1927	-	84.5	°F
7.	31	MAY	1921	-	84.5	°F
8.	23	MAY	1902	-	84.5	°F
9.	30	MAY	1898	-	84.5	°F
10.	23	MAY	1896	-	84.5	°F

NORMAL - 71.0 °F

TOP 10 COLDEST DAYS IN MAY
BY DAILY AVERAGE TEMPERATURE

1.	01	MAY	1909	-	49.5	°F
2.	04	MAY	1954	-	49.5	°F
3.	02	MAY	1994	-	51.0	°F
4.	04	MAY	1907	-	51.0	°F
5.	04	MAY	1978	-	52.5	°F
6.	03	MAY	1921	-	52.5	°F
7.	06	MAY	1917	-	53.0	°F
8.	02	MAY	1911	-	53.0	°F
9.	01	MAY	1907	-	53.0	°F
10.	01	MAY	1903	-	53.0	°F

TOP 10 HOTTEST DAYS IN MAY
BY DAILY LOW TEMPERATURE

1.	10	MAY	1933	-	76	°F
2.	29	MAY	1927	-	76	°F
3.	30	MAY	1898	-	76	°F
4.	26	MAY	2000	-	75	°F
5.	17	MAY	1995	-	75	°F
6.	14	MAY	1995	-	75	°F
7.	30	MAY	1989	-	75	°F
8.	22	MAY	1957	-	75	°F
9.	30	MAY	1927	-	75	°F
10.	23	MAY	1896	-	75	°F

NORMAL - 60.5 °F

TOP 10 COLDEST DAYS IN MAY
BY DAILY LOW TEMPERATURE

1.	02	MAY	1909	-	36	°F
2.	02	MAY	1903	-	37	°F
3.	01	MAY	1909	-	38	°F
4.	01	MAY	1908	-	38	°F
5.	01	MAY	1903	-	39	°F
6.	31	MAY	1984	-	40	°F
7.	01	MAY	1984	-	40	°F
8.	09	MAY	1917	-	40	°F
9.	02	MAY	1984	-	41	°F
10.	12	MAY	1960	-	41	°F

TOP 10 WETTEST MAY
BY MONTHLY PRECIPITATION

1. 1905 - 15.71"
2. 1930 - 14.28"
3. 1979 - 13.01"
4. 1953 - 12.49"
5. 1892 - 12.14"
6. 2009 - 11.71"
7. 1967 - 10.65"
8. 1968 - 10.55"
9. 1984 - 10.52"
10. 1958 - 10.27"

NORMAL - 4.96"

TOP 10 DRIEST MAY
BY MONTHLY PRECIPITATION

1. 1886 - 0.33"
2. 1911 - 0.65"
3. 1894 - 0.74"
4. 1926 - 1.10"
5. 1998 - 1.14"
6. 1918 - 1.15"
7. 1915 - 1.19"
8. 1977 - 1.23"
9. 1964 - 1.30"
10. 1896 - 1.37"

TOP 10 WETTEST DAYS IN MAY

1. 05 MAY 1905 - 6.80"	6. 21 MAY 1947 - 3.73"
2. 01 MAY 1958 - 5.15"	7. 11 MAY 1953 - 3.69"
3. 20 MAY 1955 - 4.48"	8. 02 MAY 1984 - 3.64"
4. 15 MAY 1983 - 4.13"	9. 18 MAY 1930 - 3.60"
5. 04 MAY 1979 - 4.07"	10. 31 MAY 1909 - 3.46"

JUNE RECORDS

TOP 10 WARMEST JUN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1925 - 98.8 °F
2. 1918 - 97.2 °F
3. 1953 - 96.8 °F
4. 1952 - 96.0 °F
5. 1914 - 95.9 °F
6. 1943 - 94.9 °F
7. 1901 - 94.8 °F
8. 1911 - 94.7 °F
9. 2010 - 94.5 °F
10. 1897 - 94.4 °F

NORMAL - 88.6 °F

TOP 10 COLDEST JUN

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1912 - 83.3 °F
2. 2003 - 84.1 °F
3. 1903 - 84.2 °F
4. 2004 - 85.1 °F
5. 1976 - 85.1 °F
6. 1940 - 85.2 °F
7. 1935 - 85.2 °F
8. 1989 - 85.4 °F
9. 1938 - 85.9 °F
10. 1974 - 86.1 °F

TOP 10 WARMEST JUN

BY AVERAGE MONTHLY TEMPERATURE

1. 1925 - 85.3 °F
2. 1953 - 84.4 °F
3. 2010 - 84.2 °F
4. 1943 - 84.1 °F
5. 1952 - 83.4 °F
6. 1914 - 83.4 °F
7. 1918 - 83.3 °F
8. 1998 - 83.2 °F
9. 1944 - 82.7 °F
10. 1936 - 82.2 °F

NORMAL - 78.6 °F

TOP 10 COLDEST JUN

BY AVERAGE MONTHLY TEMPERATURE

1. 1903 - 72.0 °F
2. 1912 - 73.7 °F
3. 1955 - 74.5 °F
4. 1976 - 74.9 °F
5. 2003 - 75.7 °F
6. 1982 - 75.7 °F
7. 1974 - 75.7 °F
8. 1983 - 76.0 °F
9. 1910 - 76.0 °F
10. 1961 - 76.3 °F

TOP 10 WARMEST JUN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 2010 - 73.8 °F
2. 1998 - 73.4 °F
3. 1943 - 73.3 °F
4. 1922 - 72.7 °F
5. 1994 - 72.2 °F
6. 1953 - 72.0 °F
7. 1990 - 71.9 °F
8. 1991 - 71.7 °F
9. 1944 - 71.7 °F
10. 1925 - 71.7 °F

NORMAL - 68.6 °F

TOP 10 COLDEST JUN

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1903 - 59.8 °F
2. 1955 - 62.9 °F
3. 1912 - 64.1 °F
4. 1910 - 64.6 °F
5. 1976 - 64.7 °F
6. 1982 - 65.0 °F
7. 1983 - 65.2 °F
8. 1913 - 65.2 °F
9. 1974 - 65.3 °F
10. 1894 - 65.3 °F

TOP 10 HOTTEST DAYS IN JUN
BY DAILY HIGH TEMPERATURE

1. 20 JUN 1936 - 107 °F
2. 20 JUN 1918 - 107 °F
3. 29 JUN 1925 - 106 °F
4. 18 JUN 1918 - 106 °F
5. 21 JUN 1925 - 105 °F
6. 28 JUN 1954 - 104 °F
7. 28 JUN 1925 - 104 °F
8. 21 JUN 1918 - 104 °F
9. 19 JUN 1918 - 104 °F
10. 30 JUN 1894 - 104 °F

NORMAL - 88.6 °F

TOP 10 COLDEST DAYS IN JUN
BY DAILY HIGH TEMPERATURE

1. 01 JUN 1903 - 62 °F
2. 16 JUN 1961 - 66 °F
3. 09 JUN 1913 - 68 °F
4. 23 JUN 1912 - 68 °F
5. 01 JUN 1907 - 68 °F
6. 12 JUN 1889 - 68 °F
7. 15 JUN 1955 - 69 °F
8. 04 JUN 2009 - 70 °F
9. 17 JUN 1961 - 70 °F
10. 19 JUN 1920 - 70 °F

TOP 10 HOTTEST DAYS IN JUN
BY DAILY AVERAGE TEMPERATURE

1. 20 JUN 1936 - 93.5 °F
2. 21 JUN 1936 - 91.0 °F
3. 24 JUN 1925 - 90.0 °F
4. 23 JUN 1925 - 90.0 °F
5. 25 JUN 1922 - 90.0 °F
6. 20 JUN 1990 - 89.5 °F
7. 29 JUN 1980 - 89.0 °F
8. 27 JUN 1980 - 89.0 °F
9. 21 JUN 1953 - 89.0 °F
10. 18 JUN 1952 - 89.0 °F

NORMAL - 78.6 °F

TOP 10 COLDEST DAYS IN JUN
BY DAILY AVERAGE TEMPERATURE

1. 01 JUN 1903 - 57.0 °F
2. 13 JUN 1903 - 62.0 °F
3. 12 JUN 1903 - 62.0 °F
4. 16 JUN 1961 - 63.0 °F
5. 03 JUN 1956 - 63.0 °F
6. 01 JUN 1894 - 63.0 °F
7. 12 JUN 1889 - 63.0 °F
8. 01 JUN 1907 - 63.5 °F
9. 02 JUN 1903 - 63.5 °F
10. 17 JUN 1961 - 64.0 °F

TOP 10 HOTTEST DAYS IN JUN
BY DAILY LOW TEMPERATURE

1. 25 JUN 1922 - 82 °F
2. 10 JUN 1998 - 80 °F
3. 21 JUN 1990 - 80 °F
4. 04 JUN 1985 - 80 °F
5. 21 JUN 1936 - 80 °F
6. 20 JUN 1936 - 80 °F
7. 13 JUN 1897 - 80 °F
8. 21 JUN 1998 - 79 °F
9. 20 JUN 1998 - 79 °F
10. 27 JUN 1994 - 79 °F

NORMAL - 68.6 °F

TOP 10 COLDEST DAYS IN JUN
BY DAILY LOW TEMPERATURE

1. 02 JUN 1984 - 49 °F
2. 03 JUN 1956 - 49 °F
3. 12 JUN 1903 - 49 °F
4. 02 JUN 1956 - 50 °F
5. 13 JUN 1903 - 50 °F
6. 08 JUN 1894 - 50 °F
7. 01 JUN 1894 - 50 °F
8. 01 JUN 1889 - 50 °F
9. 03 JUN 1984 - 51 °F
10. 01 JUN 1966 - 51 °F

TOP 10 WETTEST JUN
BY MONTHLY PRECIPITATION

1. 1927 - 10.18"
2. 1895 - 9.91"
3. 1904 - 9.34"
4. 1928 - 9.33"
5. 1919 - 9.25"
6. 1974 - 8.42"
7. 1989 - 8.27"
8. 1939 - 8.00"
9. 1945 - 7.97"
10. 1893 - 6.60"

NORMAL - 3.78"

TOP 10 DRIEST JUN
BY MONTHLY PRECIPITATION

1. 1930 - 0.05"
2. 1980 - 0.10"
3. 1966 - 0.14"
4. 1952 - 0.22"
5. 1936 - 0.22"
6. 1953 - 0.40"
7. 1988 - 0.53"
8. 1887 - 0.55"
9. 1946 - 0.57"
10. 1925 - 0.71"

TOP 10 WETTEST DAYS IN JUN

1. 16 JUN 1895 - 5.15"	6. 06 JUN 1981 - 3.03"
2. 02 JUN 1927 - 4.69"	7. 24 JUN 1994 - 2.87"
3. 07 JUN 1974 - 4.26"	8. 11 JUN 1945 - 2.66"
4. 26 JUN 1903 - 3.55"	9. 14 JUN 1929 - 2.66"
5. 12 JUN 1919 - 3.47"	10. 11 JUN 1921 - 2.61"

JULY RECORDS

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1901 - 101.2 °F
2. 1980 - 99.9 °F
3. 1943 - 99.5 °F
4. 1918 - 99.3 °F
5. 1896 - 98.9 °F
6. 1954 - 98.5 °F
7. 1944 - 98.5 °F
8. 1930 - 98.5 °F
9. 1897 - 98.5 °F
10. 1929 - 98.3 °F

NORMAL - 92.4 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1940 - 86.8 °F
2. 1967 - 87.4 °F
3. 2009 - 88.1 °F
4. 2007 - 88.1 °F
5. 1905 - 88.1 °F
6. 1989 - 88.4 °F
7. 1906 - 88.5 °F
8. 2004 - 88.7 °F
9. 1911 - 89.1 °F
10. 1931 - 89.4 °F

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY TEMPERATURE

1. 1943 - 86.7 °F
2. 1998 - 86.4 °F
3. 1980 - 86.4 °F
4. 1930 - 86.3 °F
5. 1993 - 86.1 °F
6. 1986 - 85.9 °F
7. 1901 - 85.8 °F
8. 1896 - 85.6 °F
9. 1954 - 85.5 °F
10. 1934 - 85.5 °F

NORMAL - 82.4 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY TEMPERATURE

1. 1906 - 78.2 °F
2. 1967 - 78.3 °F
3. 1905 - 78.4 °F
4. 2009 - 78.7 °F
5. 1940 - 79.2 °F
6. 1891 - 79.2 °F
7. 1911 - 79.3 °F
8. 2007 - 79.4 °F
9. 1950 - 79.4 °F
10. 2004 - 79.7 °F

TOP 10 WARMEST JUL

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1998 - 76.6 °F
2. 1986 - 75.6 °F
3. 1993 - 75.1 °F
4. 1999 - 74.8 °F
5. 1997 - 74.6 °F
6. 1934 - 74.6 °F
7. 2010 - 74.3 °F
8. 1930 - 74.1 °F
9. 1932 - 74.0 °F
10. 1884 - 74.0 °F

NORMAL - 72.3 °F

TOP 10 COLDEST JUL

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1918 - 67.1 °F
2. 1904 - 67.1 °F
3. 1906 - 67.8 °F
4. 1903 - 68.1 °F
5. 1894 - 68.1 °F
6. 1959 - 68.2 °F
7. 1891 - 68.3 °F
8. 1905 - 68.7 °F
9. 1961 - 68.8 °F
10. 1950 - 68.9 °F

TOP 10 HOTTEST DAYS IN JUL
BY DAILY HIGH TEMPERATURE

1. 24 JUL 1924 - 110 °F
2. 23 JUL 1924 - 110 °F
3. 22 JUL 1943 - 109 °F
4. 29 JUL 1930 - 109 °F
5. 26 JUL 1918 - 109 °F
6. 18 JUL 1980 - 108 °F
7. 04 JUL 1926 - 108 °F
8. 12 JUL 1901 - 108 °F
9. 30 JUL 1986 - 107 °F
10. 15 JUL 1980 - 107 °F

NORMAL - 92.4 °F

TOP 10 COLDEST DAYS IN JUL
BY DAILY HIGH TEMPERATURE

1. 10 JUL 1996 - 72 °F
2. 07 JUL 1940 - 72 °F
3. 14 JUL 1990 - 74 °F
4. 21 JUL 1970 - 74 °F
5. 06 JUL 1967 - 74 °F
6. 13 JUL 1940 - 74 °F
7. 26 JUL 1933 - 74 °F
8. 13 JUL 2007 - 75 °F
9. 26 JUL 2004 - 75 °F
10. 22 JUL 1970 - 75 °F

TOP 10 HOTTEST DAYS IN JUL
BY DAILY AVERAGE TEMPERATURE

1. 29 JUL 1930 - 95.5 °F
2. 31 JUL 1986 - 93.5 °F
3. 13 JUL 1930 - 93.5 °F
4. 12 JUL 1930 - 93.5 °F
5. 30 JUL 1986 - 92.5 °F
6. 25 JUL 1943 - 92.5 °F
7. 23 JUL 1943 - 92.5 °F
8. 24 JUL 1924 - 92.5 °F
9. 18 JUL 1980 - 92.0 °F
10. 22 JUL 1943 - 92.0 °F

NORMAL - 82.4 °F

TOP 10 COLDEST DAYS IN JUL
BY DAILY AVERAGE TEMPERATURE

1. 22 JUL 1970 - 67.0 °F
2. 21 JUL 1970 - 67.5 °F
3. 14 JUL 1990 - 68.0 °F
4. 09 JUL 1894 - 68.0 °F
5. 07 JUL 1972 - 68.5 °F
6. 06 JUL 1972 - 68.5 °F
7. 14 JUL 1967 - 68.5 °F
8. 15 JUL 1967 - 69.0 °F
9. 06 JUL 1967 - 69.0 °F
10. 02 JUL 1924 - 69.0 °F

TOP 10 HOTTEST DAYS IN JUL
BY DAILY LOW TEMPERATURE

1. 08 JUL 1998 - 83 °F
2. 29 JUL 1998 - 82 °F
3. 29 JUL 1930 - 82 °F
4. 13 JUL 1930 - 82 °F
5. 19 JUL 1884 - 82 °F
6. 31 JUL 1986 - 81 °F
7. 30 JUL 1930 - 81 °F
8. 12 JUL 1930 - 81 °F
9. 05 JUL 1884 - 81 °F
10. 18 JUL 2000 - 80 °F

NORMAL - 72.3 °F

TOP 10 COLDEST DAYS IN JUL
BY DAILY LOW TEMPERATURE

1. 07 JUL 1972 - 56 °F
2. 15 JUL 1967 - 56 °F
3. 23 JUL 1947 - 56 °F
4. 02 JUL 1924 - 56 °F
5. 15 JUL 1926 - 57 °F
6. 05 JUL 1922 - 57 °F
7. 06 JUL 1915 - 57 °F
8. 25 JUL 1911 - 57 °F
9. 22 JUL 1902 - 57 °F
10. 09 JUL 1901 - 57 °F

TOP 10 WETTEST JUL
BY MONTHLY PRECIPITATION

1. 1936 - 14.16"
2. 1989 - 10.03"
3. 1891 - 9.92"
4. 1941 - 9.23"
5. 1948 - 9.09"
6. 2009 - 9.02"
7. 1931 - 8.87"
8. 1992 - 8.10"
9. 1905 - 7.84"
10. 1971 - 7.52"

NORMAL - 4.02"

TOP 10 DRIEST JUL
BY MONTHLY PRECIPITATION

1. 1930 - 0.01"
2. 1893 - 0.03"
3. 1942 - 0.15"
4. 1978 - 0.22"
5. 1919 - 0.29"
6. 1943 - 0.32"
7. 1947 - 0.33"
8. 1934 - 0.46"
9. 1901 - 0.46"
10. 1896 - 0.48"

TOP 10 WETTEST DAYS IN JUL

1. 31 JUL 1902 - 4.65"	6. 18 JUL 1954 - 3.54"
2. 27 JUL 1983 - 4.33"	7. 03 JUL 1951 - 3.45"
3. 22 JUL 1936 - 4.18"	8. 25 JUL 1913 - 3.40"
4. 29 JUL 1967 - 4.04"	9. 21 JUL 1936 - 3.40"
5. 02 JUL 1936 - 3.57"	10. 24 JUL 1971 - 3.33"

AUGUST RECORDS

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1943 - 103.5 °F
2. 1954 - 100.1 °F
3. 1947 - 99.5 °F
4. 1924 - 99.5 °F
5. 2000 - 99.1 °F
6. 1934 - 98.5 °F
7. 1980 - 98.3 °F
8. 1918 - 98.1 °F
9. 1932 - 97.9 °F
10. 1896 - 97.8 °F

NORMAL - 91.5 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1992 - 86.2 °F
2. 1966 - 86.3 °F
3. 1931 - 86.3 °F
4. 1915 - 86.4 °F
5. 1967 - 86.5 °F
6. 2004 - 87.4 °F
7. 1950 - 87.4 °F
8. 1971 - 88.0 °F
9. 2009 - 88.1 °F
10. 2008 - 88.2 °F

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY TEMPERATURE

1. 1943 - 89.0 °F
2. 1934 - 87.0 °F
3. 1947 - 86.9 °F
4. 1999 - 86.5 °F
5. 1954 - 86.0 °F
6. 1995 - 85.9 °F
7. 1928 - 85.7 °F
8. 1924 - 85.7 °F
9. 1980 - 85.3 °F
10. 1921 - 85.3 °F

NORMAL - 81.1 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY TEMPERATURE

1. 1884 - 76.4 °F
2. 2004 - 76.6 °F
3. 1992 - 76.6 °F
4. 1967 - 76.6 °F
5. 1915 - 77.0 °F
6. 1950 - 77.1 °F
7. 1931 - 77.5 °F
8. 1966 - 77.6 °F
9. 1976 - 78.1 °F
10. 1961 - 78.1 °F

TOP 10 WARMEST AUG

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1934 - 75.5 °F
2. 1995 - 75.4 °F
3. 1987 - 74.7 °F
4. 1943 - 74.6 °F
5. 1987 - 74.7 °F
6. 2010 - 74.3 °F
7. 1947 - 74.2 °F
8. 1928 - 73.9 °F
9. 2000 - 73.8 °F
10. 1993 - 73.8 °F

NORMAL - 70.6 °F

TOP 10 COLDEST AUG

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1976 - 65.0 °F
2. 2004 - 65.8 °F
3. 1967 - 66.6 °F
4. 1950 - 66.9 °F
5. 1992 - 67.0 °F
6. 1904 - 67.2 °F
7. 1884 - 67.3 °F
8. 1953 - 67.5 °F
9. 1915 - 67.7 °F
10. 1917 - 67.8 °F

TOP 10 HOTTEST DAYS IN AUG
BY DAILY HIGH TEMPERATURE

1. 15 AUG 1943 - 112 °F
2. 27 AUG 1943 - 111 °F
3. 16 AUG 1943 - 111 °F
4. 10 AUG 1943 - 109 °F
5. 11 AUG 1918 - 109 °F
6. 04 AUG 1918 - 109 °F
7. 03 AUG 1918 - 109 °F
8. 07 AUG 1947 - 108 °F
9. 26 AUG 1943 - 108 °F
10. 14 AUG 1943 - 108 °F

NORMAL - 91.5 °F

TOP 10 COLDEST DAYS IN AUG
BY DAILY HIGH TEMPERATURE

1. 30 AUG 1915 - 71 °F
2. 27 AUG 1900 - 71 °F
3. 24 AUG 1891 - 72 °F
4. 06 AUG 1993 - 73 °F
5. 31 AUG 1967 - 73 °F
6. 16 AUG 1964 - 73 °F
7. 26 AUG 1946 - 73 °F
8. 28 AUG 1927 - 73 °F
9. 24 AUG 1918 - 73 °F
10. 19 AUG 2008 - 74 °F

TOP 10 HOTTEST DAYS IN AUG
BY DAILY AVERAGE TEMPERATURE

1. 15 AUG 1943 - 96.0 °F
2. 03 AUG 1918 - 95.5 °F
3. 27 AUG 1943 - 95.0 °F
4. 16 AUG 1943 - 95.0 °F
5. 08 AUG 1943 - 94.0 °F
6. 08 AUG 1934 - 94.0 °F
7. 26 AUG 1943 - 93.5 °F
8. 10 AUG 1943 - 93.5 °F
9. 09 AUG 1943 - 93.5 °F
10. 10 AUG 1936 - 93.5 °F

NORMAL - 81.1 °F

TOP 10 COLDEST DAYS IN AUG
BY DAILY AVERAGE TEMPERATURE

1. 24 AUG 1891 - 63.0 °F
2. 31 AUG 1915 - 65.5 °F
3. 13 AUG 2004 - 66.0 °F
4. 14 AUG 2004 - 66.5 °F
5. 31 AUG 1967 - 66.5 °F
6. 31 AUG 1946 - 66.5 °F
7. 16 AUG 1992 - 67.0 °F
8. 12 AUG 2004 - 67.5 °F
9. 13 AUG 1967 - 67.5 °F
10. 12 AUG 1967 - 67.5 °F

TOP 10 HOTTEST DAYS IN AUG
BY DAILY LOW TEMPERATURE

1. 24 AUG 1985 - 82 °F
2. 03 AUG 1918 - 82 °F
3. 04 AUG 2010 - 81 °F
4. 05 AUG 1943 - 81 °F
5. 09 AUG 1934 - 81 °F
6. 08 AUG 1934 - 81 °F
7. 15 AUG 1930 - 81 °F
8. 04 AUG 1930 - 81 °F
9. 29 AUG 1984 - 80 °F
10. 05 AUG 1964 - 80 °F

NORMAL - 70.6 °F

TOP 10 COLDEST DAYS IN AUG
BY DAILY LOW TEMPERATURE

1. 14 AUG 2004 - 52 °F
2. 29 AUG 1906 - 52 °F
3. 22 AUG 1956 - 53 °F
4. 30 AUG 1906 - 53 °F
5. 23 AUG 1888 - 53 °F
6. 28 AUG 1967 - 54 °F
7. 28 AUG 1906 - 54 °F
8. 24 AUG 1891 - 54 °F
9. 13 AUG 1967 - 55 °F
10. 23 AUG 1956 - 55 °F

TOP 10 WETTEST AUG

BY MONTHLY PRECIPITATION

1. 1911 - 8.31"
2. 1950 - 8.09"
3. 1910 - 7.04"
4. 1978 - 6.84"
5. 1915 - 6.77"
6. 1969 - 6.75"
7. 1974 - 6.30"
8. 1966 - 6.17"
9. 1981 - 6.10"
10. 1905 - 6.03"

NORMAL - 3.32"

TOP 10 DRIEST AUG

BY MONTHLY PRECIPITATION

1. 1886 - 0.00"
2. 2007 - 0.13"
3. 2000 - 0.13"
4. 1943 - 0.16"
5. 1983 - 0.20"
6. 1891 - 0.25"
7. 1936 - 0.33"
8. 1885 - 0.41"
9. 1951 - 0.42"
10. 1913 - 0.43"

TOP 10 WETTEST DAYS IN AUG

- | | |
|------------------------|-------------------------|
| 1. 17 AUG 1969 - 4.29" | 6. 30 AUG 1888 - 3.00" |
| 2. 17 AUG 1982 - 3.76" | 7. 12 AUG 1910 - 2.90" |
| 3. 30 AUG 1978 - 3.38" | 8. 06 AUG 1993 - 2.85" |
| 4. 16 AUG 1986 - 3.20" | 9. 14 AUG 1968 - 2.58" |
| 5. 19 AUG 1905 - 3.10" | 10. 07 AUG 1945 - 2.52" |

SEPTEMBER RECORDS

TOP 10 WARMEST SEP

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1925 - 97.9 °F
2. 1939 - 95.4 °F
3. 1921 - 94.7 °F
4. 1897 - 94.0 °F
5. 1927 - 93.3 °F
6. 1936 - 93.2 °F
7. 1922 - 92.9 °F
8. 1926 - 92.6 °F
9. 1947 - 92.5 °F
10. 1954 - 92.4 °F

NORMAL - 85.3 °F

TOP 10 COLDEST SEP

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1974 - 78.4 °F
2. 1950 - 79.3 °F
3. 1967 - 79.7 °F
4. 1989 - 80.6 °F
5. 1957 - 81.6 °F
6. 1968 - 81.9 °F
7. 1966 - 82.1 °F
8. 1890 - 82.1 °F
9. 1949 - 82.3 °F
10. 2008 - 82.4 °F

TOP 10 WARMEST SEP

BY AVERAGE MONTHLY TEMPERATURE

1. 1925 - 84.9 °F
2. 1921 - 82.8 °F
3. 1939 - 82.4 °F
4. 1936 - 82.1 °F
5. 1933 - 81.4 °F
6. 1926 - 80.7 °F
7. 1911 - 80.7 °F
8. 1900 - 80.3 °F
9. 1931 - 80.2 °F
10. 1895 - 80.2 °F

NORMAL - 74.5 °F

TOP 10 COLDEST SEP

BY AVERAGE MONTHLY TEMPERATURE

1. 1974 - 69.5 °F
2. 1902 - 70.1 °F
3. 1918 - 70.3 °F
4. 1949 - 70.4 °F
5. 1967 - 70.5 °F
6. 1968 - 70.7 °F
7. 1979 - 71.2 °F
8. 1950 - 71.2 °F
9. 1903 - 71.2 °F
10. 1981 - 71.4 °F

TOP 10 WARMEST SEP

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1925 - 71.8 °F
2. 1936 - 70.9 °F
3. 1921 - 70.8 °F
4. 1933 - 70.4 °F
5. 1911 - 69.9 °F
6. 1998 - 69.6 °F
7. 1939 - 69.4 °F
8. 1986 - 69.2 °F
9. 1931 - 69.0 °F
10. 1926 - 68.9 °F

NORMAL - 63.6 °F

TOP 10 COLDEST SEP

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1918 - 55.3 °F
2. 1902 - 57.2 °F
3. 1956 - 57.4 °F
4. 1903 - 57.4 °F
5. 1953 - 57.9 °F
6. 1899 - 58.1 °F
7. 1949 - 58.5 °F
8. 1901 - 58.6 °F
9. 1981 - 58.9 °F
10. 1952 - 59.0 °F

TOP 10 HOTTEST DAYS IN SEP
BY DAILY HIGH TEMPERATURE

1.	06	SEP	1925	-	110	°F
2.	05	SEP	1925	-	110	°F
3.	08	SEP	1925	-	109	°F
4.	04	SEP	1925	-	109	°F
5.	07	SEP	1925	-	108	°F
6.	09	SEP	1925	-	107	°F
7.	03	SEP	1925	-	107	°F
8.	08	SEP	1947	-	106	°F
9.	07	SEP	1947	-	106	°F
10.	05	SEP	1947	-	106	°F

NORMAL - 85.3 °F

TOP 10 COLDEST DAYS IN SEP
BY DAILY HIGH TEMPERATURE

1.	28	SEP	1980	-	60	°F
2.	28	SEP	1964	-	60	°F
3.	30	SEP	1972	-	61	°F
4.	06	SEP	1891	-	61	°F
5.	15	SEP	1993	-	62	°F
6.	29	SEP	1980	-	62	°F
7.	28	SEP	1967	-	62	°F
8.	30	SEP	1920	-	63	°F
9.	23	SEP	1989	-	64	°F
10.	30	SEP	1984	-	64	°F

TOP 10 HOTTEST DAYS IN SEP
BY DAILY AVERAGE TEMPERATURE

1.	02	SEP	1947	-	91.5	°F
2.	04	SEP	1939	-	91.5	°F
3.	08	SEP	1925	-	91.5	°F
4.	07	SEP	1925	-	91.5	°F
5.	06	SEP	1925	-	91.5	°F
6.	07	SEP	1947	-	91.0	°F
7.	05	SEP	1925	-	91.0	°F
8.	04	SEP	1925	-	91.0	°F
9.	01	SEP	1947	-	90.5	°F
10.	09	SEP	1925	-	90.5	°F

NORMAL - 74.5 °F

TOP 10 COLDEST DAYS IN SEP
BY DAILY AVERAGE TEMPERATURE

1.	29	SEP	1967	-	53.0	°F
2.	28	SEP	1967	-	53.0	°F
3.	27	SEP	1942	-	53.0	°F
4.	30	SEP	1920	-	53.0	°F
5.	22	SEP	1983	-	53.5	°F
6.	30	SEP	1984	-	54.5	°F
7.	30	SEP	1972	-	54.5	°F
8.	28	SEP	1980	-	55.0	°F
9.	30	SEP	1916	-	55.0	°F
10.	30	SEP	1895	-	55.0	°F

TOP 10 HOTTEST DAYS IN SEP
BY DAILY LOW TEMPERATURE

1.	09	SEP	1996	-	80	°F
2.	04	SEP	1939	-	79	°F
3.	05	SEP	1922	-	79	°F
4.	09	SEP	1884	-	79	°F
5.	07	SEP	1939	-	78	°F
6.	04	SEP	1936	-	78	°F
7.	03	SEP	1936	-	78	°F
8.	03	SEP	2000	-	77	°F
9.	07	SEP	1990	-	77	°F
10.	02	SEP	1947	-	77	°F

NORMAL - 63.6 °F

TOP 10 COLDEST DAYS IN SEP
BY DAILY LOW TEMPERATURE

1.	29	SEP	1967	-	38	°F
2.	23	SEP	1983	-	39	°F
3.	22	SEP	1983	-	39	°F
4.	27	SEP	1942	-	39	°F
5.	30	SEP	1949	-	40	°F
6.	30	SEP	1916	-	40	°F
7.	29	SEP	1909	-	40	°F
8.	15	SEP	1902	-	40	°F
9.	30	SEP	1899	-	40	°F
10.	27	SEP	1899	-	40	°F

TOP 10 WETTEST SEP
BY MONTHLY PRECIPITATION

1. 1913 - 15.44"
2. 1886 - 9.66"
3. 1902 - 9.31"
4. 1965 - 9.03"
5. 1898 - 9.01"
6. 1958 - 8.67"
7. 1980 - 8.02"
8. 2009 - 7.51"
9. 2007 - 7.16"
10. 1930 - 6.76"

TOP 10 DRIEST SEP
BY MONTHLY PRECIPITATION

1. 2001 - 0.11"
2. 1928 - 0.14"
3. 2004 - 0.17"
4. 1889 - 0.21"
5. 1897 - 0.22"
6. 1931 - 0.26"
7. 1891 - 0.28"
8. 1929 - 0.31"
9. 1922 - 0.38"
10. 1995 - 0.54"

NORMAL - 3.20"

TOP 10 WETTEST DAYS IN SEP

1. 14 SEP 1886 - 5.02"	6. 12 SEP 1902 - 3.25"
2. 24 SEP 1984 - 3.90"	7. 03 SEP 2008 - 3.20"
3. 10 SEP 1965 - 3.73"	8. 24 SEP 2005 - 3.17"
4. 22 SEP 1919 - 3.51"	9. 15 SEP 2009 - 2.99"
5. 12 SEP 1892 - 3.46"	10. 06 SEP 1994 - 2.97"

OCTOBER RECORDS

TOP 10 WARMEST OCT BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1927 - 87.5 °F
2. 1963 - 86.8 °F
3. 1897 - 86.4 °F
4. 1938 - 85.0 °F
5. 1928 - 84.4 °F
6. 1924 - 84.1 °F
7. 1947 - 83.5 °F
8. 1934 - 83.5 °F
9. 1940 - 82.1 °F
10. 1944 - 82.0 °F

NORMAL - 75.8 °F

TOP 10 COLDEST OCT BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 2009 - 68.4 °F
2. 1906 - 69.0 °F
3. 2002 - 70.5 °F
4. 1976 - 70.5 °F
5. 1957 - 70.5 °F
6. 1988 - 71.4 °F
7. 1966 - 71.8 °F
8. 1913 - 71.8 °F
9. 1993 - 71.9 °F
10. 1952 - 71.9 °F

TOP 10 WARMEST OCT BY AVERAGE MONTHLY TEMPERATURE

1. 1941 - 71.5 °F
2. 1927 - 71.1 °F
3. 1947 - 70.8 °F
4. 1963 - 70.6 °F
5. 1934 - 70.6 °F
6. 1928 - 70.6 °F
7. 1884 - 70.3 °F
8. 1971 - 69.6 °F
9. 1938 - 69.6 °F
10. 1931 - 69.4 °F

NORMAL - 63.9 °F

TOP 10 COLDEST OCT BY AVERAGE MONTHLY TEMPERATURE

1. 1952 - 55.1 °F
2. 1976 - 57.1 °F
3. 1917 - 57.7 °F
4. 1906 - 58.0 °F
5. 1895 - 58.6 °F
6. 2009 - 59.9 °F
7. 1908 - 60.0 °F
8. 1957 - 60.1 °F
9. 1966 - 60.2 °F
10. 2001 - 60.9 °F

TOP 10 WARMEST OCT BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1941 - 61.4 °F
2. 2004 - 60.0 °F
3. 1884 - 59.9 °F
4. 1919 - 58.9 °F
5. 1926 - 58.2 °F
6. 1947 - 58.1 °F
7. 1985 - 57.6 °F
8. 1934 - 57.6 °F
9. 1971 - 57.3 °F
10. 1931 - 57.3 °F

NORMAL - 52.0 °F

TOP 10 COLDEST OCT BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1952 - 38.4 °F
2. 1917 - 41.7 °F
3. 1908 - 43.3 °F
4. 1976 - 43.6 °F
5. 1895 - 43.6 °F
6. 1948 - 45.8 °F
7. 1906 - 47.1 °F
8. 1901 - 47.2 °F
9. 1891 - 47.2 °F
10. 2001 - 47.4 °F

TOP 10 HOTTEST DAYS IN OCT
BY DAILY HIGH TEMPERATURE

1.	09 OCT 1928	-	100	°F
2.	10 OCT 1928	-	98	°F
3.	03 OCT 1926	-	98	°F
4.	02 OCT 1926	-	98	°F
5.	13 OCT 1928	-	97	°F
6.	27 OCT 1927	-	97	°F
7.	26 OCT 1927	-	97	°F
8.	25 OCT 1927	-	97	°F
9.	11 OCT 1963	-	96	°F
10.	23 OCT 1939	-	96	°F

NORMAL - 75.8 °F

TOP 10 COLDEST DAYS IN OCT
BY DAILY HIGH TEMPERATURE

1.	30 OCT 1925	-	37	°F
2.	29 OCT 1925	-	39	°F
3.	30 OCT 1993	-	40	°F
4.	31 OCT 1925	-	42	°F
5.	30 OCT 1895	-	45	°F
6.	31 OCT 1993	-	47	°F
7.	23 OCT 1913	-	48	°F
8.	19 OCT 1989	-	49	°F
9.	27 OCT 1981	-	49	°F
10.	23 OCT 1936	-	50	°F

TOP 10 HOTTEST DAYS IN OCT
BY DAILY AVERAGE TEMPERATURE

1.	03 OCT 1926	-	85.5	°F
2.	02 OCT 1926	-	84.5	°F
3.	03 OCT 1986	-	83.0	°F
4.	04 OCT 1925	-	83.0	°F
5.	04 OCT 1941	-	83.0	°F
6.	05 OCT 1954	-	82.5	°F
7.	01 OCT 1941	-	82.5	°F
8.	09 OCT 1928	-	82.5	°F
9.	01 OCT 1926	-	82.5	°F
10.	02 OCT 1911	-	82.5	°F

NORMAL - 63.9 °F

TOP 10 COLDEST DAYS IN OCT
BY DAILY AVERAGE TEMPERATURE

1.	30 OCT 1925	-	34.5	°F
2.	31 OCT 1925	-	36.0	°F
3.	30 OCT 1993	-	36.5	°F
4.	29 OCT 1925	-	36.5	°F
5.	31 OCT 1993	-	38.0	°F
6.	30 OCT 1917	-	40.0	°F
7.	27 OCT 1957	-	41.5	°F
8.	30 OCT 1913	-	41.5	°F
9.	19 OCT 1989	-	42.0	°F
10.	30 OCT 1980	-	42.0	°F

TOP 10 HOTTEST DAYS IN OCT
BY DAILY LOW TEMPERATURE

1.	03 OCT 1986	-	76	°F
2.	08 OCT 1920	-	76	°F
3.	05 OCT 1941	-	75	°F
4.	04 OCT 1941	-	75	°F
5.	01 OCT 1893	-	75	°F
6.	03 OCT 1941	-	74	°F
7.	27 OCT 1939	-	74	°F
8.	09 OCT 1939	-	74	°F
9.	07 OCT 1925	-	74	°F
10.	18 OCT 2004	-	73	°F

NORMAL - 52.0 °F

TOP 10 COLDEST DAYS IN OCT
BY DAILY LOW TEMPERATURE

1.	30 OCT 1917	-	25	°F
2.	31 OCT 1917	-	26	°F
3.	24 OCT 1917	-	27	°F
4.	29 OCT 1914	-	27	°F
5.	28 OCT 1914	-	27	°F
6.	23 OCT 1952	-	28	°F
7.	25 OCT 1917	-	28	°F
8.	31 OCT 1993	-	29	°F
9.	28 OCT 1957	-	29	°F
10.	29 OCT 1952	-	29	°F

TOP 10 WETTEST OCT
BY MONTHLY PRECIPITATION

1. 2009 - 14.34"
2. 1984 - 14.05"
3. 1949 - 13.82"
4. 1919 - 11.74"
5. 1945 - 10.35"
6. 1991 - 10.34"
7. 2001 - 9.41"
8. 1990 - 9.20"
9. 1928 - 8.12"
10. 2007 - 7.78"

TOP 10 DRIEST OCT
BY MONTHLY PRECIPITATION

1. 1924 - 0.00"
2. 1944 - 0.13"
3. 1893 - 0.20"
4. 1965 - 0.22"
5. 1952 - 0.32"
6. 1958 - 0.33"
7. 2005 - 0.34"
8. 1938 - 0.35"
9. 1989 - 0.36"
10. 1904 - 0.40"

NORMAL - 4.49"

TOP 10 WETTEST DAYS IN OCT

1. 01 OCT 1945 - 6.73"	6. 17 OCT 2007 - 3.59"
2. 29 OCT 1991 - 5.58"	7. 10 OCT 2001 - 3.54"
3. 17 OCT 1928 - 5.31"	8. 05 OCT 1949 - 3.52"
4. 07 OCT 2008 - 4.56"	9. 31 OCT 1919 - 3.41"
5. 25 OCT 1976 - 3.92"	10. 07 OCT 1984 - 3.10"

TOP 10 SNOWIEST OCT
BY MONTHLY SNOWFALL

1. 1993 - T	6. - "
2. - "	7. - "
3. - "	8. - "
4. - "	9. - "
5. - "	10. - "

NORMAL - 0.0"

TOP 10 SNOWIEST DAYS IN OCT

1. 30 OCT 1993 - T	6. - "
2. - "	7. - "
3. - "	8. - "
4. - "	9. - "
5. - "	10. - "

NOVEMBER RECORDS

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1909 - 74.3 °F
2. 1927 - 72.1 °F
3. 1908 - 72.0 °F
4. 1931 - 70.1 °F
5. 1999 - 69.5 °F
6. 1913 - 69.5 °F
7. 1990 - 69.3 °F
8. 1942 - 69.2 °F
9. 2001 - 69.0 °F
10. 1934 - 69.0 °F

NORMAL - 63.1 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1972 - 54.9 °F
2. 1976 - 56.8 °F
3. 2000 - 57.5 °F
4. 1951 - 57.9 °F
5. 1997 - 58.0 °F
6. 1996 - 58.1 °F
7. 1929 - 58.5 °F
8. 1889 - 58.7 °F
9. 1993 - 59.2 °F
10. 1991 - 59.3 °F

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY TEMPERATURE

1. 1909 - 60.9 °F
2. 1927 - 60.5 °F
3. 1931 - 60.2 °F
4. 1965 - 58.5 °F
5. 1990 - 58.0 °F
6. 1942 - 58.0 °F
7. 1913 - 57.9 °F
8. 1902 - 57.6 °F
9. 1973 - 57.5 °F
10. 1934 - 57.5 °F

NORMAL - 52.5 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY TEMPERATURE

1. 1976 - 45.0 °F
2. 1951 - 46.7 °F
3. 1959 - 47.3 °F
4. 1903 - 47.6 °F
5. 1972 - 47.7 °F
6. 1911 - 48.6 °F
7. 1929 - 49.0 °F
8. 1920 - 49.1 °F
9. 1907 - 49.1 °F
10. 1993 - 49.2 °F

TOP 10 WARMEST NOV

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1931 - 50.3 °F
2. 1965 - 49.1 °F
3. 1927 - 48.8 °F
4. 1973 - 48.2 °F
5. 2004 - 48.1 °F
6. 1994 - 47.8 °F
7. 1985 - 47.8 °F
8. 1909 - 47.5 °F
9. 1902 - 47.5 °F
10. 1998 - 47.1 °F

NORMAL - 41.9 °F

TOP 10 COLDEST NOV

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1976 - 33.1 °F
2. 1903 - 34.3 °F
3. 1959 - 34.5 °F
4. 1912 - 35.4 °F
5. 1951 - 35.5 °F
6. 1907 - 35.9 °F
7. 1901 - 36.0 °F
8. 1904 - 36.3 °F
9. 1953 - 36.4 °F
10. 1979 - 36.6 °F

TOP 10 HOTTEST DAYS IN NOV
BY DAILY HIGH TEMPERATURE

1. 01 NOV 1938 - 88 °F
2. 14 NOV 1955 - 87 °F
3. 13 NOV 1955 - 87 °F
4. 01 NOV 1944 - 87 °F
5. 18 NOV 1930 - 87 °F
6. 01 NOV 1927 - 87 °F
7. 08 NOV 1908 - 87 °F
8. 01 NOV 1961 - 86 °F
9. 01 NOV 1937 - 86 °F
10. 02 NOV 1936 - 86 °F

NORMAL - 63.1 °F

TOP 10 COLDEST DAYS IN NOV
BY DAILY HIGH TEMPERATURE

1. 29 NOV 1976 - 30 °F
2. 14 NOV 1987 - 32 °F
3. 30 NOV 1976 - 34 °F
4. 24 NOV 1970 - 35 °F
5. 28 NOV 1958 - 35 °F
6. 29 NOV 1952 - 35 °F
7. 29 NOV 1911 - 35 °F
8. 08 NOV 1991 - 36 °F
9. 30 NOV 1952 - 36 °F
10. 28 NOV 1952 - 36 °F

TOP 10 HOTTEST DAYS IN NOV
BY DAILY AVERAGE TEMPERATURE

1. 02 NOV 1936 - 79.0 °F
2. 15 NOV 1955 - 78.0 °F
3. 13 NOV 1955 - 77.5 °F
4. 02 NOV 1945 - 76.0 °F
5. 19 NOV 1942 - 76.0 °F
6. 15 NOV 1955 - 75.0 °F
7. 10 NOV 1935 - 75.0 °F
8. 07 NOV 1989 - 74.5 °F
9. 16 NOV 1958 - 74.5 °F
10. 03 NOV 1938 - 74.5 °F

NORMAL - 52.5 °F

TOP 10 COLDEST DAYS IN NOV
BY DAILY AVERAGE TEMPERATURE

1. 29 NOV 1976 - 22.0 °F
2. 19 NOV 1903 - 26.5 °F
3. 24 NOV 1970 - 27.0 °F
4. 29 NOV 1911 - 27.0 °F
5. 30 NOV 1976 - 27.5 °F
6. 24 NOV 1950 - 28.5 °F
7. 21 NOV 1937 - 29.0 °F
8. 23 NOV 1929 - 29.0 °F
9. 22 NOV 1929 - 29.5 °F
10. 20 NOV 1914 - 29.5 °F

TOP 10 HOTTEST DAYS IN NOV
BY DAILY LOW TEMPERATURE

1. 02 NOV 1936 - 72 °F
2. 15 NOV 1955 - 70 °F
3. 10 NOV 1935 - 70 °F
4. 01 NOV 1995 - 68 °F
5. 26 NOV 1990 - 68 °F
6. 19 NOV 1985 - 68 °F
7. 14 NOV 1955 - 68 °F
8. 13 NOV 1955 - 68 °F
9. 02 NOV 1945 - 68 °F
10. 09 NOV 1890 - 68 °F

NORMAL - 41.9 °F

TOP 10 COLDEST DAYS IN NOV
BY DAILY LOW TEMPERATURE

1. 29 NOV 1976 - 14 °F
2. 19 NOV 1903 - 14 °F
3. 23 NOV 1929 - 15 °F
4. 20 NOV 1914 - 16 °F
5. 27 NOV 1938 - 17 °F
6. 21 NOV 1914 - 17 °F
7. 25 NOV 1950 - 18 °F
8. 15 NOV 1916 - 18 °F
9. 30 NOV 1911 - 18 °F
10. 27 NOV 1903 - 18 °F

TOP 10 WETTEST NOV
BY MONTHLY PRECIPITATION

1. 2004 - 12.18"
2. 1987 - 11.30"
3. 1906 - 10.96"
4. 1957 - 10.16"
5. 1892 - 9.83"
6. 1988 - 9.22"
7. 2000 - 8.87"
8. 1986 - 8.76"
9. 1948 - 8.57"
10. 1945 - 8.48"

NORMAL - 4.87"

TOP 10 DRIEST NOV
BY MONTHLY PRECIPITATION

1. 1910 - 0.02"
2. 1949 - 0.44"
3. 1903 - 0.51"
4. 1894 - 0.84"
5. 1967 - 1.45"
6. 1962 - 1.46"
7. 1917 - 1.46"
8. 1954 - 1.53"
9. 1976 - 1.54"
10. 1913 - 1.55"

TOP 10 WETTEST DAYS IN NOV

1. 22 NOV 1961 - 5.24"	6. 13 NOV 1957 - 3.53"
2. 20 NOV 1907 - 4.75"	7. 18 NOV 1906 - 3.35"
3. 16 NOV 1987 - 4.10"	8. 06 NOV 1972 - 3.23"
4. 01 NOV 1892 - 4.02"	9. 18 NOV 1969 - 3.18"
5. 26 NOV 1988 - 3.58"	10. 17 NOV 1906 - 3.15"

TOP 10 SNOWIEST NOV
BY MONTHLY SNOWFALL

1. 1929 - 5.0"	6. 1974 - T
2. 1980 - 1.0"	7. 1971 - T
3. 1997 - T	8. 1967 - T
4. 1992 - T	9. 1966 - T
5. 1991 - T	10. 1958 - T

NORMAL - 0.0"

TOP 10 SNOWIEST DAYS IN NOV

1. 22 NOV 1929 - 5.0"	6. 30 NOV 1974 - T
2. 27 NOV 1980 - 1.0"	7. 23 NOV 1971 - T
3. 15 NOV 1997 - T	8. 22 NOV 1971 - T
4. 27 NOV 1992 - T	9. 28 NOV 1967 - T
5. 19 NOV 1991 - T	10. 02 NOV 1966 - T

DECEMBER RECORDS

TOP 10 WARMEST DEC

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1896 - 64.0 °F
2. 1933 - 63.2 °F
3. 1923 - 63.1 °F
4. 1946 - 63.0 °F
5. 1984 - 62.6 °F
6. 1956 - 62.4 °F
7. 1922 - 62.2 °F
8. 1908 - 62.2 °F
9. 1895 - 61.7 °F
10. 1918 - 61.4 °F

NORMAL - 53.7 °F

TOP 10 COLDEST DEC

BY AVERAGE MONTHLY HIGH TEMPERATURE

1. 1983 - 40.8 °F
2. 2000 - 41.2 °F
3. 1963 - 44.4 °F
4. 1914 - 44.6 °F
5. 1917 - 45.8 °F
6. 1989 - 46.6 °F
7. 1905 - 48.0 °F
8. 2009 - 48.5 °F
9. 1901 - 49.5 °F
10. 1944 - 49.6 °F

TOP 10 WARMEST DEC

BY AVERAGE MONTHLY TEMPERATURE

1. 1984 - 53.4 °F
2. 1923 - 53.2 °F
3. 1933 - 53.3 °F
4. 1946 - 52.3 °F
5. 1931 - 51.9 °F
6. 1922 - 51.3 °F
7. 1971 - 51.0 °F
8. 1956 - 50.8 °F
9. 1918 - 50.1 °F
10. 1921 - 49.8 °F

NORMAL - 44.1 °F

TOP 10 COLDEST DEC

BY AVERAGE MONTHLY TEMPERATURE

1. 1983 - 30.8 °F
2. 2000 - 33.7 °F
3. 1963 - 35.2 °F
4. 1917 - 36.1 °F
5. 1989 - 36.8 °F
6. 1914 - 38.0 °F
7. 1905 - 38.8 °F
8. 1901 - 38.8 °F
9. 1909 - 39.1 °F
10. 1903 - 39.3 °F

TOP 10 WARMEST DEC

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1984 - 44.1 °F
2. 1931 - 43.5 °F
3. 1923 - 43.4 °F
4. 1933 - 42.8 °F
5. 1971 - 42.7 °F
6. 1946 - 41.6 °F
7. 1991 - 40.8 °F
8. 1922 - 40.5 °F
9. 1987 - 40.1 °F
10. 1940 - 39.8 °F

NORMAL - 34.4 °F

TOP 10 COLDEST DEC

BY AVERAGE MONTHLY LOW TEMPERATURE

1. 1983 - 20.9 °F
2. 1963 - 26.0 °F
3. 2000 - 26.2 °F
4. 1903 - 26.5 °F
5. 1917 - 26.8 °F
6. 1989 - 27.0 °F
7. 1909 - 27.7 °F
8. 1901 - 28.0 °F
9. 1976 - 28.9 °F
10. 1950 - 29.1 °F

TOP 10 HOTTEST DAYS IN DEC
BY DAILY HIGH TEMPERATURE

1. 07 DEC 1939 - 84 °F
2. 16 DEC 1924 - 83 °F
3. 15 DEC 1908 - 82 °F
4. 24 DEC 1955 - 81 °F
5. 05 DEC 1933 - 81 °F
6. 17 DEC 1924 - 81 °F
7. 03 DEC 1982 - 80 °F
8. 05 DEC 1956 - 80 °F
9. 31 DEC 1951 - 80 °F
10. 04 DEC 1933 - 80 °F

NORMAL - 53.7 °F

TOP 10 COLDEST DAYS IN DEC
BY DAILY HIGH TEMPERATURE

1. 26 DEC 1983 - 14 °F
2. 22 DEC 1989 - 15 °F
3. 25 DEC 1983 - 15 °F
4. 23 DEC 1989 - 17 °F
5. 20 DEC 1983 - 18 °F
6. 16 DEC 1901 - 18 °F
7. 11 DEC 1917 - 19 °F
8. 12 DEC 1962 - 20 °F
9. 26 DEC 1892 - 20 °F
10. 16 DEC 1989 - 23 °F

TOP 10 HOTTEST DAYS IN DEC
BY DAILY AVERAGE TEMPERATURE

1. 16 DEC 1924 - 74.5 °F
2. 03 DEC 1982 - 74.0 °F
3. 07 DEC 1966 - 73.5 °F
4. 05 DEC 1998 - 72.0 °F
5. 30 DEC 1984 - 71.5 °F
6. 05 DEC 1956 - 71.5 °F
7. 05 DEC 1933 - 71.5 °F
8. 12 DEC 1929 - 71.5 °F
9. 01 DEC 1922 - 71.5 °F
10. 06 DEC 1998 - 71.0 °F

NORMAL - 44.1 °F

TOP 10 COLDEST DAYS IN DEC
BY DAILY AVERAGE TEMPERATURE

1. 26 DEC 1983 - 8.5 °F
2. 22 DEC 1989 - 9.0 °F
3. 23 DEC 1989 - 9.5 °F
4. 25 DEC 1983 - 9.5 °F
5. 31 DEC 1983 - 13.0 °F
6. 20 DEC 1983 - 13.0 °F
7. 16 DEC 1901 - 13.0 °F
8. 30 DEC 1983 - 15.0 °F
9. 11 DEC 1917 - 15.0 °F
10. 12 DEC 1962 - 15.5 °F

TOP 10 HOTTEST DAYS IN DEC
BY DAILY LOW TEMPERATURE

1. 03 DEC 1982 - 68 °F
2. 07 DEC 1966 - 68 °F
3. 14 DEC 1948 - 67 °F
4. 16 DEC 1924 - 66 °F
5. 05 DEC 1998 - 65 °F
6. 11 DEC 1996 - 65 °F
7. 30 DEC 1984 - 65 °F
8. 06 DEC 1956 - 65 °F
9. 15 DEC 1948 - 65 °F
10. 28 DEC 1946 - 65 °F

NORMAL - 34.4 °F

TOP 10 COLDEST DAYS IN DEC
BY DAILY LOW TEMPERATURE

1. 24 DEC 1963 - -2 °F
2. 23 DEC 1989 - 2 °F
3. 22 DEC 1989 - 3 °F
4. 31 DEC 1983 - 3 °F
5. 26 DEC 1983 - 3 °F
6. 24 DEC 1983 - 3 °F
7. 30 DEC 1983 - 4 °F
8. 25 DEC 1983 - 4 °F
9. 23 DEC 1963 - 4 °F
10. 15 DEC 1958 - 5 °F

TOP 10 WETTEST DEC
BY MONTHLY PRECIPITATION

1. 1982 - 15.02"
2. 1892 - 13.35"
3. 1987 - 12.20"
4. 1931 - 11.80"
5. 1944 - 10.89"
6. 1983 - 10.88"
7. 1961 - 10.71"
8. 1933 - 10.40"
9. 2002 - 9.62"
10. 1972 - 9.48"

TOP 10 DRIEST DEC
BY MONTHLY PRECIPITATION

1. 1896 - 0.57"
2. 2005 - 0.72"
3. 1981 - 0.72"
4. 1935 - 1.29"
5. 1913 - 1.31"
6. 1917 - 1.61"
7. 1962 - 1.71"
8. 1965 - 1.72"
9. 1980 - 1.78"
10. 1947 - 1.85"

NORMAL - 5.41"

TOP 10 WETTEST DAYS IN DEC

1. 25 DEC 1987 - 4.70"	6. 12 DEC 1982 - 4.00"
2. 03 DEC 1993 - 4.38"	7. 21 DEC 1926 - 3.70"
3. 27 DEC 1982 - 4.38"	8. 08 DEC 1924 - 3.70"
4. 03 DEC 1983 - 4.06"	9. 27 DEC 1916 - 3.60"
5. 24 DEC 2009 - 4.00"	10. 28 DEC 1982 - 3.39"

TOP 10 SNOWIEST DEC

BY MONTHLY SNOWFALL

1. 1963 - 12.2"	6. 1909 - 4.1"
2. 1958 - 10.4"	7. 1998 - 3.0"
3. 1898 - 6.0"	8. 1899 - 3.0"
4. 1932 - 5.6"	9. 1895 - 2.7"
5. 1983 - 4.5"	10. 1945 - 2.5"

NORMAL - 0.3"

TOP 10 SNOWIEST DAYS IN DEC

1. 22 DEC 1963 - 12.0"	6. 18 DEC 1909 - 3.0"
2. 12 DEC 1958 - 9.0"	7. 18 DEC 1945 - 2.5"
3. 16 DEC 1932 - 4.1"	8. 30 DEC 1899 - 2.5"
4. 04 DEC 1898 - 4.0"	9. 30 DEC 1895 - 2.2"
5. 23 DEC 1998 - 3.0"	10. 17 DEC 1983 - 2.0"

MISCELLANEOUS DATA:

THE FOLLOWING DATA WERE TAKEN FROM STORM DATA AND UNUSUAL WEATHER PHENOMENA, AND ARCHIVED PINE BLUFF GRIDER FIELD SURFACE OBSERVATIONS.

HIGHEST WIND GUSTS AND DATES

1. N 76 MPH - 08 JUN 1961
2. NW 74 MPH - 09 JUL 1964
3. S 73 MPH - 24 MAY 1970
4. NW 68 MPH - 11 MAY 2003
5. S 66 MPH - 31 JUL 2008
6. NW 64 MPH - 21 MAY 1990
7. NE 63 MPH - 13 JUL 1969
SW 63 MPH - 26 NOV 1965
8. SW 62 MPH - 06 AUG 1970
9. N 61 MPH - 09 OCT 2009
10. N 60 MPH - 22 APR 2008
11. S 59 MPH - 23 APR 1985
W 59 MPH - 27 MAR 1998
NW 59 MPH - 27 APR 1968
12. SE 58 MPH - 31 AUG 1956
13. N 57 MPH - 06 AUG 2005
SE 57 MPH - 31 JAN 1973
14. W 56 MPH - 29 JAN 2008
N 56 MPH - 24 JUL 2000
W 56 MPH - 02 JUN 1999
15. W 55 MPH - 24 JUL 2000
N 55 MPH - 24 APR 1992
16. NE 54 MPH - 23 JUN 2006
17. N 53 MPH - 23 JUN 2006
W 53 MPH - 10 MAY 2006
SW 53 MPH - 30 MAR 1993
N 53 MPH - 25 JAN 1987
18. E 52 MPH - 23 JUN 2009
W 52 MPH - 17 MAY 2002
W 52 MPH - 10 NOV 1998
SE 52 MPH - 27 MAY 1995
SW 52 MPH - 29 APR 1989
SE 52 MPH - 19 JUL 1980
19. E 51 MPH - 16 JUN 1987

HIGHEST BAROMETRIC PRESSURE READING: 30.95 INCHES - 23 DEC 1989
LOWEST BAROMETRIC PRESSURE READING: 28.99 INCHES - 09 FEB 1960

PINE BLUFF, ARKANSAS - AVERAGE MONTHLY HIGH TEMPERATURE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1884						86.3	93.6	88.8	89.2	75.3			
1885					79.4	90.1	93.7	92.7					
1886					87.3	86.5	92.5	92.6	89.2	78.1			
1887						90.5	93.5	92.7	88.2	75.6			
1888					79.5	83.5	89.4	94.2	91.1				
1889						80.4	87.0	91.5	88.6	82.7	75.2	58.7	
1890						82.5	90.8	94.1	91.0	82.1	73.4	67.2	58.5
1891	49.4	60.1	61.8	76.8	81.4	92.1	90.2	88.8	86.0	75.7	64.5	58.5	73.8
1892	47.6	63.5	63.0	73.1	81.6	90.1	90.5	89.1	84.3	78.0	63.5	54.1	73.2
1893	55.1	59.5	64.7	78.0	82.3	88.5	94.5	92.0	86.4	77.5	63.9		
1894					82.4	83.5	91.2	92.3	90.3	85.9	79.6	67.9	
1895	52.6		66.3	77.5	81.7	88.9	90.5	92.9	92.0	73.6	67.1	61.7	
1896	52.7	60.4	65.2	83.5	89.1	92.3	98.9	97.8	88.8	75.7	67.6	64.0	78.00
1897	51.8	60.1	69.8	75.5	83.9	94.4	98.5	96.3	94.0	86.4	67.2	53.3	77.60
1898	58.0	60.9	70.5	73.3	87.4	92.5	93.7	94.2	89.0	73.6	61.4	53.1	75.63
1899	54.1	47.1	66.0	72.8	84.3	91.7	92.7	97.0	89.4	80.7	69.0	52.0	74.73
1900	55.9	53.7	60.7	72.1	84.8	88.5	92.9	94.4	92.4	78.9	64.7	57.8	74.73
1901	58.9	54.1	66.6	70.9	83.2	94.8	101.2	96.2	88.3	79.5	63.0	49.5	75.52
1902	50.1	44.2	66.4	74.8	87.1	93.5	93.8	96.3	83.2	77.0	67.6	50.5	73.71
1903	48.2	52.5	66.8	76.4	81.2	84.2	92.9	92.5	85.0	77.6	61.0	52.0	72.53
1904	51.7	58.0	70.4	69.4	81.7	89.3	93.1	92.2	88.9	76.7	63.0	53.7	74.01
1905	44.0	42.9	71.3	73.6	82.3	89.6	88.1	91.1	87.1	73.4	65.2	48.0	71.38
1906	55.5	54.5	57.7	76.8	81.8	90.6	88.5	92.1	88.4	69.0	61.7	58.6	72.93
1907	63.7	58.4	75.1	66.5	76.1	87.5	94.8	95.1	88.4	77.0	62.3	60.9	75.48
1908	54.4	57.0	72.0	77.3	82.0	89.4	93.6	92.0	88.1	76.8	72.0	62.2	76.40
1909	55.8	63.0	65.9	74.3	79.2	89.8	96.3	96.6	90.1	82.0	74.3	50.5	76.48
1910	58.6	54.5	75.7	73.7	78.5	87.4	90.6	91.2	91.0	80.8	65.6	53.3	75.08
1911	60.8	62.7	70.6	71.5	85.1	94.7	89.1	88.7	91.6	75.3	60.8	53.1	75.33
1912	49.1	50.2	57.1	73.6	81.3	83.3	92.7	91.3	89.2	78.7	65.2	52.9	72.05
1913	58.6	52.4	63.9	74.2	81.4	91.7	93.0	94.8	83.3	71.8	69.5	54.0	74.05
1914	60.7	51.8	62.5	73.0	82.5	95.9	95.1	88.8	86.7	75.5	65.8	44.6	73.58
1915	50.2	56.6	53.6	78.0	82.2	88.6	92.4	86.4	88.5	78.9	66.9	57.4	73.31
1916	57.0	55.4	67.9	73.5	85.0	88.0	94.3	93.6	84.8	78.4	67.1	54.7	74.98
1917	56.0	59.4	65.8	73.6	77.0	88.6	92.5	89.7	85.9	73.7	65.5	45.8	72.79
1918	43.2	65.0	80.9	75.4	89.8	97.2	99.3	98.1	85.3	77.5	63.1	61.4	78.02
1919	55.3	61.0	69.3	78.6	81.9	91.5	97.1	95.5	89.9	76.2	61.9	50.6	75.73
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1920	48.4	55.6	64.9	73.9	83.7	87.8	92.9	89.8	88.2	79.3	60.8	54.9	73.35
1921	58.4	63.4	74.1	74.9	84.3	92.9	96.1	97.5	94.7	77.5	68.8	60.7	78.61
1922	49.2	61.2	64.3	77.8	82.2	91.6	93.2	94.3	92.9	80.4	68.7	62.2	76.50
1923	63.3	54.0	66.7	76.0	81.9	89.4	91.7	94.6	85.9	75.3	65.9	63.1	75.65
1924	50.5	56.9	62.1	77.5	82.3	93.5	96.7	99.5	85.5	84.1	68.6	55.8	76.08
1925	54.6	64.9	72.4	80.3	85.4	98.8	93.9	97.6	97.9	72.0	64.1	55.1	78.08
1926	53.9	63.6	62.0	74.5	85.0	92.6	95.7	95.5	92.6	80.4	61.4	56.8	76.17
1927	55.9	65.4	66.7	79.5	85.3	88.7	94.8	91.2	93.3	87.5	72.1	56.7	78.09
1928	58.1	59.0	68.4	72.6	85.9	87.1	94.7	97.6	91.6	84.4	66.0	59.1	77.04
1929	55.0	50.9	72.9	78.8	82.8	93.1	98.3	94.4	87.4	77.3	58.5	59.0	75.70
1930	47.3	66.5	66.4	79.9	80.1	88.8	98.5	96.2	88.7	73.2	62.7	53.4	75.14
1931	56.4	61.7	61.1	74.2	77.1	89.5	89.4	86.3	91.4	81.5	70.1	60.4	74.93
1932	59.9	66.5	62.7	78.5	80.7	88.8	92.9	97.9	88.5	78.0	62.7	51.2	75.69
1933	63.4	55.9	68.7	75.0	83.5	90.9	90.1	90.4	92.3	78.8	67.2	63.2	76.62
1934	56.9	55.4	64.9	76.4	82.3	91.7	96.5	98.5	87.3	83.5	69.0	54.6	76.42
1935	57.6	59.1	73.8	71.7	78.3	85.2	93.2	95.4	87.4	79.6	62.9	49.6	74.48
1936	51.7	50.1	72.3	75.6	83.1	94.3	91.2	96.5	93.2	75.9	62.9	57.5	75.36
1937	53.1	56.8	62.5	75.7	83.5	89.1	90.2	93.7	86.3	74.0	60.9	53.7	73.29
1938	55.3	62.8	74.4	74.4	80.6	85.9	93.9	95.8	90.7	85.0	67.7	57.3	76.98
1939	59.0	57.6	70.6	71.7	80.7	88.4	91.8	93.2	95.4	81.3	61.9	58.9	75.88
1940	41.8	54.3	67.9	73.1	78.9	85.2	86.8	89.0	85.9	82.1	62.4	58.8	72.18
1941	56.3	53.3	60.9	75.8	82.3	87.2	90.2	92.2	89.9	81.7	64.7	56.2	74.23
1942	53.2	54.7	69.7	76.8	81.8	90.6	96.7	93.0	86.6	80.2	69.2	55.4	75.66
1943	57.3	65.0	61.5	78.4	84.7	94.9	99.5	103.5	86.2	76.8	65.4	53.8	77.25
1944	54.6	60.9	66.5	74.1	83.9	93.7	98.5	94.7	89.7	82.0	65.4	49.6	76.13
1945	53.9	57.0	73.1	77.5	80.5	87.6	90.9	91.7	88.0	73.7	67.1	50.6	74.30
1946	52.5	62.9	70.3	79.7	78.5	89.4	94.4	92.7	86.5	79.9	67.9	63.0	76.48
1947	54.4	52.7	58.1	75.1	80.9	89.2	93.2	99.5	92.5	83.5	59.6	56.3	74.58
1948	44.0	50.3	63.6	81.7	82.6	93.6	95.0	90.8	88.6	75.9	64.2	56.6	73.91
1949	54.0	59.5	63.1	72.0	84.9	90.2	92.2	90.3	82.3	74.4	68.1	58.1	74.09
1950	60.0	59.8	62.5	71.5	82.3	88.6	90.0	87.4	79.3	79.5	61.7	50.2	72.73
1951	55.6	56.1	63.8	71.6	83.6	88.0	92.1	95.3	86.0	77.1	57.9	57.5	73.72
1952	58.5	59.7	62.4	70.2	81.9	96.0	96.7	94.3	85.4	71.9	62.1	55.3	74.53
1953	58.0	58.1	69.0	70.9	82.2	96.8	91.4	93.1	91.9	80.8	65.5	52.8	75.88
1954	53.6	65.5	65.2	79.0	77.0	93.9	98.5	100.1	92.4	77.4	65.0	56.1	76.98
1955	53.4	55.4	65.6	77.8	84.1	86.1	92.9	91.6	90.3	76.7	63.5	53.2	74.22
1956	50.5	58.6	64.1	72.3	84.8	88.7	94.3	95.5	87.7	79.5	63.4	62.4	75.15
1957	49.5	59.7	61.0	74.8	82.6	88.7	92.2	90.2	81.6	70.5	61.6	60.1	72.71
1958	51.0	47.9	55.1	71.6	81.7	88.3	91.1	90.2	84.5	73.4	67.1	49.7	70.97
1959	51.5	55.0	65.0	73.1	85.2	87.4	91.6	92.8	86.2	75.1	60.0	57.0	73.33
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1960	49.5	49.3	51.5	77.1	81.9	89.6	93.4	93.9	88.0	76.8	65.9	50.2	72.26
1961	50.3	58.5	67.4	73.1	80.2	87.1	91.7	88.4	85.5	77.5	60.8	52.1	72.72
1962	49.1	62.2	60.1	72.5	89.0	88.4	94.4	94.3	83.9	77.7	61.6	53.4	73.88
1963	47.6	53.5	72.3	76.2	84.1	91.6	90.5	92.0	84.7	86.8	66.0	44.4	74.14
1964	54.8	53.1	66.6	76.5	84.9	92.1	95.2	91.5	85.7	73.9	67.8	55.1	74.77
1965	55.9	55.5	55.2	80.7	84.7	89.1	94.2	92.2	85.0	75.5	68.0	59.0	74.58
1966	44.6	52.2	68.0	73.4	81.0	90.8	95.7	86.3	82.1	71.8	66.0	52.6	72.04
1967	53.7	52.9	71.3	78.0	80.1	88.3	87.4	86.5	79.7	75.5	62.4	54.3	72.51
1968	47.2	49.2	62.7	73.9	79.7	89.4	90.2	90.5	81.9	74.5	60.9	51.5	70.97
1969	52.3	52.8	56.6	74.4	83.2	89.1	95.4	89.8	82.9	74.1	62.4	51.3	72.03
1970	47.5	54.6	58.0	76.3	83.6	89.4	90.4	90.9	89.1	73.1	61.4	57.9	72.68
1971	52.9	55.8	61.2	74.7	79.3	93.1	90.9	88.0	86.9	81.8	62.5	59.3	73.87
1972	53.5	58.6	66.1	76.4	83.6	91.0	91.1	92.4	87.1	74.2	54.9	50.1	73.25
1973	49.0	52.7	68.5	69.9	80.5	90.0	91.9	90.7	84.3	78.5	66.8	53.5	73.03
1974	51.5	58.7	74.8	77.5	85.2	86.1	94.0	90.3	78.4	78.2	64.5	57.4	74.72
1975	58.7	60.3	63.0	75.0	84.0	89.4	93.1	91.3	83.0	79.4	66.8	57.3	75.11
1976	56.0	69.6	69.3	77.0	75.8	85.1	91.5	91.2	83.6	70.5	56.8	54.8	73.43
1977	40.2	59.1	69.5	77.6	86.5	92.4	93.8	92.4	88.8	76.6	63.5	53.5	74.49
1978	41.4	42.7	61.3	78.9	81.6	90.0	97.2	93.6	86.1	77.2	67.5	56.3	72.82
1979	38.7	46.8	65.3	73.7	79.0	86.5	90.6	88.8	82.5	78.4	62.6	56.0	70.74
1980	50.4	50.9	59.6	73.3	80.2	91.0	99.9	98.3	89.7	74.8	61.9	54.0	73.67
1981	51.5	56.5	64.1	80.4	78.8	89.5	92.5	89.4	83.9	72.2	66.7	53.5	73.25
1982	49.1	50.1	67.2	69.8	83.5	86.4	92.5	90.5	84.6	75.7	63.8	57.5	72.56
1983	46.7	54.6	63.0	65.9	78.6	86.7	93.5	96.6	88.0	76.2	64.6	40.8	71.27
1984	45.9	60.8	62.2	72.2	81.3	90.3	91.3	88.7	83.6	75.2	63.0	62.6	73.09
1985	44.9	48.7	68.4	77.2	83.0	90.4	92.0	92.1	86.2	77.0	66.9	51.6	73.20
1986	56.7	60.9	69.5	76.5	83.5	89.7	96.2	89.6	87.4	72.7	58.0	49.9	74.22
1987	50.1	55.8	66.5	78.3	87.1	89.7	91.8	94.7	86.5	74.4	63.5	55.0	74.45
1988	44.8	56.4	65.4	76.1	84.1	92.0	91.0	93.0	86.0	71.4	65.4	56.4	73.50
1989	57.3	47.6	63.9	75.0	80.4	85.4	88.4	91.0	80.6	76.0	66.7	46.6	71.58
1990	58.4	62.2	64.3	73.1	78.1	92.1	92.2	92.9	88.5	74.2	69.3	56.0	75.11
1991	47.6	59.8	67.8	75.0	83.0	90.2	93.0	90.2	85.4	77.2	59.3	55.3	73.65
1992	52.7	61.6	65.8	74.5	80.6	86.7	91.1	86.2	83.4	77.8	59.9	52.8	72.76
1993	49.3	54.2	62.1	69.0	79.9	89.1	97.0	93.0	85.3	71.9	59.2	55.8	72.15
1994	47.8	57.0	66.2	78.5	79.7	91.7	89.8	89.2	84.6	73.7	65.9	54.0	73.18
1995	52.5	57.6	65.5	74.5	81.2	88.5	93.1	96.4	84.2	78.7	63.0	51.5	73.89
1996	51.5	58.0	60.0	72.9	85.1	89.0	90.1	89.2	83.2	74.7	58.1	56.0	72.32
1997	50.4	56.2	69.0	69.2	79.4	86.4	94.0	89.4	87.6	74.9	58.0	51.2	72.14
1998	54.4	57.6	62.1	73.6	86.8	93.0	96.1	93.1	90.1	77.5	65.0	53.7	75.25
1999	55.9	63.1	60.5	76.8	82.7	88.6	93.3	94.6	86.9	77.1	69.5	56.7	75.48
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
2000	53.0	62.2	67.3	72.2	82.8	87.8	93.4	99.1	86.5	79.2	57.5	41.2	73.52
2001	47.9	56.5	58.8	77.5	82.8	88.0	92.7	89.8	84.1	74.4	69.0	57.4	73.24
2002	57.4	54.8	61.5	76.5	79.4	88.4	91.8	90.4	87.4	70.5	60.3	53.6	72.67
2003	48.7	49.1	63.3	75.5	81.6	84.1	90.8	92.6	83.4	77.8	67.0	55.2	72.43
2004	52.8	51.0	68.6	73.2	81.6	85.1	88.7	87.4	87.6	78.0	63.7	55.1	72.73
2005	54.2	57.7	63.8	73.8	81.7	89.7	90.5	94.1	89.9	76.3	67.2	54.9	74.48
2006	61.5	52.4	66.0	79.5	82.1	89.4	93.1	94.5	84.2	74.7	65.2	57.2	74.98
2007	50.2	54.1	73.5	70.7	83.5	89.9	88.1	97.5	85.7	75.4	64.1	57.1	74.15
2008	47.1	58.2	65.2	72.1	81.7	89.8	94.8	88.2	82.4	73.9	61.3	54.9	72.47
2009	52.0	60.2	65.3	72.7	78.4	90.9	88.1	88.1	82.5	68.4	66.3	48.5	71.78
2010	47.2	47.0	64.3	77.8	85.5	94.5	93.5	95.9	91.4	80.6	66.2		
2011													
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

PINE BLUFF, ARKANSAS - AVERAGE MONTHLY TEMPERATURE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1884						80.3	83.5	76.4	78.3	70.3			
1885					64.2	78.6	82.9	81.7					
1886						74.9	78.7	81.8	82.0	76.9	65.0		
1887							79.3	82.4	81.4	76.7	62.6		
1888					67.9	71.4	78.9	83.5	81.1				
1889						70.2	76.6	82.1	78.6	72.8	62.5	49.6	
1890						71.8	80.8	83.3	80.3	74.1	63.1	56.2	47.9
1891	42.2	49.4	48.8	63.4	69.7	81.2	79.2	78.8	74.2	61.5	52.2	46.6	62.3
1892	37.3	53.3	50.5	63.2	71.2	79.7	81.5	80.3	72.6	66.5	53.4	44.1	62.8
1893	42.5	47.0	51.4	66.4	71.6	78.4	83.9	80.6	75.4	63.4	52.6		
1894					71.6	72.4	78.3	80.2	79.5	75.7	65.0	52.9	
1895	42.9		54.7	65.1	70.4	78.3	80.5	82.1	80.2	58.6	53.9	49.0	
1896	43.0	48.5	53.6	75.7	78.1	79.3	85.6	84.5	75.7	63.1	56.8	49.7	66.1
1897	41.8	49.8	60.8	65.2	70.6	81.7	84.9	82.5	78.3	69.0	54.2	43.3	65.2
1898	48.9	48.9	59.4	61.0	75.4	81.8	82.7	82.7	77.8	62.3	49.7	41.9	64.4
1899	43.2	37.0	54.1	61.7	74.7	79.7	81.1	84.0	73.7	66.5	55.7	42.4	62.8
1900	46.1	42.5	51.5	61.1	71.0	78.6	81.8	82.3	80.3	67.1	53.5	46.3	63.5
1901	48.0	43.8	54.6	58.8	69.8	81.0	85.8	82.6	73.4	63.4	49.5	38.8	62.5
1902	38.4	35.5	53.7	62.3	75.3	79.9	81.5	83.1	70.1	62.7	57.6	41.2	61.8
1903	37.9	41.7	56.7	63.3	70.4	72.0	80.5	80.4	71.2	64.7	47.6	39.3	60.5
1904	39.8	46.4	57.2	57.9	68.6	78.0	80.1	79.7	76.5	62.7	49.7	42.8	61.6
1905	34.8	33.7	58.5	63.2	72.8	79.5	78.4	80.5	75.4	62.0	53.6	38.8	60.9
1906	44.4	42.1	47.6	64.2	70.3	78.7	78.2	78.0	78.0	58.0	50.6	48.4	61.7
1907	52.5	46.2	63.6	56.0	65.2	76.4	82.8	83.2	74.7	62.6	49.1	48.9	63.4
1908	42.8	45.1	60.3	66.2	71.0	78.3	81.3	80.8	75.5	60.0	56.3	49.0	63.9
1909	45.6	48.6	53.4	61.2	67.3	78.2	83.7	84.1	75.4	66.0	60.9	39.1	63.6
1910	46.5	42.2	60.9	61.0	67.8	76.0	80.3	80.7	78.3	69.0	53.8	43.8	63.4
1911	51.6	53.5	58.9	61.9	72.1	82.0	79.3	79.8	80.7	65.0	48.6	45.1	64.9
1912	38.6	40.3	47.7	63.1	70.9	73.7	82.1	79.9	76.0	64.5	50.3	41.4	60.7
1913	46.1	42.2	50.9	61.7	69.8	78.4	82.4	81.8	72.8	61.2	57.9	45.3	62.5
1914	48.5	40.5	50.7	61.9	70.9	83.4	83.6	79.5	75.7	64.1	52.2	38.0	62.4
1915	39.9	46.1	43.6	65.5	70.1	78.2	80.8	77.0	76.9	65.0	54.6	46.1	62.0
1916	46.8	44.1	54.6	61.9	73.5	77.7	83.4	82.4	73.5	62.9	52.4	43.1	63.0
1917	45.2	45.9	53.8	61.6	65.5	77.4	81.5	78.7	73.5	57.7	50.8	36.1	60.6
1918	31.3	49.0	62.8	62.1	75.8	83.3	83.2	84.7	70.3	66.7	51.7	50.1	64.3
1919	43.8	49.1	55.9	64.2	69.1	79.6	83.7	83.3	76.4	67.5	51.2	40.2	63.7
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1920	39.7	46.1	53.4	62.4	73.6	76.9	82.0	79.1	77.7	67.4	49.1	46.6	62.8
1921	48.8	52.3	63.2	63.3	72.4	81.5	84.2	85.3	82.8	63.7	57.3	49.8	67.1
1922	41.3	51.5	54.1	66.6	72.0	82.2	81.8	81.5	78.1	64.5	55.3	51.3	65.0
1923	51.5	44.2	54.1	63.3	70.8	78.8	80.8	82.5	75.0	62.6	52.9	53.2	64.1
1924	39.4	45.5	51.0	64.0	69.1	82.1	83.2	85.7	73.2	68.5	55.8	45.2	63.6
1925	43.6	52.9	58.3	68.8	71.6	85.3	83.3	83.7	84.9	62.6	52.9	43.5	66.0
1926	43.9	52.1	51.1	61.3	72.2	80.0	82.8	84.1	80.7	69.3	50.4	46.8	64.6
1927	46.1	55.3	56.0	69.0	74.4	78.5	82.9	80.4	80.0	71.1	60.5	45.1	66.6
1928	46.0	48.1	56.3	60.7	73.0	77.7	83.6	85.7	76.3	70.6	54.3	46.9	64.9
1929	43.5	40.4	60.4	67.8	71.5	80.2	85.2	82.1	76.2	65.6	49.0	48.3	64.2
1930	38.0	55.4	54.6	67.4	71.0	77.3	86.3	83.9	77.9	62.6	52.9	42.9	64.2
1931	45.3	51.2	50.1	62.2	67.2	79.0	80.8	77.5	80.2	69.4	60.2	51.9	64.6
1932	49.5	54.3	52.0	67.0	70.8	79.8	83.5	85.0	76.8	64.3	50.0	42.3	64.6
1933	52.7	45.8	56.9	64.2	74.1	79.1	81.6	80.9	81.4	66.0	56.2	53.0	66.0
1934	47.4	44.8	52.6	65.6	71.9	81.5	85.5	87.0	75.6	70.6	57.5	44.9	65.4
1935	47.1	48.5	62.7	62.4	69.2	76.5	83.4	84.1	75.4	67.7	53.4	40.7	64.3
1936	41.2	40.2	59.9	62.9	72.5	82.2	82.2	85.1	82.1	64.1	51.7	47.8	64.3
1937	45.4	47.1	51.5	64.3	73.0	80.1	81.5	83.6	75.2	63.3	51.3	45.6	63.5
1938	45.5	53.2	63.3	64.3	71.5	77.0	83.6	84.7	78.3	69.6	54.5	46.9	66.0
1939	48.4	47.3	58.5	61.2	70.9	79.7	82.5	82.6	82.4	68.2	51.6	49.0	65.2
1940	32.1	45.2	55.7	62.5	68.5	76.5	79.2	79.8	73.8	67.9	52.2	49.3	61.9
1941	46.4	43.6	50.5	65.6	72.7	77.8	81.3	82.5	78.8	71.5	52.4	47.4	64.2
1942	41.3	44.2	57.3	65.7	71.0	80.4	84.6	82.4	74.9	66.8	58.0	46.5	64.4
1943	45.3	52.3	50.5	66.4	74.6	84.1	86.7	89.0	75.0	64.5	52.2	44.5	65.4
1944	45.6	52.0	54.7	63.5	73.5	82.7	85.1	83.8	78.1	67.3	56.0	40.8	65.3
1945	44.0	48.0	61.7	66.2	69.5	78.3	81.1	81.7	77.7	63.3	57.0	41.5	64.2
1946	44.0	50.8	60.1	68.0	69.3	79.0	83.8	81.8	75.3	66.4	57.3	52.3	65.7
1947	46.6	41.0	47.7	64.7	70.4	79.3	81.1	86.9	78.6	70.8	50.2	44.6	63.5
1948	34.5	42.3	53.2	69.2	71.7	81.6	83.7	80.4	75.8	60.9	52.9	46.9	62.8
1949	46.0	49.3	52.7	61.9	73.4	79.6	82.2	79.2	70.4	64.9	54.2	47.0	63.4
1950	51.4	49.5	51.4	60.5	72.1	77.9	79.4	77.1	71.2	66.9	49.2	39.6	62.2
1951	44.5	46.4	53.6	60.1	70.6	78.0	82.1	82.9	73.9	63.6	46.7	47.3	62.5
1952	49.5	50.2	51.4	59.4	70.3	83.4	83.6	82.1	72.2	55.1	50.3	45.1	62.7
1953	47.5	47.1	58.2	59.4	72.1	84.4	81.0	80.3	74.9	65.1	51.0	42.1	63.6
1954	43.4	52.2	53.3	67.3	66.5	81.2	85.5	86.0	77.3	65.0	51.6	44.4	64.5
1955	43.5	45.6	54.8	66.6	73.0	74.5	82.5	80.4	76.6	62.7	51.1	43.6	62.9
1956	40.9	49.3	52.7	60.7	74.2	77.5	82.1	82.2	72.6	65.6	50.8	50.8	63.3
1957	41.2	51.6	51.4	64.0	72.5	79.0	81.0	79.5	71.7	60.1	52.4	49.7	62.8
1958	40.9	39.3	47.3	61.5	71.4	77.7	81.5	79.9	74.5	61.9	54.0	39.5	60.8
1959	40.8	45.8	52.3	61.5	74.6	76.8	79.9	81.1	74.9	63.5	47.3	46.6	62.1
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1960	41.5	40.7	42.3	64.9	69.8	78.7	82.2	82.4	76.4	65.5	53.0	40.3	61.5
1961	39.3	49.1	57.4	61.0	69.2	76.3	80.3	78.1	74.1	63.5	51.2	43.8	61.9
1962	38.6	51.4	50.2	61.1	76.6	78.2	83.4	82.4	74.1	67.4	52.0	43.6	63.3
1963	36.7	41.4	59.5	66.2	73.4	80.8	80.9	81.2	74.4	70.6	54.6	35.2	62.9
1964	43.1	43.2	54.3	66.5	73.9	80.8	83.6	81.1	74.7	60.9	55.8	45.7	63.6
1965	45.5	44.9	46.3	68.7	74.7	78.8	83.3	80.9	75.3	63.0	58.5	48.7	64.1
1966	37.1	44.2	55.4	63.3	70.2	78.6	84.8	77.6	72.2	60.2	55.9	44.6	62.0
1967	44.3	43.0	59.8	68.1	69.6	79.2	78.3	76.6	70.5	63.2	51.0	45.6	62.4
1968	40.2	39.5	52.5	64.0	70.1	79.6	80.5	80.9	70.7	62.8	51.8	42.7	61.3
1969	43.5	44.6	47.2	63.9	72.2	78.6	84.4	79.2	73.0	63.5	51.3	42.5	62.0
1970	37.9	44.5	49.7	66.0	72.6	78.7	79.8	81.3	78.3	62.4	50.6	48.0	62.5
1971	43.1	45.4	49.9	61.8	68.3	81.5	81.0	78.8	76.7	69.6	52.0	51.0	63.3
1972	44.5	46.8	55.1	64.9	72.1	79.6	80.2	81.4	77.3	63.7	47.7	42.3	63.0
1973	41.6	43.7	59.2	60.9	69.7	79.5	82.3	79.9	75.8	67.7	57.5	44.0	63.5
1974	44.8	47.8	63.2	65.4	74.7	75.7	82.9	79.7	69.5	64.9	54.3	46.7	64.1
1975	48.4	48.8	52.6	63.4	73.9	78.9	82.2	81.2	71.7	66.4	54.9	46.2	64.1
1976	44.5	57.4	59.4	65.2	65.0	74.9	80.3	78.1	71.9	57.1	45.0	41.9	61.7
1977	30.3	46.2	56.4	64.9	74.8	80.8	83.1	81.6	77.8	62.8	53.0	42.4	62.8
1978	32.7	33.8	49.7	66.4	71.0	79.0	85.0	81.6	76.0	62.4	56.1	44.1	61.5
1979	29.7	37.7	53.9	62.6	68.6	76.6	80.9	78.8	71.2	64.1	49.6	44.1	59.8
1980	41.3	39.5	47.8	60.5	69.7	79.6	86.4	85.3	77.9	62.0	51.2	43.7	62.1
1981	40.1	45.5	52.7	68.7	67.4	79.9	82.3	79.0	71.4	61.8	54.2	42.4	62.1
1982	37.3	41.2	56.9	58.8	72.5	75.7	81.5	80.3	72.0	62.2	52.5	48.0	61.6
1983	38.4	45.0	52.1	55.6	68.0	76.0	82.3	83.7	73.6	62.4	51.1	30.8	59.9
1984	33.9	46.0	50.1	58.7	68.3	80.0	80.9	78.9	72.0	66.1	51.2	53.4	61.6
1985	35.0	39.9	57.6	65.8	72.6	80.1	81.3	81.9	74.1	67.3	57.4	41.5	62.9
1986	45.4	52.0	56.2	64.7	72.4	79.7	85.9	79.7	78.3	64.0	52.2	44.1	64.6
1987	40.8	47.5	55.9	64.7	76.4	80.2	82.2	84.7	75.6	61.7	54.7	47.6	64.3
1988	36.1	46.1	55.2	64.9	72.0	79.9	81.8	83.0	76.3	61.0	54.9	46.6	63.2
1989	48.1	40.4	54.2	63.9	71.4	77.2	80.0	81.0	72.0	64.3	56.2	36.8	62.1
1990	49.5	52.7	56.3	63.1	69.7	82.0	82.3	82.3	78.0	62.3	58.0	45.8	65.2
1991	41.0	49.4	57.3	66.5	75.0	81.0	83.0	80.2	74.7	65.3	50.0	48.1	64.3
1992	43.9	51.6	56.1	63.6	70.4	77.5	81.9	76.6	73.1	65.0	50.7	45.5	63.0
1993	41.6	44.3	52.6	59.4	70.3	80.0	86.1	83.4	73.5	61.3	49.2	45.8	62.3
1994	40.0	46.9	54.6	66.6	70.1	81.9	80.6	78.7	73.4	64.4	56.9	46.7	63.4
1995	44.3	47.2	56.3	63.7	72.1	78.3	83.4	85.9	73.3	65.2	51.4	44.1	63.8
1996	41.1	47.7	49.9	61.5	76.0	79.5	81.6	79.9	73.1	64.2	50.4	47.7	62.7
1997	42.3	48.4	58.3	59.4	69.4	77.6	84.3	79.9	76.4	63.9	50.0	43.6	62.8
1998	47.2	49.5	53.2	62.8	76.7	83.2	86.4	83.1	79.9	66.6	56.1	46.3	65.9
1999	46.3	52.5	51.9	67.1	72.1	79.5	84.0	86.5	75.2	64.4	56.9	47.0	65.3
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
2000	44.1	51.4	57.6	62.1	73.6	78.7	83.0	84.7	74.2	65.6	49.4	33.7	63.2
2001	39.5	47.6	50.0	67.6	72.4	77.9	83.0	80.4	72.5	60.9	56.5	48.0	63.0
2002	46.6	44.3	51.1	66.1	69.5	78.7	82.4	80.7	76.8	62.9	49.7	45.0	62.8
2003	39.2	41.5	52.8	63.8	72.3	75.7	81.2	82.2	72.2	64.9	56.6	44.4	62.2
2004	43.9	42.9	58.8	62.7	72.6	77.6	79.7	76.6	75.0	69.0	55.9	44.6	63.3
2005	46.7	49.3	53.4	63.0	70.3	79.6	81.3	83.1	77.8	63.6	55.7	44.3	64.0
2006	50.2	42.9	55.6	68.4	72.0	78.3	82.2	83.5	71.9	62.8	53.2	47.5	64.0
2007	42.5	43.9	61.8	59.7	72.9	79.7	79.4	85.0	75.8	65.1	54.1	47.2	63.9
2008	38.6	47.4	54.3	61.5	71.3	79.8	82.8	79.0	72.9	61.7	50.5	44.8	62.1
2009	41.8	49.6	55.5	62.4	70.2	80.9	78.7	78.4	74.2	59.9	55.2	41.0	62.3
2010	38.9	39.1	53.2	66.2	74.5	84.2	83.9	85.1	77.7	64.8	54.3		
2011													
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

PINE BLUFF, ARKANSAS - AVERAGE MONTHLY LOW TEMPERATURE

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1884						75.3	74.0	67.3	67.3	59.9			
1885					53.9	68.3	72.1	70.5					
1886					62.5	68.3	71.1	71.2	64.5	51.9			
1887						66.9	71.4	70.0	65.3	49.6			
1888					56.2	59.4	68.3	72.8	70.8				
1889						60.0	66.3	72.8	68.6	62.9	49.9	40.6	
1890						61.2	70.9	72.6	69.6	66.0	52.7	45.3	37.2
1891	35.0	38.6	35.7	50.0	58.0	70.2	68.3	68.8	62.3	47.2	39.8	34.8	50.73
1892	27.0	43.0	38.1	53.4	60.9	69.2	72.5	71.6	61.0	55.0	43.2	34.2	52.43
1893	29.8	34.6	38.2	54.9	61.0	68.3	73.2	69.1	64.4	49.3	41.2		
1894					60.7	61.3	65.3	68.1	68.7	65.4	50.3	38.0	
1895	33.2		43.0	52.7	59.0	67.7	70.6	71.4	68.3	43.6	40.6	36.4	
1896	33.3	36.7	42.0	64.7	67.1	66.4	72.2	71.2	62.6	50.5	46.0	36.2	54.08
1897	31.8	39.5	51.7	54.8	57.4	69.0	71.4	68.6	63.1	51.7	41.1	33.3	52.78
1898	39.7	36.9	48.4	48.8	63.4	71.2	71.6	71.2	66.6	51.1	38.0	30.7	53.13
1899	32.3	26.9	42.2	50.5	65.1	67.7	69.5	71.1	58.1	52.2	42.4	32.7	50.89
1900	36.4	31.3	42.4	50.1	57.1	68.7	70.7	70.2	68.2	55.4	42.4	34.7	52.30
1901	37.2	33.6	42.5	46.6	56.4	67.2	70.4	69.0	58.6	47.2	36.0	28.0	49.39
1902	26.6	26.8	40.9	49.7	63.5	66.3	69.5	70.0	57.2	48.4	47.5	32.0	49.87
1903	30.4	30.9	46.5	50.3	59.6	59.8	68.1	68.3	57.4	51.8	34.3	26.5	48.66
1904	28.0	34.8	44.1	46.3	55.6	66.7	67.1	67.2	64.0	48.6	36.3	32.1	49.23
1905	25.1	24.4	45.8	52.8	63.3	69.4	68.7	69.9	63.7	50.5	42.1	29.6	50.44
1906	33.2	29.8	37.4	51.5	58.8	66.8	67.8	68.6	67.5	47.1	39.6	38.1	50.52
1907	41.4	34.0	52.0	45.5	54.3	65.4	70.8	71.3	61.0	48.2	35.9	36.9	51.39
1908	31.1	33.2	48.5	55.1	60.1	67.2	69.0	69.5	62.9	43.3	40.5	35.7	51.34
1909	35.4	34.1	40.9	48.2	55.5	66.6	71.1	71.5	60.7	50.1	47.5	27.7	50.78
1910	34.5	30.4	46.0	48.2	57.1	64.6	70.0	70.2	65.6	57.2	42.0	34.7	51.71
1911	42.4	44.3	47.2	52.2	59.2	69.3	69.6	70.8	69.9	54.8	36.6	37.0	54.44
1912	28.1	30.5	38.8	52.5	60.6	64.1	71.5	68.5	62.7	50.4	35.4	30.0	49.43
1913	33.6	32.0	37.9	49.2	58.3	65.2	71.9	68.9	62.3	50.6	46.3	36.5	51.06
1914	36.2	29.2	38.8	50.8	59.2	71.0	72.2	70.2	64.8	52.7	38.6	31.4	51.26
1915	29.7	35.7	33.7	53.0	58.0	67.7	69.3	67.7	65.2	51.1	42.3	34.8	50.68
1916	37.7	32.8	41.4	50.3	62.0	67.3	72.6	71.1	62.2	47.4	37.7	31.5	51.17
1917	34.5	32.3	41.9	49.5	53.9	66.2	70.5	67.8	61.0	41.7	36.6	26.8	48.56
1918	19.5	33.6	44.7	49.3	61.8	69.4	67.1	71.3	55.3	55.9	40.1	38.8	50.57
1919	32.3	37.1	42.5	49.7	56.3	67.6	70.3	71.2	62.8	58.9	40.4	29.7	51.57
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1920	31.0	37.0	41.9	50.8	63.4	66.0	71.1	68.3	67.1	55.4	37.3	38.2	52.29
1921	39.3	41.1	52.4	51.7	60.5	70.1	72.3	73.0	70.8	49.9	45.7	38.8	55.47
1922	33.5	41.8	43.9	55.3	61.7	72.7	70.4	68.7	63.3	48.5	41.9	40.5	53.52
1923	39.6	34.3	41.4	50.6	59.7	68.2	70.0	70.3	64.0	49.9	39.9	43.4	52.61
1924	28.2	34.0	39.8	50.6	55.8	70.6	69.7	71.9	60.9	52.9	43.0	34.5	50.99
1925	32.7	40.9	44.2	57.2	57.8	71.7	72.7	69.8	71.8	53.3	41.6	31.9	53.80
1926	33.8	40.6	40.3	48.2	59.4	67.4	69.9	72.7	68.9	58.2	39.4	36.7	52.96
1927	36.2	45.2	45.4	58.4	63.5	68.3	70.9	69.7	66.7	54.8	48.8	33.6	55.13
1928	33.8	37.3	44.1	48.8	60.1	68.2	72.5	73.9	61.0	56.8	42.6	34.7	52.82
1929	32.1	30.0	47.8	56.7	60.3	67.2	72.2	69.9	65.0	54.0	39.6	37.6	52.70
1930	28.8	44.2	42.7	54.9	61.9	65.9	74.1	71.6	67.1	52.1	43.1	32.4	53.23
1931	34.1	40.6	39.0	50.1	57.3	68.5	72.2	68.8	69.0	57.3	50.3	43.5	54.23
1932	39.1	43.4	41.0	55.6	61.0	70.8	74.0	72.1	65.0	50.7	37.3	33.4	53.62
1933	42.0	35.6	45.1	53.3	64.7	67.3	73.2	71.5	70.4	53.2	45.1	42.8	55.35
1934	37.9	34.3	40.3	54.8	61.5	71.3	74.6	75.5	63.9	57.6	46.0	35.1	54.40
1935	36.6	38.0	51.5	53.0	60.1	67.9	73.6	72.8	63.4	55.8	43.9	31.8	54.03
1936	30.6	30.3	47.5	50.2	61.9	70.0	73.2	73.7	70.9	52.3	40.6	38.2	53.28
1937	37.7	37.3	40.4	52.9	62.5	71.2	72.7	73.6	64.2	52.6	41.6	37.5	53.68
1938	35.6	43.6	52.3	54.2	62.4	68.0	73.2	73.6	65.9	54.1	41.2	36.5	55.05
1939	37.9	37.0	46.3	50.7	61.2	70.9	73.3	71.9	69.4	55.1	41.2	39.0	54.49
1940	22.5	36.1	43.5	52.0	58.2	67.8	71.6	70.5	61.6	53.7	41.9	39.8	51.60
1941	36.5	34.0	40.1	55.3	63.1	68.4	72.5	72.8	67.7	61.4	40.1	38.6	54.21
1942	29.5	33.8	44.8	54.6	60.2	70.2	72.5	71.9	63.2	53.5	46.8	37.6	53.22
1943	33.3	39.5	39.4	54.4	64.4	73.3	73.9	74.6	63.8	52.2	38.9	35.2	53.58
1944	36.6	43.0	42.9	52.9	63.1	71.7	71.7	72.8	66.4	52.6	46.7	32.0	54.37
1945	34.0	39.0	50.4	54.8	58.5	69.0	71.2	71.6	67.4	52.8	46.9	32.4	54.00
1946	35.6	38.8	49.9	56.2	60.1	68.6	73.3	70.8	64.2	52.9	46.6	41.6	54.88
1947	38.8	29.4	37.3	54.2	59.8	69.3	69.1	74.2	64.6	58.1	40.7	32.9	52.37
1948	25.1	34.2	42.9	56.6	60.7	69.6	72.5	70.2	63.0	45.8	41.6	37.2	51.62
1949	38.0	39.0	42.4	51.8	61.9	68.9	72.3	68.2	58.5	55.4	40.4	36.0	52.73
1950	42.9	39.1	40.4	49.5	61.9	67.1	68.9	66.9	63.2	54.3	36.7	29.1	51.67
1951	33.4	36.7	43.4	48.5	57.6	67.9	72.1	70.4	61.9	50.1	35.5	37.1	51.22
1952	40.5	40.7	40.4	48.6	58.6	70.7	70.5	69.9	59.0	38.4	38.5	34.9	50.89
1953	37.1	36.2	47.4	47.9	62.1	72.0	70.6	67.5	57.9	49.5	36.4	31.4	51.33
1954	33.3	38.9	41.5	55.7	56.0	68.4	72.6	71.8	62.2	52.5	38.1	32.6	51.97
1955	33.5	35.8	44.0	55.4	61.9	62.9	72.1	69.2	62.9	48.7	38.7	34.0	51.59
1956	31.4	40.1	41.2	49.0	63.6	66.3	69.8	68.9	57.4	51.7	38.1	39.2	51.39
1957	32.8	43.4	41.9	53.1	62.3	69.3	69.9	68.9	61.8	49.6	43.2	39.2	52.95
1958	30.8	30.7	39.5	51.3	61.0	67.1	71.9	69.6	64.4	50.5	41.0	29.2	50.58
1959	30.2	36.5	39.6	49.9	64.1	66.3	68.2	69.4	63.5	51.9	34.5	36.2	50.86
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1960	33.6	32.0	33.2	52.7	57.6	67.8	70.9	70.8	64.7	54.2	40.0	30.3	50.65
1961	28.3	39.8	47.4	48.9	58.3	65.5	68.8	67.9	62.7	49.5	41.6	35.6	51.19
1962	28.1	40.7	40.3	49.7	64.2	67.9	72.5	70.5	64.2	57.0	42.4	33.7	52.60
1963	25.9	29.3	46.8	56.2	62.7	69.9	71.3	70.4	64.1	54.3	43.1	26.0	51.67
1964	31.4	33.2	42.0	56.5	62.8	69.5	72.0	70.6	63.6	47.8	43.8	36.3	52.46
1965	35.1	34.3	37.4	56.6	64.6	68.4	72.4	69.6	65.7	50.5	49.1	38.5	53.52
1966	29.5	36.1	42.8	53.2	59.4	66.4	73.9	68.9	62.2	48.6	45.8	36.7	51.96
1967	34.9	33.0	48.4	58.3	59.1	70.1	69.2	66.6	61.3	50.8	39.5	36.9	52.34
1968	33.3	29.8	42.4	54.1	60.5	69.8	70.9	71.3	59.5	51.1	42.7	33.9	51.61
1969	34.8	36.4	37.8	53.4	61.1	68.0	73.4	68.5	63.0	52.8	40.2	33.7	51.93
1970	28.4	34.3	41.5	55.7	61.6	68.0	69.2	71.8	67.5	51.7	39.8	38.2	52.31
1971	33.3	35.0	38.6	48.9	57.2	69.9	71.1	69.6	66.6	57.3	41.4	42.7	52.63
1972	35.6	35.1	44.0	53.3	60.5	68.3	69.2	70.4	67.5	53.3	40.5	34.5	52.68
1973	34.3	34.7	49.9	51.8	58.9	69.0	72.7	69.0	67.4	56.9	48.2	34.5	53.94
1974	38.1	37.0	51.5	53.3	64.2	65.3	71.7	69.2	60.5	51.5	44.2	37.0	53.63
1975	38.0	37.3	42.2	51.8	63.7	68.4	71.3	71.2	60.5	53.4	42.9	35.0	52.98
1976	33.0	45.2	49.5	53.3	54.3	64.7	69.1	65.0	60.2	43.6	33.1	28.9	49.99
1977	20.4	33.3	43.4	52.2	63.1	69.1	72.4	70.7	66.8	48.9	42.5	31.4	51.18
1978	24.0	25.0	38.1	54.0	60.3	68.0	72.7	69.6	65.8	47.6	44.8	32.0	50.16
1979	20.8	28.6	42.6	51.5	58.3	66.7	71.2	68.7	59.9	49.9	36.6	32.2	48.92
1980	32.2	28.2	36.0	47.6	59.2	68.1	72.9	72.3	66.1	49.2	40.4	33.5	50.48
1981	28.6	34.5	41.3	56.9	55.9	70.2	72.2	68.6	58.9	51.3	41.7	31.3	50.95
1982	26.0	32.4	46.6	47.7	61.5	65.0	70.5	70.1	59.4	48.6	41.3	38.5	50.63
1983	30.1	35.4	41.1	45.3	57.4	65.2	71.0	70.7	59.2	48.5	37.7	20.9	48.54
1984	22.0	31.3	38.0	45.2	55.3	69.2	70.5	69.0	60.5	57.0	39.5	44.1	50.13
1985	25.2	31.1	46.9	54.4	62.2	69.9	70.6	71.8	61.9	57.6	47.8	31.3	52.56
1986	34.1	42.8	42.9	52.8	61.3	69.8	75.6	69.7	69.2	55.2	46.3	38.3	54.83
1987	31.6	39.3	45.4	51.2	65.7	70.8	72.7	74.7	64.6	49.1	45.9	40.1	54.26
1988	27.5	35.8	45.1	53.6	59.9	67.9	72.6	72.9	66.5	50.6	44.3	36.8	52.79
1989	38.9	33.3	44.5	52.7	62.5	69.0	71.7	71.0	63.4	52.6	45.6	27.0	52.68
1990	40.6	43.2	48.2	53.0	61.3	71.9	72.4	71.6	67.4	50.3	46.6	35.6	55.18
1991	34.5	39.1	46.8	58.0	67.1	71.7	73.0	70.2	63.9	53.5	40.7	40.8	54.94
1992	35.2	41.7	46.4	52.7	60.3	68.3	72.7	67.0	62.8	52.1	41.5	38.2	53.24
1993	33.9	34.5	43.2	49.8	60.7	70.8	75.1	73.8	61.7	50.7	39.2	35.8	52.43
1994	32.1	36.9	43.0	54.7	60.5	72.2	71.4	68.3	62.1	55.2	47.8	39.4	53.63
1995	36.0	36.8	47.1	53.0	63.0	68.1	73.7	75.4	62.4	51.8	39.7	36.7	53.64
1996	30.7	37.5	39.8	50.1	66.8	70.0	73.1	70.7	63.1	53.7	42.7	39.3	53.13
1997	34.2	40.7	47.7	49.6	59.5	68.7	74.6	70.3	65.1	53.0	42.0	36.0	53.45
1998	40.0	41.4	44.4	52.1	66.6	73.4	76.6	73.2	69.6	55.7	47.1	38.8	56.58
1999	36.7	41.9	43.2	57.3	61.5	70.5	74.8	71.5	61.9	51.6	44.2	37.3	54.37
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
2000	35.2	40.6	47.9	52.1	64.5	69.6	72.6	73.8	63.9	52.1	41.3	26.2	53.32
2001	31.0	38.8	41.2	57.6	61.9	67.8	73.3	71.1	60.9	47.4	44.1	38.5	52.80
2002	35.9	33.9	40.6	55.7	59.7	69.0	72.9	70.9	66.1	55.3	39.1	36.5	52.97
2003	29.6	33.9	42.2	52.0	62.9	67.4	71.6	71.8	61.0	51.9	46.2	33.6	52.01
2004	35.1	34.8	49.1	52.3	63.6	70.1	70.8	65.8	62.4	60.0	48.1	34.1	53.85
2005	39.2	40.8	42.9	52.2	58.9	69.4	72.1	72.2	65.8	51.0	44.1	33.8	53.53
2006	38.9	33.5	45.2	57.3	61.9	67.3	71.3	72.6	59.6	50.9	41.1	37.8	53.12
2007	34.7	33.7	50.0	48.6	62.4	69.4	70.6	72.6	65.9	54.9	44.1	37.4	53.69
2008	29.9	36.6	43.5	50.8	60.9	69.7	70.7	69.9	63.3	49.5	39.7	34.7	51.60
2009	31.5	39.1	45.7	52.2	62.0	70.9	69.3	68.7	65.8	51.5	44.1	33.4	52.85
2010	30.5	31.3	42.0	54.6	63.6	73.8	74.3	74.3	63.9	49.0	42.3		
2011													
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

PINE BLUFF, ARKANSAS - MONTHLY RAINFALL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1884					8.13	3.91	2.04	0.78	2.87	1.14			
1885					3.15	2.45	2.46	0.41					
1886					0.33	3.70		0.00	9.66	0.53			
1887						0.55	5.85	3.71	1.06	2.30			
1888					4.64	5.10	5.75	5.31	5.62				
1889						4.99	6.27	2.06	0.21	0.55	6.95		
1890					5.73	5.55	0.66	0.78	4.38	1.48	4.51	3.88	
1891	1.88	1.94	6.87	1.67	3.88	2.09	9.92	0.25	0.28	2.54	5.12	4.86	41.30
1892	2.98	5.32	3.56	6.45	12.14	4.57	3.63	4.23	3.67	2.88	9.83	13.35	72.61
1893	1.10	4.15	2.67	7.59	6.19	6.60	0.03	3.26	2.36	0.20	5.19	2.79	42.13
1894				18.20	2.33	0.74	1.10	4.35	5.15	5.20	2.05	0.84	
1895	5.66		7.10	1.26	5.57	9.91	4.23	1.13	2.07	1.18	4.11	3.07	
1896	5.66	3.24	4.61	5.39	1.37	1.79	0.48	3.12	4.94	4.09	3.64	0.57	38.90
1897	13.83	2.90	11.33	4.16	1.56	1.42	3.35	3.10	0.22	2.45	2.96	6.93	54.21
1898	14.50	2.37	2.82	1.60	3.12	2.57	1.76	3.41	9.01	4.97	3.96	2.24	52.33
1899	7.38	2.36	3.08	2.87	8.10	2.59	4.12	1.35	2.33	2.04	2.82	5.41	44.45
1900	2.20	5.66	4.20	6.93	2.22	5.81	5.72	2.07	4.08	2.25	4.06	4.50	49.70
1901	3.59	2.28	5.50	3.99	3.20	0.99	0.46	2.82	4.19	2.56	3.29	4.34	37.21
1902	8.51	2.93	9.27	3.31	2.70	5.72	5.60	1.20	9.31	2.99	4.98	7.02	63.54
1903	2.94	9.44	4.98	1.59	4.76	5.50	6.44	5.41	2.26	1.07	0.51	4.28	49.18
1904	4.28	2.85	7.30	4.96	2.15	9.34	2.36	2.32	2.84	0.40	2.69	8.38	49.87
1905	7.17	4.20	6.22	12.53	15.71	4.04	7.84	6.03	4.22	3.59	4.47	6.87	82.89
1906	8.02	1.73	6.04	4.58	4.46	2.34	7.00	1.06	4.84	2.86	10.96	9.11	63.00
1907	6.44	3.11	4.51	5.82	10.25	3.99	1.84	3.02	2.63	2.57	7.50	3.79	55.47
1908	3.54	6.38	5.73	3.60	7.73	1.70	5.21	5.29	3.52	0.44	6.73	2.72	52.59
1909	1.67	8.15	3.90	6.61	7.40	2.73	1.69	2.94	3.50	0.90	3.88	7.00	50.37
1910	2.48	5.72	0.74	7.94	8.32	4.59	7.30	7.04	0.92	4.67	0.02	4.72	54.46
1911	0.56	5.30	2.59	14.32	0.65	2.04	3.55	8.31	1.49	2.64	3.71	9.38	54.54
1912	3.97	2.94	10.61	8.95	1.89	4.68	2.73	3.28	0.92	2.47	1.56	3.95	47.95
1913	5.22	5.57	2.89	6.86	2.64	1.07	5.13	0.43	15.44	6.92	1.55	1.31	55.03
1914	1.20	4.72	5.70	3.94	3.25	2.98	2.55	5.70	2.40	0.96	4.14	8.77	46.31
1915	4.88	2.89	4.23	0.67	1.19	4.63	1.95	6.77	0.92	2.44	6.90	5.23	42.70
1916	12.10	3.70	1.82	2.61	2.17	3.27	4.37	3.88	3.70	3.85	2.10	5.46	49.03
1917	4.59	1.40	8.12	4.12	1.74	5.30	2.34	4.17	0.87	2.97	1.46	1.61	38.69
1918	4.48	1.83	0.49	12.15	1.15	2.25	0.49	4.39	5.62	4.88	5.89	4.60	48.22
1919	3.11	5.01	10.40	1.50	5.69	9.25	0.29	4.58	3.98	11.74	5.51	2.44	63.50
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1920	5.82	1.76	3.57	6.83	4.89	1.97	3.78	3.46	3.47	2.99	2.06	6.32	46.92
1921	2.37	4.43	6.69	11.33	1.46	4.35	1.68	1.61	3.91	0.88	4.66	3.27	46.64
1922	2.22	2.51	13.53	4.86	6.79	3.01	1.13	2.98	0.38	0.43	3.70	3.00	44.54
1923	8.04	5.30	4.20	9.13	6.26	4.24	3.41	2.04	5.22	2.47	3.60	9.11	63.02
1924	4.60	2.59	3.27	4.19	5.72	2.47	1.44	2.84	5.52	0.00	3.60	5.85	42.09
1925	3.00	3.49	0.91	0.62	3.26	0.71	6.64	0.65	2.68	6.99	7.93	2.09	38.97
1926	3.89	0.96	7.55	3.55	1.10	1.89	2.39	4.05	3.03	6.81	2.43	9.03	46.68
1927	5.44	1.73	8.04	10.42	5.70	10.18	3.36	3.46	3.02	1.21	3.85	5.29	61.70
1928	0.55	1.95	4.39	10.78	2.03	9.33	5.29	2.76	0.14	8.12	3.07	4.06	52.47
1929	4.95	3.77	3.18	4.96	2.50	4.32	1.88	0.99	0.31	2.67	2.54	5.00	37.07
1930	12.09	4.94	2.48	0.54	14.28	0.05	0.01	0.60	6.76	5.94	3.83	3.42	54.94
1931	1.64	3.10	4.33	0.74	3.47	3.00	8.87	3.19	0.26	3.18	7.57	11.80	51.15
1932	11.64	6.29	5.38	2.30	2.66	4.42	3.86	2.72	2.75	2.80	2.32	9.26	56.40
1933	2.79	6.15	5.77	4.95	3.55	0.97	6.31	2.19	4.11	1.71	2.57	10.40	51.47
1934	3.30	2.97	10.29	3.72	3.54	2.76	0.46	0.95	3.49	1.89	6.63	4.99	44.99
1935	10.04	3.22	4.28	4.85	6.29	4.01	1.87	0.82	1.87	3.59	5.01	1.29	47.14
1936	1.28	1.60	3.37	2.52	1.70	0.22	14.16	0.33	0.91	3.54	4.55	6.00	40.18
1937	15.50	2.26	2.17	2.03	2.14	5.13	1.25	2.66	4.84	5.92	5.91	4.47	54.28
1938	8.69	6.47	6.45	6.09	5.84	2.12	2.31	2.73	1.93	0.35	3.96	4.62	51.56
1939	8.90	16.69	3.76	9.25	5.37	8.00	1.98	0.53	2.85	1.03	4.58	3.74	66.68
1940	1.78	3.92	3.12	6.28	4.15	3.57	4.57	2.53	3.18	2.92	6.48	4.18	46.68
1941	3.13	3.10	3.30	8.03	1.60	2.22	9.23	3.89	1.83	3.74	2.13	2.46	44.66
1942	2.87	3.42	4.82	12.75	3.47	3.82	0.15	2.83	5.66	2.74	2.60	5.29	50.42
1943	1.90	1.13	10.11	2.81	6.23	1.43	0.32	0.16	3.58	2.80	1.75	2.52	34.74
1944	2.64	6.83	7.33	6.28	8.68	1.39	2.43	2.28	1.32	0.13	4.65	10.89	54.85
1945	3.61	5.28	7.78	8.04	4.45	7.97	2.79	5.09	5.77	10.35	8.48	4.74	74.35
1946	10.15	6.01	7.85	4.04	8.07	0.57	1.52	2.19	1.01	2.47	7.98	2.64	54.50
1947	3.56	1.24	4.84	6.99	8.75	5.40	0.33	0.57	2.36	2.51	7.47	1.85	45.87
1948	4.56	7.36	7.70	2.61	4.50	1.11	9.09	3.24	1.22	2.02	8.57	3.10	55.08
1949	8.47	2.79	4.89	3.88	4.65	3.25	4.37	4.25	3.08	13.82	0.44	4.70	58.59
1950	9.95	6.11	7.75	3.52	5.54	1.21	2.54	8.09	6.52	1.25	2.04	3.45	57.97
1951	10.47	2.93	3.32	2.73	2.46	5.33	7.27	0.42	3.92	3.05	3.22	5.22	50.34
1952	6.85	3.27	5.49	3.78	3.74	0.22	1.22	2.06	3.46	0.32	5.96	3.98	40.35
1953	4.23	4.26	9.34	6.96	12.49	0.40	2.83	0.52	0.55	0.68	2.64	3.80	48.70
1954	6.89	1.80	1.44	5.03	3.34	0.79	3.68	0.50	2.50	2.34	1.53	5.06	34.90
1955	2.39	6.34	6.24	6.35	6.64	2.93	3.13	2.25	3.04	2.10	2.39	2.70	46.50
1956	2.68	10.13	3.54	4.49	1.80	1.96	2.05	1.96	0.94	4.89	4.86	4.18	43.48
1957	11.59	7.47	4.35	11.56	5.11	3.97	4.53	2.44	5.34	4.57	10.16	4.22	75.31
1958	4.18	2.10	4.53	8.41	10.27	4.92	5.35	4.91	8.67	0.33	4.86	2.15	60.68
1959	3.87	4.55	3.44	4.07	4.86	3.79	2.27	4.73	3.76	3.23	2.73	6.16	47.46
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
1960	4.59	3.77	4.67	0.92	4.82	5.61	0.68	1.39	5.49	2.92	2.16	6.91	43.93
1961	1.34	5.96	10.69	2.72	6.96	2.09	3.72	3.98	2.46	1.56	7.42	10.71	59.61
1962	4.34	5.25	3.83	3.10	1.44	4.34	0.96	0.69	4.57	4.21	1.46	1.71	35.90
1963	1.09	3.34	4.12	6.80	3.51	3.01	6.72	3.70	1.56	T	4.01	3.75	41.61
1964	1.45	2.82	4.84	10.39	1.30	0.75	2.80	4.48	4.11	0.83	2.12	5.40	41.29
1965	5.40	6.86	7.76	1.48	5.62	3.18	3.57	2.15	9.03	0.22	1.95	1.72	48.94
1966	3.28	7.10	0.39	14.69	3.18	0.14	2.65	6.17	3.54	4.98	3.60	3.96	53.68
1967	1.24	2.14	2.00	4.76	10.65	2.56	6.10	0.58	3.03	2.48	1.45	8.14	45.13
1968	5.46	1.74	6.35	5.81	10.55	3.55	1.28	4.98	3.98	4.55	3.38	4.27	55.90
1969	6.01	4.83	3.50	2.10	3.05	2.08	2.67	6.75	1.14	3.00	5.40	6.60	47.13
1970	0.75	4.55	5.35	7.55	2.36	1.27	1.54	4.56	1.53	3.53	2.67	3.60	39.26
1971	2.60	3.02	4.43	1.52	3.65	1.64	7.52	5.39	0.56	1.66	2.41	4.73	39.13
1972	4.19	0.74	3.04	2.38	2.16	3.35	2.87	2.57	1.89	7.35	8.46	9.48	48.48
1973	6.06	3.29	8.37	10.15	5.56	1.38	5.37	0.59	4.34	5.53	6.78	4.75	62.17
1974	7.17	2.61	2.59	5.26	9.77	8.42	4.91	6.30	5.85	3.24	6.19	3.36	65.67
1975	4.68	4.10	10.23	3.82	4.62	3.34	2.95	4.24	1.58	1.92	2.95	2.15	46.58
1976	3.62	3.84	6.96	2.37	3.94	3.57	3.11	0.66	1.99	7.05	1.54	2.63	41.28
1977	3.29	2.28	5.69	4.20	1.23	3.95	4.72	0.46	3.54	1.40	5.85	1.94	38.55
1978	8.30	1.88	2.49	2.78	8.36	2.98	0.22	6.84	3.16	2.53	5.97	9.41	54.92
1979	6.05	6.86	3.15	12.02	13.01	4.47	3.71	4.90	4.77	4.40	4.08	5.11	72.53
1980	4.45	1.94	10.30	3.97	6.99	0.10	0.89	0.75	8.02	3.40	5.14	1.78	47.73
1981	0.96	3.17	3.44	2.13	6.77	5.79	4.40	6.10	2.61	4.82	1.63	0.72	42.54
1982	5.75	4.08	1.82	9.20	4.63	5.58	3.25	5.81	1.99	4.38	4.66	15.02	66.17
1983	1.13	4.68	3.77	7.10	9.69	4.52	5.04	0.20	3.86	2.27	6.39	10.88	59.53
1984	2.41	4.29	5.12	4.00	10.52	1.72	4.94	5.79	6.62	14.05	5.58	4.98	70.02
1985	3.80	6.41	5.70	6.41	2.09	2.18	6.53	5.03	2.09	7.36	2.48	3.78	53.86
1986	0.30	5.00	2.70	5.34	3.10	5.58	0.50	3.40	1.20	6.40	8.76		
1987	2.33	8.09	2.90	0.60	3.63	3.10	1.70	2.06		1.55	11.30	12.20	
1988	3.91	2.40	3.50	3.30	1.39	0.53	4.68	0.65	3.41	3.63	9.22	4.49	41.11
1989	6.50	9.11	7.67	4.11	3.59	8.27	10.03	2.03	2.93	0.36	3.67	2.32	60.59
1990	5.62	8.81	9.70	7.67	7.01	2.64	2.17	1.64	3.36	9.20	3.79	7.51	69.12
1991	4.07	5.02	3.76	13.24	4.13	2.67	4.01	3.53	2.09	10.34	4.33	6.06	63.25
1992	2.02	2.95	7.84	1.74	1.97	6.53	8.10	3.26	2.11	2.24	2.69	4.08	45.53
1993	4.17	2.67	3.32	6.44	4.21	1.47	0.90	4.84	2.31	5.58	6.16	7.68	49.75
1994	7.73	4.51	5.03	1.55	3.78	6.59	5.70	3.25	4.67	3.21	2.79	3.46	52.27
1995	5.83	2.19	5.53	5.37	4.17	2.75	3.30	0.84	0.54	0.99	2.28	7.02	40.81
1996	1.99	2.78	4.20	3.73	2.63	3.66	6.09	0.96	6.55	6.56	6.29	4.07	49.51
1997	3.84	5.93	6.51	13.20	2.16	5.87	1.38	3.35	2.80	4.56	3.82	3.77	57.19
1998	6.40	3.22	5.50	2.96	1.14	2.59	1.63	3.14	3.24	4.88	2.94	6.45	44.09
1999	7.87	0.64	7.98	4.61	2.93	3.21	4.09	T	1.17	1.96	1.63	4.55	40.64
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL
2000	1.01	2.35	4.82	3.08	9.44	4.51	0.82	0.13	2.16	0.98	8.87	2.24	40.16
2001	4.00	6.92	4.48	5.38	5.20	1.92	2.13	2.85	0.11	9.41	5.86	7.75	56.01
2002	2.22	1.82	12.08	0.70	8.26	1.13	2.64	4.24	2.46	3.98	2.76	9.62	51.91
2003	0.19	7.56	1.76	2.05	7.79	4.43	1.11	0.78	2.42	1.63	3.60	2.05	35.37
2004	4.85	6.32	4.30	4.09	5.92	4.93	3.39	0.94	0.17	5.76	12.18	2.52	55.37
2005	3.28	3.54	4.43	4.70	3.02	3.07	5.81	3.13	4.02	0.34	2.56	0.72	38.62
2006	5.37	2.99	3.23	2.59	5.06	3.78	1.63	2.18	4.88	3.37	2.79	5.18	43.05
2007	6.38	2.42	2.58	2.01	4.15	1.77	1.88	0.13	7.16	7.78	2.04	7.21	45.51
2008	2.66	3.45	4.07	6.92	2.80	1.05	1.27	4.67	6.20	6.56	1.77	5.09	46.50
2009	3.24	3.69	5.34	4.55	11.71	3.12	9.02	4.81	7.51	14.34	2.12	8.57	78.02
2010	3.46	3.05	3.20	3.39	1.96	2.21	4.11	0.95	1.05	1.70	5.68		
2011													
2012													
2013													
2014													
2015													
2016													
2017													
2018													
2019													
2020													
2021													
2022													
2023													
2024													
2025													
2026													
2027													
2028													
2029													
2030													
2031													
2032													
2033													
2034													
2035													
2036													
2037													
2038													
2039													
YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANNUAL

PINE BLUFF, ARKANSAS - SNOWFALL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1890	0.0	0.0	0.0	1891	0.0	1.0	1.2	0.0	1890-1891	2.2	1890	
1891	0.0	T	0.0	1892	3.0	0.0	14.0	0.0	1891-1892	17.0	1891	2.2
1892	0.0	0.0	0.0	1893	11.0	0.0	0.0	0.0	1892-1893	11.0	1892	17.0
1893	0.0	0.0	0.0	1894			2.0	0.0	1893-1894		1893	11.0
1894	0.0	0.0		1895	0.0		0.0	0.0	1894-1895		1894	
1895	0.0	0.0	2.7	1896	0.0	0.0	2.5	0.0	1895-1896	5.2	1895	
1896	0.0	0.0	0.0	1897	0.7	0.5	0.0	0.0	1896-1897	1.2	1896	2.5
1897	0.0	0.0	T	1898	0.0	0.0	0.0	0.0	1897-1898	T	1897	1.2
1898	0.0	0.0	6.0	1899	1.0	2.0	0.0	0.0	1898-1899	9.0	1898	6.0
1899	0.0	0.0	3.0	1900	0.0	0.0	0.0	0.0	1899-1900	3.0	1899	6.0
1900	0.0	0.0	0.0	1901	0.0	1.6	0.0	0.0	1900-1901	1.6	1900	0.0
1901	0.0	0.0	2.0	1902	2.0	0.0	0.0	0.0	1901-1902	4.0	1901	3.6
1902	0.0	0.0	0.0	1903	0.0	3.0	0.0	0.0	1902-1903	3.0	1902	2.0
1903	0.0	0.0	0.0	1904	T	T	0.0	0.0	1903-1904	T	1903	3.0
1904	0.0	0.0	2.0	1905	0.0	5.0	0.0	0.0	1904-1905	7.0	1904	2.0
1905	0.0	0.0	2.5	1906	1.5	1.0	0.0	0.0	1905-1906	5.0	1905	7.5
1906	0.0	0.0	1.0	1907	T	T	0.0	0.0	1906-1907	1.0	1906	3.5
1907	0.0	0.0	0.0	1908	0.0	0.0	0.0	0.0	1907-1908	0.0	1907	T
1908	0.0	0.0	1.0	1909	1.0	0.0	0.0	0.0	1908-1909	2.0	1908	1.0
1909	0.0	0.0	4.1	1910	6.0	6.3	0.0	0.0	1909-1910	16.4	1909	5.1
1910	0.0	0.0	0.0	1911	T	0.0	0.0	0.0	1910-1911	T	1910	12.3
1911	0.0	0.0	0.0	1912	0.0	0.2	0.0	0.0	1911-1912	0.2	1911	T
1912	0.0	0.0	1.0	1913	0.0	0.5	0.0	0.0	1912-1913	1.5	1912	1.2
1913	0.0	0.0	0.0	1914	T	0.0	0.0	0.0	1913-1914	T	1913	0.5
1914	0.0	0.0	2.0	1915	5.0	0.0	1.0	0.0	1914-1915	8.0	1914	2.0
1915	0.0	0.0	0.0	1916	0.5	3.0	0.0	0.0	1915-1916	3.5	1915	6.0
1916	0.0	0.0	0.5	1917	3.0	0.0	2.0	0.0	1916-1917	5.5	1916	4.0
1917	0.0	T	1.0	1918	7.0	0.0	0.0	0.0	1917-1918	8.0	1917	6.0
1918	0.0	0.0	0.0	1919	0.0	0.5	T	0.0	1918-1919	0.5	1918	7.0
1919	0.0	0.0	0.0	1920	0.2	0.0	0.0	0.0	1919-1920	0.2	1919	0.5
1920	0.0	0.0	0.0	1921	0.0	3.0	0.0	0.0	1920-1921	3.0	1920	0.2
1921	0.0	0.0	0.0	1922	T	T	0.0	0.0	1921-1922	T	1921	3.0
1922	0.0	0.0	0.0	1923	0.0	3.0	0.0	0.0	1922-1923	3.0	1922	T
1923	0.0	0.0	0.0	1924	T	T	8.0	0.0	1923-1924	8.0	1923	3.0
1924	0.0	0.0	0.0	1925	T	1.5	0.0	0.0	1924-1925	1.5	1924	8.0
1925	0.0	0.0	0.1	1926	0.0	0.0	0.0	0.0	1925-1926	0.1	1925	1.6
1926	0.0	0.0	0.8	1927	0.0	0.0	0.0	0.0	1926-1927	0.8	1926	0.8
1927	0.0	0.0	0.0	1928	0.0	0.0	0.0	T	1927-1928	T	1927	0.0
1928	0.0	0.0	0.0	1929	0.0	2.0	0.0	0.0	1928-1929	2.0	1928	T
1929	0.0	5.0	2.0	1930	3.5	T	T	0.0	1929-1930	10.5	1929	9.0
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1930	0.0	0.0	0.0	1931	T	0.0	T	0.0	1930-1931	T	1930	3.5
1931	0.0	0.0	0.0	1932	0.0	0.0	1.8	0.0	1931-1932	1.8	1931	T
1932	0.0	0.0	5.6	1933	0.0	2.3	0.0	0.0	1932-1933	7.9	1932	7.4
1933	0.0	0.0	0.0	1934	T	0.2	T	0.0	1933-1934	0.2	1933	2.3
1934	0.0	0.0	0.0	1935	3.0	T	0.0	0.0	1934-1935	3.0	1934	0.2
1935	0.0	0.0	0.5	1936	5.0	2.5	T	0.0	1935-1936	8.0	1935	3.5
1936	0.0	T	0.0	1937	T	T	T	0.0	1936-1937	T	1936	7.5
1937	0.0	T	T	1938	0.0	0.0	0.0	0.0	1937-1938	T	1937	T
1938	0.0	T	0.0	1939	T	T	0.0	0.0	1938-1939	T	1938	T
1939	0.0	0.0	T	1940	3.7	2.0	T	0.0	1939-1940	5.7	1939	T
1940	0.0	0.0	0.0	1941	T	T	0.0	0.0	1940-1941	T	1940	5.7
1941	0.0	T	T	1942	1.0	3.0	T	0.0	1941-1942	4.0	1941	T
1942	0.0	0.0	T	1943	1.0	T	T	0.0	1942-1943	1.0	1942	4.0
1943	0.0	0.0	T	1944	3.0	T	0.0	0.0	1943-1944	3.0	1943	1.0
1944	0.0	0.0	0.0	1945	0.0	T	0.0	0.0	1944-1945	T	1944	3.0
1945	0.0	0.0	2.5	1946	5.0	3.0	0.0	0.0	1945-1946	10.5	1945	2.5
1946	0.0	0.0	T	1947	0.0	0.0	0.0	0.0	1946-1947	T	1946	8.0
1947	0.0	0.0	0.0	1948	10.9	0.8	T	0.0	1947-1948	11.7	1947	0.0
1948	0.0	0.0	0.0	1949	4.0	0.0	0.0	0.0	1948-1949	4.0	1948	11.7
1949	0.0	0.0	T	1950	0.0	T	0.0	0.0	1949-1950	T	1949	4.0
1950	0.0	T	1.0	1951	3.0	T	T	0.0	1950-1951	4.0	1950	1.0
1951	0.0	T	0.0	1952	0.0	T	T	0.0	1951-1952	T	1951	3.0
1952	0.0	T	T	1953	0.0	0.0	T	0.0	1952-1953	T	1952	T
1953	0.0	T	T	1954	4.0	0.0	0.0	0.0	1953-1954	4.0	1953	T
1954	0.0	0.0	T	1955	T	T	0.0	0.0	1954-1955	T	1954	4.0
1955	0.0	0.0	0.0	1956	T	T	0.0	0.0	1955-1956	T	1955	T
1956	0.0	0.0	0.0	1957	T	0.0	0.0	0.0	1956-1957	T	1956	T
1957	0.0	0.0	0.0	1958	T	1.0	0.0	0.0	1957-1958	1.0	1957	T
1958	0.0	T	10.4	1959	T	T	0.0	0.0	1958-1959	10.4	1958	11.4
1959	0.0	0.0	0.0	1960	5.0	9.2	4.0	0.0	1959-1960	18.2	1959	T
1960	0.0	0.0	T	1961	T	0.0	0.0	0.0	1960-1961	T	1960	18.2
1961	0.0	0.0	0.0	1962	8.0	T	T	0.0	1961-1962	8.0	1961	T
1962	0.0	0.0	T	1963	T	T	0.0	0.0	1962-1963	T	1962	8.0
1963	0.0	0.0	12.2	1964	T	T	0.0	0.0	1963-1964	12.2	1963	12.2
1964	0.0	0.0	T	1965	T	3.0	7.3	0.0	1964-1965	10.3	1964	T
1965	0.0	0.0	0.0	1966	20.5	4.6	0.0	0.0	1965-1966	25.1	1965	10.3
1966	0.0	T	T	1967	1.0	T	T	0.0	1966-1967	1.0	1966	25.1
1967	0.0	T	T	1968	T	1.0	T	0.0	1967-1968	1.0	1967	1.0
1968	0.0	0.0	0.0	1969	T	T	T	0.0	1968-1969	T	1968	1.0
1969	0.0	0.0	T	1970	1.4	0.2	T	0.0	1969-1970	1.6	1969	T
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
1970	0.0	0.0	0.0	1971	T	2.0	1.0	T	1970-1971	3.0	1970	1.6
1971	0.0	T	T	1972	T	T	0.0	0.0	1971-1972	T	1971	3.0
1972	0.0	0.0	T	1973	T	0.0	0.0	0.0	1972-1973	T	1972	T
1973	0.0	0.0	T	1974	T	T	0.0	0.0	1973-1974	T	1973	T
1974	0.0	T	0.0	1975	3.0	0.0	T	0.0	1974-1975	3.0	1974	T
1975	0.0	0.0	T	1976	0.0	0.0	0.0	0.0	1975-1976	T	1975	3.0
1976	0.0	0.0	0.0	1977	2.0	0.0	0.0	0.0	1976-1977	2.0	1976	0.0
1977	0.0	0.0	T	1978	6.1	4.0	0.0	0.0	1977-1978	10.1	1977	2.0
1978	0.0	0.0	0.0	1979	T	8.3	0.0	0.0	1978-1979	8.3	1978	10.1
1979	0.0	0.0	0.0	1980	0.0	4.5	0.2	0.0	1979-1980	4.7	1979	8.3
1980	0.0	1.0	0.0	1981	0.0	0.0	0.0	0.0	1980-1981	1.0	1980	5.7
1981	0.0	0.0	0.0	1982	5.0	T	T	0.0	1981-1982	5.0	1981	0.0
1982	0.0	0.0	0.5	1983	0.8		0.0	T	1982-1983	1.3	1982	5.5
1983	0.0	0.0	4.5	1984	2.5	0.0	0.0	0.0	1983-1984	7.0	1983	5.3
1984	0.0	0.0	T	1985	2.0		0.0	0.0	1984-1985		1984	2.5
1985	0.0	0.0	0.0	1986			0.0	0.0	1985-1986		1985	
1986				1987	0.0	0.0			1986-1987		1986	
1987				1988	12.0				1987-1988		1987	
1988	0.0	0.0	0.0	1989	0.0	0.0	0.0	0.0	1988-1989	0.0	1988	
1989	0.0	0.0	0.0	1990	0.0	0.0	0.0	0.0	1989-1990	0.0	1989	0.0
1990	0.0	0.0	T	1991	T	T	T	0.0	1990-1991	T	1990	T
1991	0.0	T	0.0	1992	2.0	0.0	T	0.0	1991-1992	2.0	1991	T
1992	0.0	T	T	1993	T	T	T	0.0	1992-1993	T	1992	2.0
1993	T	0.0	0.0	1994	T	5.0	T	0.0	1993-1994	5.0	1993	T
1994	0.0	0.0	0.0	1995	4.0	T	T	0.0	1994-1995	4.0	1994	5.0
1995	0.0	0.0	T	1996	T	3.0	0.0	0.0	1995-1996	3.0	1995	4.0
1996	0.0	0.0	T	1997	T	1.0	0.0	0.0	1996-1997	1.0	1996	3.0
1997	0.0	T	0.0	1998	T	0.0	0.0	0.0	1997-1998	T	1997	1.0
1998	0.0	0.0	3.0	1999	0.0	0.0	T	0.0	1998-1999	3.0	1998	3.0
1999	0.0	0.0	0.0	2000	11.0	0.0	0.0	0.0	1999-2000	11.0	1999	T
2000	0.0	0.0	1.6	2001	0.0	0.0	0.0	0.0	2000-2001	1.6	2000	12.6
2001	0.0	0.0	0.0	2002	0.0		0.0	0.0	2001-2002		2001	0.0
2002	0.0	0.0	0.0	2003	T		0.0	0.0	2002-2003		2002	
2003	0.0	0.0	0.0	2004	0.0		0.0	0.0	2003-2004		2003	
2004	0.0	0.0		2005	0.0	0.0	0.0	0.0	2004-2005		2004	
2005	0.0	0.0	T	2006	0.0	T	0.0	0.0	2005-2006		2005	0.0
2006	0.0	0.0	0.0	2007	0.0	0.2	0.0	0.0	2006-2007	0.2	2006	T
2007	0.0	0.0	T	2008	T	T	6.0	0.0	2007-2008	6.0	2007	0.2
2008	0.0	0.0	T	2009	T	T	T	0.0	2008-2009	T	2008	6.0
2009	0.0	0.0	T	2010	0.3	0.6	T	0.0	2009-2010	0.9	2009	T
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL
2010	0.0	0.0		2011					2010-2011		2010	
2011				2012					2011-2012		2011	
2012				2013					2012-2013		2012	
2013				2014					2013-2014		2013	
2014				2015					2014-2015		2014	
2015				2016					2015-2016		2015	
2016				2017					2016-2017		2016	
2017				2018					2017-2018		2017	
2018				2019					2018-2019		2018	
2019				2020					2019-2020		2019	
2020				2021					2020-2021		2020	
2021				2022					2021-2022		2021	
2022				2023					2022-2023		2022	
2023				2024					2023-2024		2023	
2024				2025					2024-2025		2024	
2025				2026					2025-2026		2025	
2026				2027					2026-2027		2026	
2027				2028					2027-2028		2027	
2028				2029					2028-2029		2028	
2029				2030					2029-2030		2029	
2030				2031					2030-2031		2030	
2031				2032					2031-2032		2031	
2032				2033					2032-2033		2032	
2033				2034					2033-2034		2033	
2034				2035					2034-2035		2034	
2035				2036					2035-2036		2035	
2036				2037					2036-2037		2036	
2037				2038					2037-2038		2037	
2038				2039					2038-2039		2038	
2039				2040					2039-2040		2039	
2040				2041					2040-2041		2040	
2041				2042					2041-2042		2041	
2042				2043					2042-2043		2042	
2043				2044					2043-2044		2043	
2044				2045					2044-2045		2044	
2045				2046					2045-2046		2045	
2046				2047					2046-2047		2046	
2047				2048					2047-2048		2047	
2048				2049					2048-2049		2048	
2049				2050					2049-2050		2049	
YEAR	OCT	NOV	DEC	YEAR	JAN	FEB	MAR	APR	SEASON	TOTAL	ANNUAL	TOTAL

PINE BLUFF, ARKANSAS - SEASONAL TEMPERATURE DATA

YEAR	HIGH				YEAR	AVERAGE				YEAR	LOW			
	WINTER	SPRING	SUMMER	FALL		WINTER	SPRING	SUMMER	FALL		WINTER	SPRING	SUMMER	FALL
1884			89.57		1884			80.1		1884			72.20	
1885			92.17		1885			81.1		1885			70.30	
1886			90.53		1886			80.8		1886			70.20	
1887			92.23		1887			81.0		1887			69.43	
1888			91.57		1888			81.2		1888			70.63	
1889			89.03	72.20	1889			79.1	61.6	1889			69.23	51.13
1890			91.97	74.23	1890			81.5	64.5	1890			71.03	54.67
1891	56.00	73.33	90.37	75.40	1891	46.5	60.6	79.7	62.6	1891	36.93	47.90	69.10	49.77
1892	56.53	72.57	89.90	75.27	1892	45.7	61.6	80.5	64.2	1892	34.93	50.80	71.10	53.07
1893	56.23	75.00	91.67	75.93	1893	44.5	63.1	81.0	63.8	1893	32.87	51.37	70.20	51.63
1894	55.30	91.27	77.80		1894			79.3	64.5	1894			40.67	67.37
1895	75.17	90.77	77.57		1895			63.4	80.3	1895			51.57	69.90
1896	58.27	79.27	96.33	77.37	1896	46.8	69.1	83.1	65.2	1896	35.47	57.93	69.93	53.03
1897	58.63	76.40	96.40	82.53	1897	47.1	65.5	83.0	67.2	1897	35.83	54.63	69.67	51.97
1898	57.40	77.07	93.47	74.67	1898	47.0	65.3	82.4	63.3	1898	36.63	53.53	71.33	51.90
1899	51.43	74.37	93.80	79.70	1899	40.7	63.5	81.6	65.3	1899	29.97	52.60	69.43	50.90
1900	53.87	72.53	91.93	78.67	1900	43.7	61.2	80.9	67.0	1900	33.47	49.87	69.87	55.33
1901	56.93	73.57	97.40	76.93	1901	46.0	61.1	83.1	62.1	1901	35.17	48.50	68.87	47.27
1902	47.93	76.10	94.53	75.93	1902	37.6	63.8	81.5	63.5	1902	27.13	51.37	68.60	51.03
1903	50.40	74.80	89.87	74.53	1903	40.3	63.5	77.6	61.2	1903	31.10	52.13	65.40	47.83
1904	53.90	73.83	91.53	76.20	1904	41.8	61.2	79.3	63.0	1904	29.77	48.67	67.00	49.63
1905	46.87	75.73	89.60	75.23	1905	37.1	64.8	79.5	63.7	1905	27.20	53.97	69.33	52.10
1906	52.67	72.10	90.40	73.03	1906	41.8	60.7	79.1	62.2	1906	30.87	49.23	67.73	51.40
1907	60.23	72.57	92.47	75.90	1907	49.0	61.6	80.8	62.1	1907	37.83	50.60	69.17	48.37
1908	57.43	77.10	91.67	78.97	1908	45.6	65.8	80.1	63.9	1908	33.73	54.57	68.57	48.90
1909	60.33	73.13	94.23	82.13	1909	47.7	60.6	82.0	67.4	1909	35.07	48.20	69.73	52.77
1910	54.53	75.97	89.73	79.13	1910	42.6	63.2	79.0	67.0	1910	30.87	50.43	68.27	54.93
1911	58.93	75.73	90.83	75.90	1911	49.6	64.3	80.4	64.8	1911	40.47	52.87	69.90	53.77
1912	50.80	70.67	89.10	77.70	1912	41.3	60.6	78.6	63.6	1912	31.87	50.63	68.03	49.50
1913	54.63	73.17	93.17	74.87	1913	43.2	60.8	80.9	64.0	1913	31.87	48.47	68.67	53.07
1914	55.50	72.67	93.27	76.00	1914	44.8	61.2	82.2	64.0	1914	33.97	49.60	71.13	52.03
1915	50.47	71.27	89.13	78.10	1915	41.3	59.7	78.7	65.5	1915	32.27	48.23	68.23	52.87
1916	56.60	75.47	91.97	76.77	1916	45.7	63.3	81.2	62.9	1916	35.10	51.23	70.33	49.10
1917	56.70	72.13	90.27	75.03	1917	44.7	60.3	79.2	60.7	1917	32.77	48.43	68.17	46.43
1918	51.33	82.03	98.20	75.30	1918	38.8	66.9	83.7	62.9	1918	26.63	51.93	69.27	50.43
1919	59.23	76.60	94.70	76.00	1919	47.7	63.1	82.2	65.0	1919	36.07	49.50	69.70	54.03
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

	HIGH					AVERAGE					LOW			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
1920	51.53	74.17	90.17	76.10	1920	42.0	63.1	79.3	64.7	1920	32.57	52.03	68.47	53.27
1921	58.90	77.77	95.50	80.33	1921	49.2	66.3	83.7	67.9	1921	39.53	54.87	71.80	55.47
1922	57.03	74.77	93.03	80.67	1922	47.5	64.2	81.8	66.0	1922	38.03	53.63	70.60	51.23
1923	59.83	74.87	91.90	75.70	1923	49.0	62.7	80.7	63.5	1923	38.13	50.57	69.50	51.27
1924	56.83	73.97	96.57	79.40	1924	46.0	61.4	83.7	65.8	1924	35.20	48.73	70.73	52.27
1925	58.43	79.37	96.77	78.00	1925	47.2	66.2	84.1	66.8	1925	36.03	53.07	71.40	55.57
1926	57.53	73.83	94.60	78.13	1926	46.5	61.5	82.3	66.8	1926	35.43	49.30	70.00	55.50
1927	59.37	77.17	91.57	84.30	1927	49.4	66.5	80.6	70.5	1927	39.37	55.77	69.63	56.77
1928	57.93	75.63	93.13	80.67	1928	46.4	63.3	82.3	67.1	1928	34.90	51.00	71.53	53.47
1929	55.00	78.17	95.27	74.40	1929	43.6	66.6	82.5	63.6	1929	32.27	54.93	69.77	52.87
1930	57.60	75.47	94.50	74.87	1930	47.2	64.3	82.5	64.5	1930	36.87	53.17	70.53	54.10
1931	57.17	70.80	88.40	81.00	1931	46.5	59.8	79.1	69.9	1931	35.70	48.80	69.83	58.87
1932	62.27	73.97	93.20	76.40	1932	51.9	63.3	82.8	63.7	1932	42.00	52.53	72.30	51.00
1933	56.83	75.73	90.47	79.43	1933	46.9	65.1	80.5	67.9	1933	37.00	54.37	70.67	56.23
1934	58.50	74.53	95.57	79.93	1934	48.4	63.4	84.7	67.9	1934	38.33	52.20	73.80	55.83
1935	57.10	74.60	91.27	76.63	1935	46.8	64.8	81.3	65.5	1935	36.57	54.87	71.43	54.37
1936	50.47	77.00	94.00	77.33	1936	40.7	65.1	83.2	66.0	1936	30.90	53.20	72.30	54.60
1937	55.80	73.90	91.00	73.73	1937	46.8	62.9	81.7	63.3	1937	37.73	51.93	72.50	52.80
1938	57.27	76.47	91.87	81.13	1938	48.1	66.4	81.8	67.5	1938	38.90	56.30	71.60	53.73
1939	57.97	74.33	91.13	79.53	1939	47.5	63.5	81.6	67.4	1939	37.13	52.73	72.03	55.23
1940	51.67	73.30	87.00	76.80	1940	42.1	62.2	78.5	64.6	1940	32.53	51.23	69.97	52.40
1941	56.13	73.00	89.87	78.77	1941	46.4	62.9	80.5	67.6	1941	36.77	52.83	71.23	56.40
1942	54.70	76.10	93.43	78.67	1942	44.3	64.7	82.5	66.6	1942	33.97	53.20	71.53	54.50
1943	59.23	74.87	99.30	76.13	1943	48.0	63.8	86.6	63.9	1943	36.80	52.73	73.93	51.63
1944	56.43	74.83	95.63	79.03	1944	47.4	63.9	83.9	67.1	1944	38.27	52.97	72.07	55.23
1945	53.50	77.03	90.07	76.27	1945	44.3	65.8	80.4	66.0	1945	35.00	54.57	70.60	55.70
1946	55.33	76.17	92.17	78.10	1946	45.4	65.8	81.5	66.3	1946	35.60	55.40	70.90	54.57
1947	56.70	71.37	93.97	78.53	1947	46.6	60.9	82.4	66.5	1947	36.60	50.43	70.87	54.47
1948	50.20	75.97	93.13	76.23	1948	40.5	64.7	81.9	63.2	1948	30.73	53.40	70.77	50.13
1949	56.70	73.33	90.90	74.93	1949	47.4	62.7	80.3	63.2	1949	38.07	52.03	69.80	51.43
1950	59.30	72.10	88.67	73.50	1950	49.3	61.3	78.1	62.4	1950	39.33	50.60	67.63	51.40
1951	53.97	73.00	91.80	73.67	1951	43.5	61.4	81.0	61.4	1951	33.07	49.83	70.13	49.17
1952	58.57	71.50	95.67	73.13	1952	49.0	60.4	83.0	59.2	1952	39.43	49.20	70.37	45.30
1953	57.13	74.03	93.77	79.40	1953	46.6	63.2	81.9	63.7	1953	36.07	52.47	70.03	47.93
1954	57.30	73.73	97.50	78.27	1954	45.9	62.4	84.2	64.6	1954	34.53	51.07	70.93	50.93
1955	54.97	75.83	90.20	76.83	1955	44.5	64.8	79.1	63.5	1955	33.97	53.77	68.07	50.10
1956	54.10	73.73	92.83	76.87	1956	44.6	62.5	80.6	63.0	1956	35.17	51.27	68.33	49.07
1957	57.20	72.80	90.37	71.23	1957	47.9	62.6	79.8	61.4	1957	38.47	52.43	69.37	51.53
1958	53.00	69.47	89.87	75.00	1958	43.3	60.1	79.7	63.5	1958	33.57	50.60	69.53	51.97
1959	52.07	74.43	90.60	73.77	1959	42.0	62.8	79.3	61.9	1959	31.97	51.20	67.97	49.97
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

	HIGH					AVERAGE					LOW			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
1960	51.93	70.17	92.30	76.90	1960	42.9	59.0	81.1	65.0	1960	33.93	47.83	69.83	52.97
1961	53.00	73.57	89.07	74.60	1961	42.9	62.5	78.2	62.9	1961	32.80	51.53	67.40	51.27
1962	54.47	73.87	92.37	74.40	1962	44.6	62.6	81.3	64.5	1962	34.80	51.40	70.30	54.53
1963	51.50	77.53	91.37	79.17	1963	40.6	66.4	81.0	66.5	1963	29.63	55.23	70.53	53.83
1964	50.77	76.00	92.93	75.80	1964	40.5	64.9	81.8	63.8	1964	30.20	53.77	70.70	51.73
1965	55.50	73.53	91.83	76.17	1965	45.4	63.2	81.0	65.6	1965	35.23	52.87	70.13	55.10
1966	51.93	74.13	90.93	73.30	1966	43.3	63.0	80.3	62.8	1966	34.70	51.80	69.73	52.20
1967	53.07	76.47	87.40	72.53	1967	44.0	65.8	78.0	61.6	1967	34.87	55.27	68.63	50.53
1968	50.23	72.10	90.03	72.43	1968	41.8	62.2	80.3	61.8	1968	33.33	52.33	70.67	51.10
1969	52.20	71.40	91.43	73.13	1969	43.6	61.1	80.7	62.6	1969	35.03	50.77	69.97	52.00
1970	51.13	72.63	90.23	74.53	1970	41.6	62.8	79.9	63.8	1970	32.13	52.93	69.67	53.00
1971	55.53	71.73	90.67	77.07	1971	45.5	60.0	80.4	66.1	1971	35.50	48.23	70.20	55.10
1972	57.13	75.37	91.50	72.07	1972	47.4	64.0	80.4	62.9	1972	37.80	52.60	69.30	53.77
1973	50.60	72.97	90.87	76.53	1973	42.5	63.3	80.6	67.0	1973	34.50	53.53	70.23	57.50
1974	54.57	79.17	90.13	73.70	1974	45.5	67.8	79.4	62.9	1974	36.53	56.33	68.73	52.07
1975	58.80	74.00	91.27	76.40	1975	48.0	63.3	80.8	64.3	1975	37.43	52.57	70.30	52.27
1976	60.97	74.03	89.27	70.30	1976	49.4	63.2	77.8	58.0	1976	37.73	52.37	66.27	45.63
1977	51.37	77.87	92.87	76.30	1977	39.5	65.4	81.8	64.5	1977	27.53	52.90	70.73	52.73
1978	45.87	73.93	93.60	76.93	1978	36.3	62.4	81.9	64.8	1978	26.80	50.80	70.10	52.73
1979	47.27	72.67	88.63	74.50	1979	37.2	61.7	78.8	61.6	1979	27.13	50.80	68.87	48.80
1980	52.43	71.03	96.40	75.47	1980	41.6	59.3	83.8	63.7	1980	30.87	47.60	71.10	51.90
1981	54.00	74.43	90.47	74.27	1981	43.1	62.9	80.4	62.5	1981	FALSE	51.37	70.33	50.63
1982	50.90	73.50	89.80	74.70	1982	40.3	62.7	79.2	62.2	1982	29.90	51.93	68.53	49.77
1983	52.93	69.17	92.27	76.27	1983	43.8	58.6	80.7	62.4	1983	34.67	47.93	68.97	48.47
1984	49.17	71.90	90.10	73.93	1984	36.9	59.0	79.9	63.1	1984	24.73	46.17	69.57	52.33
1985	52.07	76.20	91.50	76.70	1985	42.8	65.3	81.1	66.3	1985	33.47	54.50	70.77	55.77
1986	56.40	76.50	91.83	72.70	1986	46.3	64.4	81.8	64.8	1986	36.07	52.33	71.70	56.90
1987	51.93	77.30	92.07	74.80	1987	44.1	65.6	82.4	64.0	1987	36.40	54.10	72.73	53.20
1988	52.07	75.20	92.00	74.27	1988	43.3	64.0	81.6	64.1	1988	34.47	52.87	71.13	53.80
1989	53.77	73.10	88.27	74.43	1989	45.0	63.2	79.4	64.2	1989	36.33	53.23	70.57	53.87
1990	55.73	71.83	92.40	77.33	1990	46.3	63.0	82.2	66.1	1990	36.93	54.17	71.97	54.77
1991	54.47	75.27	91.13	73.97	1991	45.4	66.3	81.4	63.3	1991	36.40	57.30	71.63	52.70
1992	56.53	73.63	88.00	73.70	1992	47.9	63.4	78.7	62.9	1992	39.23	53.13	69.33	52.13
1993	52.10	70.33	93.03	72.13	1993	43.8	60.8	83.2	61.3	1993	35.53	51.23	73.23	50.53
1994	53.53	74.80	90.23	74.73	1994	44.2	63.8	80.4	64.9	1994	34.93	52.73	70.63	55.03
1995	54.70	73.73	92.67	75.30	1995	46.1	64.0	82.5	63.3	1995	37.40	54.37	72.40	51.30
1996	53.67	72.67	89.43	72.00	1996	44.3	62.5	80.3	62.6	1996	34.97	52.23	71.27	53.17
1997	54.20	72.53	89.93	73.50	1997	46.1	62.4	80.6	63.4	1997	38.07	52.27	71.20	53.37
1998	54.40	74.17	94.07	77.53	1998	46.8	64.2	84.2	67.5	1998	39.13	54.37	74.40	57.47
1999	57.57	73.33	92.17	77.83	1999	48.4	63.7	83.3	65.5	1999	39.13	54.00	72.27	52.57
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

	HIGH					AVERAGE					LOW			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL
2000	57.30	74.10	93.43	74.40	2000	47.5	64.4	82.1	63.1	2000	37.70	54.83	72.00	52.43
2001	48.53	73.03	90.17	75.83	2001	40.3	63.3	80.4	63.3	2001	32.00	53.57	70.73	50.80
2002	56.53	72.47	90.20	72.73	2002	46.3	62.2	80.6	63.1	2002	36.10	52.00	70.93	53.50
2003	50.47	73.47	89.17	76.07	2003	41.9	63.0	79.7	64.6	2003	33.33	52.37	70.27	53.03
2004	53.00	74.47	87.07	76.43	2004	43.7	64.7	77.8	66.6	2004	34.50	55.00	68.90	56.83
2005	55.67	73.10	91.43	77.80	2005	46.9	62.2	81.3	65.7	2005	38.03	51.33	71.23	53.63
2006	56.27	75.87	92.33	74.70	2006	45.8	65.3	81.3	62.6	2006	35.40	54.80	70.40	50.53
2007	53.83	75.90	91.83	75.07	2007	44.6	64.8	81.4	65.0	2007	35.40	53.67	70.87	54.97
2008	54.13	73.00	90.93	72.53	2008	44.4	62.4	80.5	61.7	2008	34.63	51.73	70.10	50.83
2009	55.70	72.13	89.03	72.40	2009	45.4	62.7	79.3	63.1	2009	35.10	53.30	69.63	53.80
2010	47.67	75.87	94.63	79.37	2010	39.6	64.6	84.4	65.6	2010	31.7	53.40	74.13	51.73
2011					2011					2011				
2012					2012					2012				
2013					2013					2013				
2014					2014					2014				
2015					2015					2015				
2016					2016					2016				
2017					2017					2017				
2018					2018					2018				
2019					2019					2019				
2020					2020					2020				
2021					2021					2021				
2022					2022					2022				
2023					2023					2023				
2024					2024					2024				
2025					2025					2025				
2026					2026					2026				
2027					2027					2027				
2028					2028					2028				
2029					2029					2029				
2030					2030					2030				
2031					2031					2031				
2032					2032					2032				
2033					2033					2033				
2034					2034					2034				
2035					2035					2035				
2036					2036					2036				
2037					2037					2037				
2038					2038					2038				
2039					2039					2039				
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	SUMMER	FALL

PINE BLUFF, ARKANSAS - SEASONAL PRECIPITATION DATA

YEAR	RAINFALL				YEAR	SNOWFALL		
	WINTER	SPRING	SUMMER	FALL		WINTER	SPRING	FALL
1884			6.73		1884			
1885			5.32		1885			
1886					1886			
1887			10.11		1887			
1888			16.68		1888			
1889			13.32	7.71	1889			
1890			6.99	10.37	1890			0.0
1891	7.70	12.42	12.26	7.94	1891	0.0	1.2	T
1892	8.68	22.15	12.43	16.38	1892	3.0	14.0	0.0
1893	18.60	16.45	9.89	7.75	1893	11.0	0.0	0.0
1894		21.29	10.60	8.09	1894		2.0	0.0
1895	5.81	13.93	15.27	7.36	1895		0.0	0.0
1896	11.97	11.37	5.39	12.67	1896	2.7	2.5	0.0
1897	17.30	17.05	7.87	5.63	1897	1.2	0.0	0.0
1898	23.80	7.54	7.74	17.94	1898	T	0.0	0.0
1899	11.98	14.05	8.06	7.19	1899	9.0	0.0	0.0
1900	13.27	13.35	13.60	10.39	1900	3.0	0.0	0.0
1901	10.37	12.69	4.27	10.04	1901	1.6	0.0	0.0
1902	15.78	15.28	12.52	17.28	1902	4.0	0.0	0.0
1903	19.40	11.33	17.35	3.84	1903	3.0	0.0	0.0
1904	11.41	14.41	14.02	5.93	1904	T	0.0	0.0
1905	19.75	34.46	17.91	12.28	1905	7.0	0.0	0.0
1906	16.62	15.08	10.40	18.66	1906	5.0	0.0	0.0
1907	18.66	20.58	8.85	12.70	1907	1.0	0.0	0.0
1908	13.71	17.06	12.20	10.69	1908	0.0	0.0	0.0
1909	12.54	17.91	7.36	8.28	1909	2.0	0.0	0.0
1910	15.20	17.00	18.93	5.61	1910	16.4	0.0	0.0
1911	10.58	17.56	13.90	7.84	1911	T	0.0	0.0
1912	16.29	21.45	10.69	4.95	1912	0.2	0.0	0.0
1913	14.74	12.39	6.63	23.91	1913	1.5	0.0	0.0
1914	7.23	12.89	11.23	7.50	1914	T	0.0	0.0
1915	16.54	6.09	13.35	10.26	1915	7.0	1.0	0.0
1916	21.03	6.60	11.52	9.65	1916	3.5	0.0	0.0
1917	11.45	13.98	11.81	5.30	1917	3.5	2.0	T
1918	7.92	13.79	7.13	16.39	1918	8.0	0.0	0.0
1919	12.72	17.59	14.12	21.23	1919	0.5	T	0.0
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

RAINFALL					SNOWFALL			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
1920	10.02	15.29	9.21	8.52	1920	0.2	0.0	0.0
1921	13.12	19.48	7.64	9.45	1921	3.0	0.0	0.0
1922	8.00	25.18	7.12	4.51	1922	T	0.0	0.0
1923	16.34	19.59	9.69	11.29	1923	3.0	0.0	0.0
1924	16.30	13.18	6.75	9.12	1924	T	8.0	0.0
1925	12.34	4.79	8.00	17.60	1925	1.5	0.0	0.0
1926	6.94	12.20	8.33	12.27	1926	0.1	0.0	0.0
1927	16.20	24.16	17.00	8.08	1927	0.8	0.0	0.0
1928	7.79	17.20	17.38	11.33	1928	0.0	T	0.0
1929	12.78	10.64	7.19	5.52	1929	2.0	0.0	5.0
1930	22.03	17.30	0.66	16.53	1930	5.5	T	0.0
1931	8.16	8.54	15.06	11.01	1931	T	T	0.0
1932	29.73	10.34	11.00	7.87	1932	0.0	1.8	0.0
1933	18.20	14.27	9.47	8.39	1933	7.9	0.0	0.0
1934	16.67	17.55	4.17	12.01	1934	0.2	T	0.0
1935	18.25	15.42	6.70	10.47	1935	3.0	0.0	0.0
1936	4.17	7.59	14.71	9.00	1936	7.5	T	T
1937	23.76	6.34	9.04	16.67	1937	T	T	T
1938	19.63	18.38	7.16	6.24	1938	T	0.0	T
1939	30.21	18.38	10.51	8.46	1939	T	0.0	0.0
1940	9.44	13.55	10.67	12.58	1940	5.7	T	0.0
1941	10.41	12.93	15.34	7.70	1941	T	0.0	T
1942	8.75	21.04	6.80	11.00	1942	4.0	T	0.0
1943	8.32	19.15	1.91	8.13	1943	1.0	T	0.0
1944	11.99	22.29	6.10	6.10	1944	3.0	0.0	0.0
1945	19.78	20.27	15.85	24.60	1945	T	0.0	0.0
1946	20.90	19.96	4.28	11.46	1946	10.5	0.0	0.0
1947	7.44	20.58	6.30	12.34	1947	T	0.0	0.0
1948	13.77	14.81	13.44	11.81	1948	11.7	T	0.0
1949	14.36	13.42	11.87	17.34	1949	4.0	0.0	0.0
1950	20.76	16.81	11.84	9.81	1950	T	0.0	T
1951	16.85	8.51	13.02	10.19	1951	4.0	T	T
1952	15.34	13.01	3.50	9.74	1952	T	T	T
1953	12.47	28.79	3.75	3.87	1953	T	T	T
1954	12.49	9.81	4.97	6.37	1954	4.0	0.0	0.0
1955	13.79	19.23	8.31	7.53	1955	T	0.0	0.0
1956	15.51	9.83	5.97	10.69	1956	T	0.0	0.0
1957	23.24	21.02	10.94	20.07	1957	T	0.0	0.0
1958	10.50	23.21	15.18	13.86	1958	1.0	0.0	T
1959	10.57	12.37	10.79	9.72	1959	10.4	0.0	0.0
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

RAINFALL					SNOWFALL			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
1960	14.52	11.35	7.68	10.57	1960	14.2	4.0	0.0
1961	14.21	11.77	9.79	11.44	1961	T	0.0	0.0
1962	20.30	8.88	5.99	10.24	1962	8.0	T	0.0
1963	6.14	13.32	13.43	5.57	1963	T	0.0	0.0
1964	8.02	12.44	8.03	7.06	1964	12.2	0.0	0.0
1965	17.66	10.28	8.90	11.20	1965	3.0	7.3	0.0
1966	12.10	18.01	8.96	12.12	1966	25.1	0.0	T
1967	7.34	17.97	9.24	6.96	1967	1.0	T	T
1968	15.34	19.91	9.81	11.91	1968	1.0	T	0.0
1969	15.11	7.23	11.50	9.54	1969	T	T	0.0
1970	11.90	11.18	7.37	7.73	1970	1.6	T	0.0
1971	9.22	6.81	14.55	4.63	1971	2.0	1.0	T
1972	9.66	7.89	8.79	17.70	1972	T	0.0	0.0
1973	18.83	17.09	7.34	16.65	1973	T	0.0	0.0
1974	14.53	23.45	19.63	15.28	1974	T	0.0	T
1975	12.14	11.78	10.53	6.45	1975	3.0	T	0.0
1976	9.61	9.88	7.34	10.58	1976	T	0.0	0.0
1977	8.20	9.38	9.13	10.79	1977	2.0	0.0	0.0
1978	12.12	14.12	10.04	11.66	1978	10.1	0.0	0.0
1979	22.32	29.50	13.08	13.25	1979	8.3	0.0	0.0
1980	11.50	11.06	1.74	16.56	1980	4.5	0.2	1.0
1981	5.91	14.69	16.29	9.06	1981	0.0	0.0	0.0
1982	10.55	19.41	14.64	11.03	1982	5.0	T	0.0
1983	20.83	21.31	9.76	12.52	1983	T	0.0	0.0
1984	17.58	16.24	12.45	26.25	1984	7.0	0.0	0.0
1985	15.19	10.68	13.74	11.93	1985		0.0	0.0
1986	9.08	14.02	9.48	16.36	1986		0.0	0.0
1987		7.13	6.86		1987			0.0
1988	18.51	8.19	5.86	16.26	1988			0.0
1989	20.10	15.97	20.33	6.96	1989	0.0	0.0	0.0
1990	16.75	17.32	6.45	16.35	1990	0.0	0.0	0.0
1991	16.60	20.04	10.21	16.76	1991	T	T	T
1992	11.03	10.24	17.89	7.04	1992	2.0	T	T
1993	10.92	12.12	7.21	14.05	1993	T	T	T
1994	19.92	11.92	15.54	10.67	1994	5.0	T	0.0
1995	11.48	12.29	6.89	3.81	1995	4.0	T	0.0
1996	11.79	10.02	10.71	19.40	1996	3.0	0.0	0.0
1997	13.84	21.23	10.60	11.18	1997	1.0	0.0	T
1998	13.39	6.69	7.36	11.06	1998	T	0.0	0.0
1999	14.96	10.75	7.30	4.76	1999	3.0	T	0.0
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

RAINFALL					SNOWFALL			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL
2000	7.91	17.34	5.46	12.01	2000	11.0	0.0	0.0
2001	13.16	15.06	6.90	15.38	2001	1.6	0.0	0.0
2002	11.79	21.04	8.01	9.20	2002		0.0	0.0
2003	17.37	11.60	6.32	7.65	2003		0.0	0.0
2004	13.22	14.31	9.26	18.11	2004		0.0	0.0
2005	9.34	12.15	12.01	6.92	2005		0.0	0.0
2006	9.08	10.88	7.59	11.04	2006	T	0.0	0.0
2007	13.98	8.74	3.78	16.98	2007	0.2	0.0	0.0
2008	13.32	13.79	6.99	14.53	2008	T	6.0	0.0
2009	12.02	21.60	16.95	23.97	2009	T	T	0.0
2010	15.08	8.55	7.27	8.43	2010	0.9	T	0.0
2011					2011			
2012					2012			
2013					2013			
2014					2014			
2015					2015			
2016					2016			
2017					2017			
2018					2018			
2019					2019			
2020					2020			
2021					2021			
2022					2022			
2023					2023			
2024					2024			
2025					2025			
2026					2026			
2027					2027			
2028					2028			
2029					2029			
2030					2030			
2031					2031			
2032					2032			
2033					2033			
2034					2034			
2035					2035			
2036					2036			
2037					2037			
2038					2038			
2039					2039			
YEAR	WINTER	SPRING	SUMMER	FALL	YEAR	WINTER	SPRING	FALL

PINE BLUFF, ARKANSAS - MISCELLANEOUS DATA

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST 32°F	# DAYS \leq 32°F	# DAYS \geq 90°F	# DAYS \geq 100°F
1884				07 OCT	19 OCT				2
1885									1
1886				01 OCT					0
1887				06 OCT		31 OCT			5
1888			23 MAY						1
1889				16 SEP	29 OCT	10 NOV			0
1890				12 SEP	08 NOV	01 DEC			0
1891	05 APR	10 APR	30 MAY	01 OCT	08 NOV	13 NOV		77	0
1892	20 MAR	31 MAR	07 JUN	25 SEP	22 OCT	09 NOV	59	58	0
1893	19 APR	09 MAR	07 APR	23 SEP	02 NOV	15 NOV			7
1894				23 OCT	25 OCT	31 OCT			7
1895	21 MAR	27 MAR	30 APR	26 SEP	07 NOV	02 NOV		81	4
1896	19 MAR	30 MAR	22 APR	02 OCT	18 NOV	08 NOV	44	117	37
1897	27 FEB	17 FEB	20 MAY	17 OCT	08 NOV	17 NOV	45	124	42
1898	07 APR	15 MAR	12 MAY	05 OCT	10 OCT	27 OCT	56	110	4
1899	29 MAR	03 MAR	27 APR	21 OCT	21 NOV	03 NOV	59	104	16
1900	12 APR	11 MAR	15 MAY	05 OCT	23 NOV	09 NOV	60	104	4
1901	20 MAR	02 MAR	27 APR	24 SEP	03 NOV	13 NOV	59	103	44
1902	20 MAR	10 MAR	20 APR	26 SEP	13 NOV	27 NOV	77	98	17
1903	04 APR	17 MAR	09 APR	03 OCT	16 NOV	07 NOV	84	79	0
1904	10 APR	28 FEB	22 MAY	10 OCT	18 OCT	27 OCT	71	83	3
1905	01 MAR	06 MAR	23 APR	27 SEP	17 OCT	11 NOV	74	72	0
1906	01 APR	08 APR	11 APR	23 SEP	10 NOV	12 NOV	64	84	0
1907	23 FEB	07 JAN	25 MAR	03 OCT	26 OCT	12 NOV	40	83	15
1908	21 MAR	04 MAR	19 MAY	26 SEP	15 DEC	06 NOV	56	87	3
1909	09 APR	25 JAN	06 JUN	07 OCT	05 DEC	18 NOV	54	99	19
1910	25 APR	03 MAR	23 MAR	02 OCT	24 OCT	06 NOV	58	85	0
1911	16 MAR	31 JAN	09 MAR	06 OCT	15 OCT	02 NOV	30	93	10
1912	26 MAR	18 MAR	24 MAY	11 OCT	31 OCT	02 NOV	84	82	0
1913	29 MAR	23 MAR	29 MAY	07 SEP	21 NOV	30 OCT	58	84	10
1914	10 APR	19 JAN	16 APR	22 SEP	07 NOV	28 OCT	64	93	10
1915	31 MAR	10 APR	28 APR	03 OCT	10 NOV	15 NOV	69	74	3
1916	17 MAR	17 FEB	10 MAY	15 OCT	07 NOV	21 OCT	58	93	1
1917	06 MAR	19 FEB	26 MAY	29 SEP	09 NOV	20 OCT	66	66	1
1918	17 MAR	25 JAN	13 FEB	07 OCT	06 NOV	23 NOV	51	122	46
1919	06 MAR	20 FEB	22 APR	02 OCT	31 OCT	12 NOV	52	102	21

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST 32°F	# DAYS ≤ 32°F	# DAYS ≥ 90°F	# DAYS ≥ 100°F
1920	05 APR	16 MAR	03 MAY	20 OCT	06 NOV	12 NOV	47	86	1
1921	21 FEB	13 FEB	20 MAY	02 OCT	18 NOV	12 NOV	18	110	24
1922	08 MAR	11 FEB	26 MAY	05 OCT	01 DEC	22 NOV	39	100	11
1923	01 APR	03 MAR	20 MAY	02 OCT	15 OCT	29 NOV	35	83	7
1924	02 APR	28 MAR	15 APR	19 OCT	17 DEC	25 NOV	57	107	38
1925	15 MAR	21 FEB	18 APR	06 OCT	24 OCT	30 OCT	43	124	48
1926	01 APR	05 APR	22 MAY	18 OCT	28 OCT	05 NOV	44	110	20
1927	22 MAR	03 FEB	03 APR	28 OCT	29 NOV	03 DEC	36	114	11
1928	16 APR	11 JAN	01 MAY	15 OCT	13 NOV	13 NOV	41	111	21
1929	10 MAR	06 MAR	23 MAR	17 OCT	12 NOV	06 NOV	58	103	19
1930	26 MAR	23 FEB	14 JUN	22 SEP	18 NOV	31 OCT	48	84	23
1931	29 MAR	07 APR	06 JUN	11 OCT	23 NOV	25 NOV	25	63	1
1932	14 MAR	09 FEB	05 JUN	23 OCT	04 NOV	11 NOV	45	83	17
1933	21 MAR	24 FEB	10 APR	30 SEP	05 DEC	08 NOV	25	92	5
1934	19 MAR	06 MAR	30 MAY	24 OCT	09 NOV	15 NOV	38	101	24
1935	28 FEB	05 MAR	11 JUN	16 OCT	10 NOV	23 NOV	42	76	7
1936	03 APR	25 FEB	14 APR	19 OCT	02 NOV	04 NOV	48	100	21
1937	29 MAR	03 APR	20 MAY	31 OCT	01 NOV	23 OCT	44	83	3
1938	01 MAR	04 MAR	30 MAY	15 OCT	17 NOV	08 NOV	39	96	6
1939	03 MAR	11 MAR	24 MAY	26 OCT	07 DEC	31 OCT	32	97	12
1940	13 APR	28 FEB	01 APR	23 SEP	28 OCT	12 NOV	50	49	0
1941	19 MAR	01 APR	21 MAY	22 OCT	16 NOV	12 NOV	46	84	0
1942	03 MAR	13 MAR	27 MAY	19 SEP	19 NOV	27 NOV	45	94	13
1943	09 MAR	16 JAN	10 APR	15 SEP	01 NOV	09 NOV	48	112	43
1944	08 MAR	14 MAR	11 MAY	25 OCT	02 NOV	28 NOV	35	116	21
1945	27 FEB	15 FEB	20 MAY	28 SEP	02 NOV	22 NOV	39	76	6
1946	09 MAR	30 MAR	01 APR	09 OCT	01 NOV	02 DEC	29	86	9
1947	28 MAR	04 APR	04 MAY	18 OCT	31 OCT	01 DEC	51	92	32
1948	14 MAR	19 MAR	08 APR	23 SEP	29 OCT	19 OCT	63	100	1
1949	19 MAR	10 JAN	04 MAY	12 SEP	11 NOV	01 NOV	36	74	0
1950	30 MAR	24 JAN	23 MAY	18 SEP	01 NOV	04 NOV	59	49	0
1951	15 MAR	14 APR	18 MAY	06 OCT	31 DEC	02 NOV	56	90	6
1952	24 MAR	19 MAR	03 MAY	01 OCT	17 NOV	16 OCT	50	94	20
1953	23 FEB	12 MAR	22 MAY	18 OCT	03 NOV	30 OCT	47	109	11
1954	16 MAR	09 FEB	28 MAY	11 OCT	25 OCT	30 OCT	54	117	44
1955	29 MAR	02 MAR	22 APR	06 OCT	24 DEC	25 OCT	69	78	0
1956	20 MAR	06 MAR	18 MAY	06 OCT	05 DEC	08 NOV	51	94	10
1957	08 MAR	09 JAN	17 MAY	20 SEP	04 OCT	27 OCT	30	63	0
1958	20 MAR	03 APR	14 MAY	26 SEP	16 NOV	07 NOV	65	73	0
1959	23 MAR	31 MAR	01 MAY	03 OCT	03 NOV	06 NOV	62	78	0

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST 32°F	# DAYS ≤ 32°F	# DAYS ≥ 90°F	# DAYS ≥ 100°F
1960	25 MAR	29 MAR	06 APR	03 OCT	27 NOV	21 OCT	80	91	5
1961	25 FEB	06 MAR	17 MAY	24 SEP	02 NOV	08 NOV	45	69	0
1962	07 MAR	01 FEB	07 MAY	13 OCT	20 OCT	04 NOV	46	92	7
1963	06 MAR	12 MAR	10 MAY	15 OCT	31 OCT	13 NOV	72	82	2
1964	30 MAR	08 MAR	17 MAY	22 SEP	17 NOV	20 NOV	53	95	9
1965	26 MAR	16 MAR	22 APR	09 OCT	26 NOV	25 OCT	48	87	2
1966	25 MAR	17 MAR	08 MAY	06 SEP	31 OCT	02 NOV	65	64	11
1967	18 MAR	11 MAR	11 MAY	21 SEP	21 NOV	04 NOV	54	41	0
1968	24 MAR	29 MAR	14 MAY	08 SEP	01 NOV	12 NOV	63	61	0
1969	13 MAR	01 APR	21 MAY	04 OCT	20 OCT	14 NOV	50	68	9
1970	15 MAR	06 APR	22 MAY	02 OCT	26 OCT	15 NOV	55	72	4
1971	06 APR	14 MAR	02 JUN	03 OCT	14 NOV	07 NOV	42	74	4
1972	03 MAR	24 JAN	13 APR	14 OCT	01 NOV	23 NOV	44	89	5
1973	28 FEB	23 APR	10 MAY	04 OCT	24 NOV	07 DEC	40	74	0
1974	24 MAR	04 MAR	31 MAR	28 AUG	03 NOV	15 NOV	35	61	2
1975	04 APR	27 JAN	19 MAY	12 OCT	08 NOV	14 NOV	48	78	0
1976	08 FEB	27 FEB	13 JUN	04 OCT	16 OCT	21 OCT	61	51	0
1977	22 MAR	26 FEB	08 MAY	02 OCT	31 OCT	10 NOV	69	100	6
1978	11 MAR	31 MAR	20 MAY	22 SEP	14 NOV	18 NOV	84	94	11
1979	25 MAR	20 MAR	10 JUN	02 OCT	27 OCT	11 NOV	80	53	0
1980	18 MAR	22 FEB	29 MAY	23 SEP	09 NOV	30 OCT	72	103	39
1981	19 MAR	26 FEB	09 JUN	06 OCT	18 OCT	21 NOV	59	63	0
1982	09 MAR	24 FEB	28 MAY	06 OCT	03 DEC	25 OCT	69	65	0
1983	23 MAR	27 APR	13 JUN	20 SEP	04 NOV	12 NOV	71	80	10
1984	12 MAR	14 APR	14 MAY	15 SEP	02 NOV	12 NOV	68	59	1
1985	06 MAR	14 MAR	27 MAY	23 SEP	20 NOV	02 DEC	67	75	3
1986	23 MAR	26 FEB	09 MAY	03 OCT	04 OCT	13 NOV	32	76	7
1987	31 MAR	09 APR	19 APR	17 SEP	04 NOV	02 DEC	34	88	4
1988	15 MAR	21 MAR	15 MAY	23 SEP	09 NOV	23 NOV	45	80	2
1989	11 APR	01 FEB	22 APR	09 SEP	27 NOV	20 OCT	53	55	0
1990	05 FEB	12 MAR	29 APR	29 SEP	04 NOV	30 NOV	18	86	10
1991	10 MAR	06 MAR	13 MAY	03 OCT	23 OCT	01 NOV	34	75	1
1992	11 MAR	07 MAR	10 JUN	20 SEP	31 OCT	06 NOV	27	44	0
1993	14 MAR	08 MAR	03 JUN	24 SEP	13 NOV	31 OCT	46	82	7
1994	10 MAR	04 MAR	26 APR	30 SEP	19 OCT	01 DEC	39	65	0
1995	10 MAR	02 FEB	13 MAY	02 OCT	23 OCT	12 NOV	44	91	8
1996	05 APR	23 FEB	20 MAY	12 SEP	29 OCT	27 NOV	49	63	1
1997	15 FEB	04 MAR	19 JUN	06 OCT	12 OCT	16 NOV	30	68	2
1998	12 MAR	28 MAR	12 MAY	30 SEP	01 NOV	16 DEC	19	112	10
1999	15 MAR	03 APR	03 JUN	28 SEP	14 NOV	26 NOV	25	80	5

YEAR	LAST FREEZE	FIRST 80°F	FIRST 90°F	LAST 90°F	LAST 80°F	FIRST 32°F	# DAYS ≤ 32°F	# DAYS ≥ 90°F	# DAYS ≥ 100°F
2000	20 FEB	07 MAR	23 MAY	05 OCT	01 NOV	10 OCT	54	86	22
2001	25 MAR	03 APR	20 MAY	22 SEP	24 OCT	28 OCT	38	63	1
2002	23 MAR	30 JAN	01 MAY	04 OCT	10 NOV	17 NOV	49	73	0
2003	10 MAR	12 APR	30 MAY	24 OCT	05 NOV	24 NOV	56	50	0
2004	27 FEB	20 MAR	08 JUN	18 SEP	07 NOV	01 DEC	42	43	0
2005	10 MAR	21 FEB	11 MAY	18 OCT	08 NOV	26 OCT	33	89	2
2006	24 MAR	01 MAR	17 APR	04 OCT	18 OCT	03 NOV	38	82	6
2007	08 APR	12 MAR	06 JUN	18 SEP	05 NOV	16 NOV	47	70	9
2008	09 MAR	18 MAR	19 MAY	12 SEP	15 OCT	09 NOV	57	72	6
2009	04 MAR	09 MAR	31 MAY	09 SEP	08 OCT	27 NOV	54	55	1
2010	05 MAR	31 MAR	05 MAY	10 OCT		30 OCT		115	12
2011									
2012									
2013									
2014									
2015									
2016									
2017									
2018									
2019									
2020									
2021									
2022									
2023									
2024									
2025									
2026									
2027									
2028									
2029									
2030									
2031									
2032									
2033									
2034									
2035									
2036									
2037									
2038									
2039									